Pride Surveys Questionnaire for Grades 7 thru 12 Report

2015-16 Warren County Schools
Warren County, OH
January 28, 2016
sponsored by *PreventionFIRST!*



Contents

1	Intro	duction	18
	1.1	How To Use Your Data	18
2	Sum	mary	20
	2.1	Core Measures	20
	2.2	Annual Use	21
	2.3	Where Students Use	21
	2.4	When Students Use	21
	2.5	Risk Factors	22
	2.6	Protective Factors	22
3	Grap	phics	23
	3.1	Frequency of Use	24
		3.1.1 Annual Use	24
		3.1.2 Past 30-Day Use	32
	3.2	Perception of Harm	34
	3.3	Perception of Parental Disapproval	54
	3.4	Perception of Friends Disapproval	64
	3.5	Average Age of Onset of Use	74
	3.6	Student Information	97
	3.7	Availability	109
	3.8	Where Do You Use	116
	3.9	When Do You Use	139
	3.10	Annual Drug Use by Gender	162
	3.11	Risk and Protective Factors – Cross Tabulations	188
		3.11.1 Attend Church or Synagogue	189
		3.11.2 Take Part in Community Activities	190
		3.11.3 Make Good Grades	191

5	Drug	g-Free Communities Support Program Core Measures	319
	4.19	Frequency of Use	. 312
		In My School, I Feel Safe	
		While At School Have You	
		Gambling	
		When Do You Usually Use	
		Where Do You Usually Use	
		At What Age Did You First	
		From Whom Do You Get	
		How Wrong Do Your Parents Feel It Would Be For You To	
		How Wrong Do Your Friends Feel It Would Be For You To	
	4.9	Feel About Binge Drinking	
	4.8	How Easy Is It To Get	
	4.7	How Much Do You Think People Risk Harming Themselves Physically Or In Other Ways If They	
	4.6	Do You Feel The Following Are Harmful To Your Health?	
	4.5	During the Past 30 Days?	
	4.4	What Effect Do You Most Often Get When You Use	. 240
	4.3	Within The Past Year How Often Have You	
	4.2	Student Information	. 212
	4.1	Personal & Family Information	. 209
4	Perc	eentage Tables	208
	3.18	Gambling	. 205
		Personal Safety	
		Trouble with Police	
		Threatening/Harmful Behaviors	
		Involvement in Gangs	
	3.13	Carrying a Gun to School	. 200
	3.12	Safety and Health – Cross Tabulations	. 199
		3.11.10 Parents Punish for Breaking Rules	. 198
		3.11.9 Parents Set Clear Rules	. 197
		3.11.8 Parents Talk About Dangers of Drugs	
		3.11.7 Teachers Talk About Dangers of Drugs	
		3.11.6 Get Into Trouble at School	
		3.11.5 Take Part in School Activities	
		3.11.4 Take Part in Sports Teams	. 192

List of Tables

1.1	Number of Students Surveyed
2.1	Core Measures for All Students
2.2	Percentage of Students Who Report Using Drugs
2.3	Where Do Students Report Using
2.4	When Do Students Report Using
2.5	Percentage Of Students At Risk
2.6	Percentage Of Students Protected
3.1	Attend Church or Synagogue
3.2	Take Part in Community Activities
3.3	Make Good Grades
3.4	Take Part in Sports Teams
3.5	Take Part in School Activities
3.6	Get Into Trouble at School
3.7	Teachers Talk About Dangers of Drugs
3.8	Parents Talk About Dangers of Drugs
3.9	Parents Set Clear Rules
3.10	Parents Punish for Breaking Rules
4.1	Ethnic Origin
4.2	Are you Hispanic or Latino/Latina
4.3	Sex
4.4	Do you live with
4.5	Do you have a job?
4.6	Does your father have a job?
4.7	Does your mother have a job?
4.8	What is the educational level of your father?
4.9	What is the educational level of your mother?

4.10	Do you make good grades?
4.11	Do you get into trouble at school?
4.12	Do you take part in school sports teams?
4.13	Do you take part in school activities such as band, clubs, etc.?
4.14	Do you take part in community activities such as scouts, rec. teams, youth clubs, etc.?
4.15	Do you attend church, synagogue, etc.?
4.16	Do your parents talk with you about the dangers of tobacco, alcohol and drug use?
4.17	Do your teachers talk with you about the dangers of tobacco, alcohol and drug use?
4.18	Does your school set clear rules on using alcohol and drugs during school and school functions?
4.19	Does your school punish you when you break the rules about using alcohol and drugs?
4.20	Do your parents set clear rules for you about using alcohol and drugs?
4.21	Do your parents punish you when you break the rules about using alcohol and drugs?
4.22	Have you been in trouble with the police?
4.23	Do you take part in gang activities?
4.24	Have you ever thought about committing suicide?
4.25	Do your friends use tobacco (cigarettes, etc.)?
4.26	Do your friends use alcohol (beer, liquor, etc.)?
4.27	Do your friends use marijuana (weed, chronic, dank, kush, etc.)?
4.28	In the past 3 months, have you been at a party where alcohol was available?
4.29	In the past 3 months, have you been at a party where marijuana or other illicit drugs were available?
4.30	In the past 3 months, have you been at a party where prescription drugs, not prescribed to you, were available?
4.31	In general, how often do you experience stress in your daily life?
4.32	Does your school ask any students to take a drug test?
4.33	Have you bought or sold drugs AT school?
4.34	Have you bought or sold drugs when NOT at school?
4.35	Have you carried a gun for protection or as a weapon when AT school in the past year?
4.36	Have you carried a gun for protection or as a weapon when NOT at school in the past year?
4.37	I did not go to school 1 or more days because I felt unsafe at school?
4.38	I did not go to school 1 or more days because I felt unsafe on my way to or from school?
4.39	Are you aware of a drug prevention coalition in your neighborhood?
4.40	Are you involved in an extracurricular activity where the primary purpose of the group is to organize activities around the prevention of
	drug and alcohol use in your community??
4.41	During the past 7 days, hoy many times did you excercise, play a sport, or participate in a physical activity for at least 20 minutes that
	made you sweat and breathe hard?
4.42	During the past 7 days, hoy many times did you eat at least one piece of fruit?
4.43	During the past 7 days, hoy many times did you eat at least one vegetable?
4.44	On an average school night, how many hours of sleep do you get?

4.45	Within the past year, as a result of drinking, I did something I later regretted?	223
4.46	On an average school day, how often do you play video or computer games or use a device for something that is not school work? (Count	
	time spent on things such as xbox, wii, tablets and smartphones)	223
4.47	In the past 3 months, how often have you seen or heard anti-drug messages? (TV, Radio, Internet, Social Media Sites, Billboards, Movie	
	Theaters)	223
4.48	How many days have you been absent from school this year?	224
4.49	Within the past year how often have you smoked cigarettes?	225
4.50	Within the past year how often have you used smokeless tobacco (chew, etc.)?	225
4.51	Within the past year how often have you smoked cigars?	226
4.52	Within the past year how often have you used an electronic vapor product (e-cigars, e-cigarettes, e-pipes, vape pipes, vaping pens,	
	e-hookas, hookah pens, etc.)?	
4.53	Within the past year how often have you drank beer?	227
4.54	Within the past year how often have you drank coolers, hard lemonade, etc.?	227
4.55	Within the past year how often have you drank liquor (whiskey, vodka, rum, etc.)?	
4.56	Within the past year how often have you had 5 or more glasses of beer, coolers, or shots of liquor within a few hours?	
4.57	Within the past year how often have you smoked marijuana (weed, chronic, dank, kish, etc.?	229
4.58	Within the past year how often have you used synthetic marijuana (K2, spice)?	229
4.59	Within the past year how often have you used chemical products to get high (bath salts)?	230
4.60	Within the past year how often have you used pain medication not prescribed to you (Oxycontin, Vicodin, Percocet, etc.)?	230
4.61	Within the past year how often have you used stimulant medication not prescribed to you (Adderall, Ritalin, Concerta, etc.)?	
4.62	Within the past year how often have you used sleeping medication not prescribed to you (Ambien, Restoril, etc.)?	231
4.63	Within the past year how often have you used sedative/anxiety medication not prescribed to you (Xanax, Valium, Ativan, etc.)?	
4.64	Within the past year how often have you used over-the-counter drugs to get high?	232
4.65	Within the past year how often have you used heroin?	
4.66	Within the past year how often have you used cocaine (crack, etc.)?	
4.67	Within the past year how often have you used inhalants (glue, gas, etc.)?	
4.68	Within the past year how often have you used hallucinogens (PCP, LSD, etc.)?	
4.69	Within the past year how often have you used steroids?	
4.70	Within the past year how often have you used ecstasy (MDMA)?	
4.71	Within the past year how often have you used meth (crystal, ice, crank, etc.)?	
4.72	Within the past year how often have you ridden in a car with a driver who was drunk?	
4.73	Within the past year how often have you ridden in a car with a driver who was high?	
4.74	Within the past year how often have you driven a car while drunk?	
4.75	Within the past year how often have you driven a car while high?	
4.76	Within the past year how often have you used any tobacco?	
4.77	Within the past year how often have you used any alcohol?	
4.78	Within the past year how often have you used any illicit drug?	239

4.79	What effect do you most often get when you drink beer?
4.80	What effect do you most often get when you drink coolers, hard lemonade, etc.?
4.81	What effect do you most often get when you drink liquor?
4.82	What effect do you most often get when you smoke marijuana?
4.83	What effect do you most often get when you use an electronic vapro product?
4.84	What effect do you most often get when you use prescription drugs not prescribed to you?
4.85	What effect do you most often get when you use other illicit drugs?
4.86	During the past 30 days did you drink one or more drinks of an alcoholic beverage?
4.87	During the past 30 days did you smoke part or all of a cigarette?
4.88	During the past 30 days have you used marijuana or hashish?
4.89	During the past 30 days have you used prescription drugs not prescribed to you?
4.90	During the past 30 days have you used other illicit drugs?
4.91	During the past 30 days have you used an electronic vapor product?
4.92	Do you feel smoking cigarettes is harmful to your health?
4.93	Do you feel using smokeless tobacco is harmful to your health?
4.94	Do you feel smoking cigars is harmful to your health?
4.95	Do you feel using an electronic vapor product is harmful to your health?
4.96	Do you feel drinking beer is harmful to your health?
4.97	Do you feel drinking coolers, hard lemonade, etc. is harmful to your health?
4.98	Do you feel drinking liquor is harmful to your health?
4.99	Do you feel smoking marijuana is harmful to your health?
4.100	Do you feel using synthetic marijuana is harmful to your health?
4.101	Do you feel using chemical products (bath salts) to get high is harmful to your health?
4.102	Do you feel using prescription drugs not prescribed to you is harmful to your health?
4.103	Do you feel using over-the-counter drugs to get high is harmful to your health?
4.104	Do you feel using heroin is harmful to your health?
4.105	Do you feel using cocaine is harmful to your health?
4.106	Do you feel using inhalants is harmful to your health?
4.107	Do you feel using hallucinogens is harmful to your health?
4.108	Do you feel using steroids is harmful to your health?
4.109	Do you feel using ecstasy is harmful to your health?
4.110	Do you feel using meth is harmful to your health?
4.111	How much do you think people risk harming themselves physically or in other ways if they use any alcohol?
4.112	How much do you think people risk harming themselves physically or in other ways if they have five or more drinks of an alcoholic beverage
	once or twice a week?
4.113	How much do you think people risk harming themselves physically or in other ways if they take one or two drinks of an alcoholic beverage
	nearly every day?

4.114	How much do you think people risk harming themselves physically or in other ways if they use any tobacco?
4.115	How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day? 252
4.116	How much do you think people risk harming themselves physically or in other ways if they use electronic vapor products?
4.117	How much do you think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week? 253
4.118	How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed
	to them?
4.119	How much do you think people risk harming themselves physically or in other ways if they use illicit drugs?
4.120	How much do you think people risk harming themselves physically or in other ways if they drive while drunk?
4.121	How much do you think people risk harming themselves physically or in other ways if they drive while high?
4.122	How easy is it to get cigarettes, smokeless tobacco, cigars, etc.?
4.123	How easy is it to get electronic vapor products?
4.124	How easy is it to get beer, wine, liquor and other alcohol products?
4.125	How easy is it to get marijuana?
4.126	How easy is it to get prescription drugs not prescribed to you?
4.127	How easy is it to get other illicit drugs?
4.128	How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?
4.129	How wrong would your friends feel it would be for you to use any alcohol?
4.130	How wrong would your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?
4.131	How wrong would your friends feel it would be for you to use any tobacco?
4.132	How wrong would your friends feel it would be for you to smoke tobacco?
4.133	How wrong would your friends feel it would be for you to use electronic vapor products?
4.134	How wrong would your friends feel it would be for you to smoke marijuana?
4.135	How wrong would your friends feel it would be for you to use prescription drugs that are not prescribed to you?
4.136	How wrong would your friends feel it would be for you to use other illicit drugs?
4.137	How wrong would your friends feel it would be for you to gamble anything of value?
4.138	How wrong would your parents feel it would be for you to use any alcohol?
4.139	How wrong would your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?
4.140	How wrong would your parents feel it would be for you to use any tobacco?
4.141	How wrong would your parents feel it would be for you to smoke tobacco?
4.142	How wrong would your parents feel it would be for you to use electronic vapor products?
4.143	How wrong would your parents feel it would be for you to smoke marijuana?
4.144	How wrong would your parents feel it would be for you to use prescription drugs that are not prescribed to you?
4.145	How wrong would your parents feel it would be for you to use other illicit drugs?
4.146	How wrong would your parents feel it would be for you to gamble anything of value?
4.147	From whom do you get alcohol?
4.148	From whom do you get tobacco?
4.149	From whom do you get electronic vapor products?

4.150	From whom do you get marijuana?
4.151	From whom do you get prescription drugs not prescribed to you?
4.152	From whom do you get illicit drugs?
4.153	At what age did you first smoke cigarettes?
4.154	At what age did you first use smokeless tobacco?
4.155	At what age did you first smoke cigars?
4.156	At what age did you first use electronic vapor products?
4.157	At what age did you first drink beer?
4.158	At what age did you first drink coolers, hard lemonade, etc.?
4.159	At what age did you first drink liquor?
4.160	At what age did you first smoke marijuana?
4.161	At what age did you first use synthetic marijuana?
4.162	At what age did you first use chemical products (bath salts) to get high?
4.163	At what age did you first use prescription drugs not prescribed to you?
4.164	At what age did you first use over-the-counter drugs to get high?
4.165	At what age did you first use heroin?
4.166	At what age did you first use cocaine?
4.167	At what age did you first use inhalants?
4.168	At what age did you first use hallucinogens?
4.169	At what age did you first use steroids?
4.170	At what age did you first use ecstasy?
4.171	At what age did you first use meth?
4.172	At what age did you first use any tobacco?
4.173	At what age did you first use any alcohol?
4.174	At what age did you first use any illicit drug?
4.175	Where do you usually smoke cigarettes?
4.176	Where do you usually use smokeless tobacco?
4.177	Where do you usually smoke cigars?
4.178	Where do you usually use electronic vapor products?
4.179	Where do you usually drink beer?
4.180	Where do you usually drink coolers, hard lemonade, etc.?
4.181	Where do you usually drink liquor?
4.182	Where do you usually smoke marijuana?
4.183	Where do you usually use synthetic marijuana?
4.184	Where do you usually use chemical products (bath salts) to get high?
4.185	Where do you usually use prescription drugs not prescribed to you?
4.186	Where do you usually use over-the-counter drugs to get high?

4.187	Where do you usually use heroin?	284
4.188	Where do you usually use cocaine?	284
4.189	Where do you usually use inhalants?	285
4.190	Where do you usually use hallucinogens?	285
4.191	Where do you usually use steroids?	286
4.192	Where do you usually use ecstasy?	286
4.193	Where do you usually use meth?	287
4.194	Where do you usually use any tobacco?	287
4.195	Where do you usually use any alcohol?	288
4.196	Where do you usually use any illicit drug?	
4.197	When do you usually smoke cigarettes?	
4.198	When do you usually use smokeless tobacco?	289
4.199	When do you usually smoke cigars?	
4.200	When do you usually use electronic vapor products?	
4.201	When do you usually drink beer?	
4.202	When do you usually drink coolers, hard lemonade, etc.?	290
4.203	When do you usually drink liquor?	
4.204	When do you usually smoke marijuana?	
4.205	When do you usually use synthetic marijuana?	
4.206	When do you usually use chemical products (bath salts) to get high?	
4.207	When do you usually use prescription drugs not prescribed to you?	
4.208	When do you usually use over-the-counter drugs to get high?	
4.209	When do you usually use heroin?	
4.210	When do you usually use cocaine?	
4.211	When do you usually use inhalants?	
4.212	When do you usually use hallucinogens?	
4.213	When do you usually use steroids?	
4.214	When do you usually use ecstasy?	
4.215	When do you usually use meth?	
4.216	When do you usually use any tobacco?	
4.217	When do you usually use any alcohol?	
4.218	When do you usually use any illicit drug?	
4.219	Within the past year how often have you played "scratch offs"?	
4.220	Within the past year how often have you played lottery tickets (Powerball or Megabucks)?	
4.221	Within the past year how often have you played pull tabs or "paper" games other than lotteries?	
4.222	Within the past year how often have you played dice or coin flips?	
4.223	Within the past year how often have you played cards (poker, etc.)?	299

4.224	Within the past year how often have you bet on a sport?	. 299
4.225	Within the past year how often have you bet on a horse/dog race?	
4.226	Within the past year how often have you bet on games of personal skill (bowling, video games, dares, etc.)?	. 300
4.227	Within the past year how often have you played bingo for money?	. 301
4.228	Within the past year how often have you bet money over the internet?	. 301
4.229	Within the past year how often have you bet money in other ways?	. 302
4.230	Where do you usually gamble?	. 302
4.231	Have you ever felt bad about the amount you bet or about what happens when you bet money?	. 303
4.232	Have you ever felt that you would like to stop betting money but didn't think you could?	. 303
4.233	Have you ever lied to anyone about betting or gambling?	. 303
4.234	Have you ever bet or gambled more than you wanted?	. 304
4.235	While at school have you carried a handgun in the past year?	. 305
4.236	While at school have you carried a knife, club or other weapon in the past year?	. 305
4.237	While at school have you threatened a student with a handgun, knife or club in the past year?	. 305
4.238	While at school have you threatened to hurt a student by hitting, slapping or kicking in the past year?	. 306
4.239	While at school have you hurt a student by using a handgun, knife or club in the past year?	. 306
4.240	While at school have you hurt a student by hitting, slapping or kicking in the past year?	. 306
4.241	While at school have you been threatened with a handgun, knife or club by a student in the past year?	. 307
4.242	While at school have you had a student threaten to hit, slap or kick you in the past year?	. 307
4.243	While at school have you been afraid a student may hurt you in the past year?	. 307
4.244	While at school have you been hurt by a student using a handgun, knife or club in the past year?	. 308
4.245	While at school have you been hurt by a student who hit, slapped or kicked you in the past year?	. 308
4.246	In my school, I feel safe in the classroom	. 309
4.247	In my school, I feel safe in the cafeteria (lunchroom)	. 309
4.248	In my school, I feel safe in the halls	. 309
4.249	In my school, I feel safe in the bathroom.	. 310
4.250	In my school, I feel safe in the gym	. 310
4.251	In my school, I feel safe on the school bus.	. 310
4.252	In my school, I feel safe at school events (ballgames, etc.).	. 311
4.253	In my school, I feel safe in the parking lot	. 311
4.254	Frequency of use of cigarettes?	
4.255	Frequency of use of smokeless tobacco?	. 312
4.256	Frequency of use of cigars?	
4.257	Frequency of use of electronic vapor products?	
4.258	Frequency of use of beer?	
4.259	Frequency of use of coolers, hard lemonade, etc.?	
4.260	Frequency of use of liquor?	. 313

4.263 Frequency of use of chemical products (bath salts)? 31 4.264 Frequency of use of pain medication not prescribed to you? 31 4.265 Frequency of use of stimulant medication not prescribed to you? 31 4.266 Frequency of use of seeping medication not prescribed to you? 31 4.267 Frequency of use of sedative/anxiety medication not prescribed to you? 31 4.268 Frequency of use of heroin? 31 4.269 Frequency of use of heroin? 31 4.270 Frequency of use of inhalants? 31 4.271 Frequency of use of hallucinogens? 31 4.272 Frequency of use of steroids? 31 4.273 Frequency of use of estasy? 31 4.274 Frequency of use of estasy? 31 4.275 Frequency of use of any tobacco? 31 4.276 Frequency of use of any alcohol? 31 4.277 Frequency of use of any alcohol? 31 4.278 Frequency of use of any alcohol? 31 5.1 Core Measure for 30 Day Use by Grade 32 5.2 Core Measure of Friends Disapproval by Grade 32	4.261	Frequency of use of marijuana?
4.264 Frequency of use of pain medication not prescribed to you? 31 4.265 Frequency of use of stimulant medication not prescribed to you? 31 4.266 Frequency of use of sleeping medication not prescribed to you? 31 4.267 Frequency of use of sedative/anxiety medication not prescribed to you? 31 4.268 Frequency of use of over-the-counter drugs to get high? 31 4.269 Frequency of use of heroin? 31 4.270 Frequency of use of cocaine? 31 4.271 Frequency of use of inhalants? 31 4.272 Frequency of use of hallucinogens? 31 4.273 Frequency of use of steroids? 31 4.274 Frequency of use of or steroids? 31 4.275 Frequency of use of any tobacco? 31 4.276 Frequency of use of any tobacco? 31 4.277 Frequency of use of any alcohol? 31 4.278 Frequency of use of any alcohol? 31 4.279 Frequency of use of any alcohol? 31 5.1 Core Measure for 30 Day Use by Grade 32 5.2 Core Measure of Friends Disapproval by Grade	4.262	Frequency of use of synthetic marijuana?
4.265 Frequency of use of stimulant medication not prescribed to you? 31 4.266 Frequency of use of sleeping medication not prescribed to you? 31 4.267 Frequency of use of sedative/anxiety medication not prescribed to you? 31 4.268 Frequency of use of over-the-counter drugs to get high? 31 4.269 Frequency of use of heroin? 31 4.270 Frequency of use of cocaine? 31 4.271 Frequency of use of inhalants? 31 4.272 Frequency of use of hallucinogens? 31 4.273 Frequency of use of steroids? 31 4.274 Frequency of use of ecstasy? 31 4.275 Frequency of use of meth? 31 4.276 Frequency of use of any alcohol? 31 4.277 Frequency of use of any alcohol? 31 4.278 Frequency of use of any illicit drug? 31 5.1 Core Measure for 30 Day Use by Grade 32 5.2 Core Measure of Perception of Risk by Grade 32 5.5 Core Measure of Friends Disapproval by Grade 32 5.5 Core Measure of Friends Disapproval by Grade 32	4.263	Frequency of use of chemical products (bath salts)?
4.266Frequency of use of sleeping medication not prescribed to you?314.267Frequency of use of sedative/anxiety medication not prescribed to you?314.268Frequency of use of over-the-counter drugs to get high?314.269Frequency of use of heroin?314.270Frequency of use of cocaine?314.271Frequency of use of inhalants?314.272Frequency of use of hallucinogens?314.273Frequency of use of steroids?314.274Frequency of use of ecstasy?314.275Frequency of use of meth?314.276Frequency of use of any tobacco?314.277Frequency of use of any alcohol?314.278Frequency of use of any illicit drug?315.1Core Measure for 30 Day Use by Grade325.2Core Measure of Perception of Risk by Grade325.3Core Measure of Friends Disapproval by Grade325.4Core Measure of Friends Disapproval by Grade325.5Core Measure of Perception of Risk by Grade325.6Core Measure of Perception of Risk by Sex325.6Core Measure of Perception of Risk by Sex325.7Core Measure of Parental Disapproval by Sex325.7Core Measure of Parental Disapproval by Sex32	4.264	Frequency of use of pain medication not prescribed to you?
4.267Frequency of use of sedative/anxiety medication not prescribed to you?314.268Frequency of use of over-the-counter drugs to get high?314.269Frequency of use of heroin?314.270Frequency of use of cocaine?314.271Frequency of use of inhalants?314.272Frequency of use of hallucinogens?314.273Frequency of use of steroids?314.274Frequency of use of ecstasy?314.275Frequency of use of meth?314.276Frequency of use of any tobacco?314.277Frequency of use of any alcohol?314.278Frequency of use of any illicit drug?315.1Core Measure for 30 Day Use by Grade325.2Core Measure of Perception of Risk by Grade325.3Core Measure of Parental Disapproval by Grade325.4Core Measure of Friends Disapproval by Grade325.5Core Measure of Perception of Risk by Sex325.6Core Measure of Perception of Risk by Sex325.7Core Measure of Parental Disapproval by Sex325.7Core Measure of Parental Disapproval by Sex32	4.265	Frequency of use of stimulant medication not prescribed to you?
4.268 Frequency of use of over-the-counter drugs to get high? 31 4.269 Frequency of use of heroin? 31 4.270 Frequency of use of cocaine? 31 4.271 Frequency of use of inhalants? 31 4.272 Frequency of use of hallucinogens? 31 4.273 Frequency of use of steroids? 31 4.274 Frequency of use of ecstasy? 31 4.275 Frequency of use of meth? 31 4.276 Frequency of use of any tobacco? 31 4.277 Frequency of use of any alcohol? 31 4.278 Frequency of use of any illicit drug? 31 5.1 Core Measure for 30 Day Use by Grade 32 5.2 Core Measure of Perception of Risk by Grade 32 5.3 Core Measure of Parental Disapproval by Grade 32 5.4 Core Measure of Friends Disapproval by Grade 32 5.5 Core Measure of Perception of Risk by Sex 32 5.6 Core Measure of Perception of Risk by Sex 32 5.7 Core Measure of Parental Disapproval by Sex 32	4.266	Frequency of use of sleeping medication not prescribed to you?
4.269 Frequency of use of heroin? 31 4.270 Frequency of use of cocaine? 31 4.271 Frequency of use of inhalants? 31 4.272 Frequency of use of hallucinogens? 31 4.273 Frequency of use of steroids? 31 4.274 Frequency of use of ecstasy? 31 4.275 Frequency of use of meth? 31 4.276 Frequency of use of any tobacco? 31 4.277 Frequency of use of any alcohol? 31 4.278 Frequency of use of any illicit drug? 31 5.1 Core Measure for 30 Day Use by Grade 32 5.2 Core Measure of Perception of Risk by Grade 32 5.3 Core Measure of Parental Disapproval by Grade 32 5.4 Core Measure of Friends Disapproval by Grade 32 5.5 Core Measure of Perception of Risk by Sex 32 5.6 Core Measure of Perception of Risk by Sex 32 5.7 Core Measure of Parental Disapproval by Sex 32	4.267	Frequency of use of sedative/anxiety medication not prescribed to you?
4.270 Frequency of use of cocaine? 31 4.271 Frequency of use of inhalants? 31 4.272 Frequency of use of hallucinogens? 31 4.273 Frequency of use of steroids? 31 4.274 Frequency of use of ecstasy? 31 4.275 Frequency of use of meth? 31 4.276 Frequency of use of any tobacco? 31 4.277 Frequency of use of any alcohol? 31 4.278 Frequency of use of any illicit drug? 31 5.1 Core Measure for 30 Day Use by Grade 32 5.2 Core Measure of Perception of Risk by Grade 32 5.3 Core Measure of Parental Disapproval by Grade 32 5.4 Core Measure of Parental Disapproval by Grade 32 5.5 Core Measure for 30 Day Use by Sex 32 5.6 Core Measure of Perception of Risk by Sex 32 5.7 Core Measure of Parental Disapproval by Sex 32	4.268	Frequency of use of over-the-counter drugs to get high?
4.271 Frequency of use of inhalants? 31 4.272 Frequency of use of hallucinogens? 31 4.273 Frequency of use of steroids? 31 4.274 Frequency of use of ecstasy? 31 4.275 Frequency of use of meth? 31 4.276 Frequency of use of any tobacco? 31 4.277 Frequency of use of any alcohol? 31 4.278 Frequency of use of any illicit drug? 31 5.1 Core Measure for 30 Day Use by Grade 32 5.2 Core Measure of Perception of Risk by Grade 32 5.3 Core Measure of Parental Disapproval by Grade 32 5.4 Core Measure of Friends Disapproval by Grade 32 5.5 Core Measure for 30 Day Use by Sex 32 5.6 Core Measure of Perception of Risk by Sex 32 5.6 Core Measure of Perception of Risk by Sex 32 5.7 Core Measure of Parental Disapproval by Sex 32	4.269	Frequency of use of heroin?
4.272 Frequency of use of hallucinogens? 31 4.273 Frequency of use of steroids? 31 4.274 Frequency of use of ecstasy? 31 4.275 Frequency of use of meth? 31 4.276 Frequency of use of any tobacco? 31 4.277 Frequency of use of any alcohol? 31 4.278 Frequency of use of any illicit drug? 31 5.1 Core Measure for 30 Day Use by Grade 32 5.2 Core Measure of Perception of Risk by Grade 32 5.3 Core Measure of Parental Disapproval by Grade 32 5.4 Core Measure of Friends Disapproval by Grade 32 5.5 Core Measure for 30 Day Use by Sex 32 5.6 Core Measure of Perception of Risk by Sex 32 5.7 Core Measure of Parental Disapproval by Sex 32 5.7 Core Measure of Parental Disapproval by Sex 32	4.270	Frequency of use of cocaine?
4.273 Frequency of use of steroids? 31 4.274 Frequency of use of ecstasy? 31 4.275 Frequency of use of meth? 31 4.276 Frequency of use of any tobacco? 31 4.277 Frequency of use of any alcohol? 31 4.278 Frequency of use of any illicit drug? 31 5.1 Core Measure for 30 Day Use by Grade 32 5.2 Core Measure of Perception of Risk by Grade 32 5.3 Core Measure of Parental Disapproval by Grade 32 5.4 Core Measure of Friends Disapproval by Grade 32 5.5 Core Measure for 30 Day Use by Sex 32 5.6 Core Measure of Perception of Risk by Sex 32 5.6 Core Measure of Parental Disapproval by Sex 32 5.7 Core Measure of Parental Disapproval by Sex 32	4.271	Frequency of use of inhalants?
4.274 Frequency of use of ecstasy? 31 4.275 Frequency of use of meth? 31 4.276 Frequency of use of any tobacco? 31 4.277 Frequency of use of any alcohol? 31 4.278 Frequency of use of any illicit drug? 31 5.1 Core Measure for 30 Day Use by Grade 32 5.2 Core Measure of Perception of Risk by Grade 32 5.3 Core Measure of Parental Disapproval by Grade 32 5.4 Core Measure of Friends Disapproval by Grade 32 5.5 Core Measure for 30 Day Use by Sex 32 5.6 Core Measure of Perception of Risk by Sex 32 5.7 Core Measure of Parental Disapproval by Sex 32	4.272	Frequency of use of hallucinogens?
4.275Frequency of use of meth?314.276Frequency of use of any tobacco?314.277Frequency of use of any alcohol?314.278Frequency of use of any illicit drug?315.1Core Measure for 30 Day Use by Grade325.2Core Measure of Perception of Risk by Grade325.3Core Measure of Parental Disapproval by Grade325.4Core Measure of Friends Disapproval by Grade325.5Core Measure for 30 Day Use by Sex325.6Core Measure of Perception of Risk by Sex325.7Core Measure of Parental Disapproval by Sex325.7Core Measure of Parental Disapproval by Sex32	4.273	Frequency of use of steroids?
4.276Frequency of use of any tobacco?314.277Frequency of use of any alcohol?314.278Frequency of use of any illicit drug?315.1Core Measure for 30 Day Use by Grade325.2Core Measure of Perception of Risk by Grade325.3Core Measure of Parental Disapproval by Grade325.4Core Measure of Friends Disapproval by Grade325.5Core Measure for 30 Day Use by Sex325.6Core Measure of Perception of Risk by Sex325.7Core Measure of Parental Disapproval by Sex325.7Core Measure of Parental Disapproval by Sex32	4.274	Frequency of use of ecstasy?
4.277Frequency of use of any alcohol?314.278Frequency of use of any illicit drug?315.1Core Measure for 30 Day Use by Grade325.2Core Measure of Perception of Risk by Grade325.3Core Measure of Parental Disapproval by Grade325.4Core Measure of Friends Disapproval by Grade325.5Core Measure for 30 Day Use by Sex325.6Core Measure of Perception of Risk by Sex325.7Core Measure of Parental Disapproval by Sex32	4.275	Frequency of use of meth?
4.278Frequency of use of any illicit drug?315.1Core Measure for 30 Day Use by Grade325.2Core Measure of Perception of Risk by Grade325.3Core Measure of Parental Disapproval by Grade325.4Core Measure of Friends Disapproval by Grade325.5Core Measure for 30 Day Use by Sex325.6Core Measure of Perception of Risk by Sex325.7Core Measure of Parental Disapproval by Sex32	4.276	Frequency of use of any tobacco?
5.1 Core Measure for 30 Day Use by Grade	4.277	Frequency of use of any alcohol?
5.2Core Measure of Perception of Risk by Grade325.3Core Measure of Parental Disapproval by Grade325.4Core Measure of Friends Disapproval by Grade325.5Core Measure for 30 Day Use by Sex325.6Core Measure of Perception of Risk by Sex325.7Core Measure of Parental Disapproval by Sex32	4.278	Frequency of use of any illicit drug?
5.3Core Measure of Parental Disapproval by Grade325.4Core Measure of Friends Disapproval by Grade325.5Core Measure for 30 Day Use by Sex325.6Core Measure of Perception of Risk by Sex325.7Core Measure of Parental Disapproval by Sex32	5.1	Core Measure for 30 Day Use by Grade
5.4Core Measure of Friends Disapproval by Grade325.5Core Measure for 30 Day Use by Sex325.6Core Measure of Perception of Risk by Sex325.7Core Measure of Parental Disapproval by Sex32	5.2	Core Measure of Perception of Risk by Grade
5.5Core Measure for 30 Day Use by Sex325.6Core Measure of Perception of Risk by Sex325.7Core Measure of Parental Disapproval by Sex32	5.3	Core Measure of Parental Disapproval by Grade
5.6 Core Measure of Perception of Risk by Sex	5.4	Core Measure of Friends Disapproval by Grade
5.7 Core Measure of Parental Disapproval by Sex	5.5	Core Measure for 30 Day Use by Sex
	5.6	Core Measure of Perception of Risk by Sex
	5.7	Core Measure of Parental Disapproval by Sex
	5.8	Core Measure of Friends Disapproval by Sex

List of Figures

3.1	Annual Use of Any Tobacco, Any Alcohol and Any Illicit Drug	25
3.2	Annual Use of Cigarettes, Smokeless Tobacco, Cigars and Vapor Products	26

30-Day Use of Cigarettes, Alcohol, Marijuana and Prescription Drugs	33
Perception of Harm – Cigarettes	35
Perception of Harm – Smokeless Tobacco	36
Perception of Harm – Cigars	37
Perception of Harm – Electronic Vapor Products	38
Perception of Harm – Beer	39
Perception of Harm – Coolers, Hard Lemonade, etc.	40
Perception of Harm – Liquor	41
Perception of Harm – Marijuana	42
Perception of Harm – Synthetic Marijuana	43
Perception of Harm – Bath Salts	44
Perception of Harm – Prescription Drugs	45
Perception of Harm – Over-the-Counter	46
Perception of Harm – Heroin	47
Perception of Harm – Cocaine	48
Perception of Harm – Inhalants	49
Perception of Harm – Hallucinogens	50
Perception of Harm – Steroids	51
Perception of Harm – Ecstasy	52
Perception of Harm – Meth	53
Perception of Parental Disapproval – Use Alcohol	55
Perception of Parental Disapproval – Binge Alcohol	56
Perception of Parental Disapproval – Use Any Tobacco	57
Perception of Parental Disapproval – Use electronic vapor products	59
Perception of Parental Disapproval – Smoke Marijuana	60
Perception of Parental Disapproval – Use Prescription Drugs	61
Perception of Parental Disapproval – Use Other Illicit Drugs	62
Perception of Parental Disapproval – Gamble anything of value	63
Perception of Friends Disapproval – Use Alcohol	65
Perception of Friends Disapproval – Binge Alcohol	66
Perception of Friends Disapproval – Use Any Tobacco	67
	Annual Use of Marijuana, Synthetic Marijuana and Bath Satts Annual Use of Pain Medication, Stimulants, Annual Use of Pain Medication, Stimulants, Annual Use of Steroids, Ecstasy and Meth 30-Day Use of Cigarettes, Alcohol, Marijuana and Prescription Drugs Perception of Harm — Cigars Perception of Harm — Smokeless Tobacco Perception of Harm — Electronic Vapor Products Perception of Harm — Sunckeless Tobacco Perception of Harm — Prescription Drugs Perception of Harm — Prescription Drugs Perception of Harm — Heroin Perception of Harm — Harm — Sunckeless Tobacco Perception of Harm — Steroids Perception of Harm — Steroids Perception of Harm — Steroids Perception of Harm — Meth Perception of Parental Disapproval — Use Alcohol Perception of Parental Disapproval — Use Alcohol Perception of Parental Disapproval — Use Prescription Drugs Perception of Parental Disapproval — Use Prescr

3.40	Perception of Friends Disapproval – Smoke Tobacco	
3.41	Perception of Friends Disapproval – Use electronic vapor products	
3.42	Perception of Friends Disapproval – Smoke Marijuana	70
3.43	Perception of Friends Disapproval – Use Prescription Drugs	
3.44	Perception of Friends Disapproval – Use Other Illicit Drugs	
3.45	Perception of Friends Disapproval – Gamble anything of value	
3.46	Average Age of Onset of Use of Any Tobacco	
3.47	Average Age of Onset of Use of Any Alcohol	
3.48	Average Age of Onset of Use of Any Illicit Drug	
3.49	Average Age of Onset of Use of Cigarettes	
3.50	Average Age of Onset of Use of Smokeless Tobacco	
3.51	Average Age of Onset of Use of Cigars	
3.52	Average Age of Onset of Use of Electronic Vapor Products	
3.53	Average Age of Onset of Use of Beer	
3.54	Average Age of Onset of Use of Coolers, Hard Lemonade, etc	
3.55	Average Age of Onset of Use of Liquor	
3.56	Average Age of Onset of Use of Marijuana	
3.57	Average Age of Onset of Use of Synthetic Marijuana	
3.58	Average Age of Onset of Use of Bath Salts	
3.59	Average Age of Onset of Use of Prescription Drugs	
3.60	Average Age of Onset of Use of Over-the-Counter	
3.61	Average Age of Onset of Use of Heroin	
3.62	Average Age of Onset of Use of Cocaine	
3.63	Average Age of Onset of Use of Inhalants	
3.64	Average Age of Onset of Use of Hallucinogens	
3.65	Average Age of Onset of Use of Steroids	
3.66	Average Age of Onset of Use of Ecstasy	
3.67	Average Age of Onset of Use of Meth	
3.68	Attend Church or Synagogue	
3.69	Take Part in Community Activities	
3.70	Make Good Grades	
3.71	Take Part in Sports Teams	
3.72	Take Part in School Activities	
3.73	Get in Trouble at School	
3.74	Teachers Talk About the Dangers of Drugs	
3.75	Parents Talk About the Dangers of Drugs	
3.76	Parents Set Clear Rules	106

3.77	Parents Punish for Breaking Rules	
3.78	How Often Do You Experience Stress In Your Life	
3.79	Availability – Any Tobacco	
3.80	Availability – Electronic Vapor Products	
3.81	Availability – Any Alcohol	
3.82	Availability – Marijuana	
3.83	Availability – Prescription Drugs	
3.84	Availability – Other Illicit Drugs	
3.85	Where Do You Use Any Tobacco	
3.86	Where Do You Use Any Alcohol	
3.87	Where Do You Use Any Illicit Drug	
3.88	Where Do You Use Cigarettes	
3.89	Where Do You Use Smokeless Tobacco	
3.90	Where Do You Use Cigars	
3.91	Where Do You Use Electronic Vapor Products	
3.92	Where Do You Use Beer	
3.93	Where Do You Use Coolers, Hard Lemonade, etc.	
3.94	Where Do You Use Liquor	
3.95	Where Do You Use Marijuana	
3.96	Where Do You Use Synthetic Marijuana	
3.97	Where Do You Use Bath Salts	
3.98	Where Do You Use Prescription Drugs	
3.99	Where Do You Use Over-the-Counter	
3.100	Where Do You Use Heroin	
3.101	Where Do You Use Cocaine	
3.102	Where Do You Use Inhalants	
3.103	Where Do You Use Hallucinogens	
3.104	Where Do You Use Steroids	
3.105	Where Do You Use Ecstasy	
3.106	Where Do You Use Meth	138
3.107	When Do You Use Any Tobacco	140
3.108	When Do You Use Any Alcohol	141
3.109	When Do You Use Any Illicit Drug	142
3.110	When Do You Use Cigarettes	
3.111	When Do You Use Smokeless Tobacco	
3.112	When Do You Use Cigars	
3.113	When Do You Use Electronic Vapor Products	146

3.114	When Do You Use Beer	
3.115	When Do You Use Coolers, Hard Lemonade, etc	
3.116	When Do You Use Liquor	
3.117	When Do You Use Marijuana	
3.118	When Do You Use Synthetic Marijuana	
3.119	When Do You Use Bath Salts	
3.120	When Do You Use Prescription Drugs	
3.121	When Do You Use Over-the-Counter	
3.122	When Do You Use Heroin	
3.123	When Do You Use Cocaine	
3.124	When Do You Use Inhalants	
3.125	When Do You Use Hallucinogens	
3.126	When Do You Use Steroids	
3.127	When Do You Use Ecstasy	
3.128	When Do You Use Meth	
3.129	Annual Use of Any Tobacco by Gender	
3.130	Annual Use of Cigarettes by Gender	
3.131	Annual Use of Smokeless Tobacco by Gender	
3.132	Annual Use of Cigars by Gender	
3.133	Annual Use of Electronic Vapor Products by Gender	
3.134	Annual Use of Any Alcohol by Gender	
3.135	Annual Use of Beer by Gender	
3.136	Annual Use of Coolers, Hard Lemonade, etc. by Gender	
3.137	Annual Use of Liquor by Gender	
3.138	Annual Use of Any Illicit Drug by Gender	
3.139	Annual Use of Marijuana by Gender	
3.140	Annual Use of Synthetic Marijuana by Gender	
3.141	Annual Use of Bath Salts by Gender	
3.142	Annual Use of Pain Meds. by Gender	
3.143	Annual Use of Stimulants by Gender	
3.144	Annual Use of Sleeping Meds. by Gender	
3.145	Annual Use of Sedatives by Gender	
3.146	Annual Use of Over-the-Counter by Gender	
3.147	Annual Use of Heroin by Gender	
3.148	Annual Use of Cocaine by Gender	
3.149	Annual Use of Inhalants by Gender	
3.150	Annual Use of Hallucinogens by Gender	184

3.151	Annual Use of Steroids by Gender	185
3.152	Annual Use of Ecstasy by Gender	186
3.153	Annual Use of Meth by Gender	187
3.154	Attend Church or Synagogue	189
3.155	Take Part in Community Activities	190
3.156	Make Good Grades	191
3.157	Take Part in Sports Teams	192
3.158	Take Part in School Activities	193
3.159	Get Into Trouble at School	194
3.160	Teachers Talk About Dangers of Drugs	195
3.161	Parents Talk About Dangers of Drugs	
3.162	Parents Set Clear Rules	
3.163	Parents Punish for Breaking Rules	198
3.164	Drug Use of Students Who Reported Carrying a Gun to School	200
3.165	Drug Use of Students Who Reported Involvement in Gangs	201
3.166	Drug Use of Students Who Reported Threatening/Harmful Behaviors	202
3.167	Drug Use of Students Who Reported Trouble with Police	
3.168	Where Do You Usually Gamble	
3.169	Where Do You Usually Gamble (continued)	207

Chapter 1

Introduction

This report contains data collected in your school(s) using the *Prevention-FIRST!* Survey developed in conjunction with *Pride Surveys*. Your reports are organized as follows:

- 1. A Summary that provides you with the fundamental findings in an abbreviated and easy to read fashion.
- 2. Color Graphs that provide more expansive results from the survey in pictorial fashion.
- 3. A List of Tables which contains the complete findings of the survey. This section itemizes student responses by each grade level and each item scale (for example: never, seldom, sometimes, often and a lot).
- 4. A Narrative Report which includes both text and graphic images. This section also includes a sample news release.

Additionally, the report contains a special section entitled *Drug Free Communities Support Program*. This section was developed to provide the data needed to satisfy core measures required by the Drug Free Communities Support Program, administered by the Substance Abuse and Mental Health Services Administration. **NOTE:** Federal requirements have changed in regards to what questions should be used for reporting purposes. In particular, Past 30 Day Use is now calculated using a different question than has been used in the past. All references to past 30 day use will be based on the new questions.

It should also be noted that perception of harm and perception of risk measures similar constructs. Both of these sets of questions have been included in this survey to make it possible to compare to past data.

1.1 How To Use Your Data

- Meet the accountability requirements of federal and state agencies that your programs be evidence-based.
- Establish a needs assessment to design and secure funding for new programs.
- Conduct periodic performance evaluations for continuing programs.
- Encourage community-wide support for your programs.
- Determine why negative student behaviors occur by examining risk and protective factors.

Table 1.1: Number of Students Surveyed

Grade	Grade Total	Male	Female
7	490	228	247
8	436	198	220
9	887	422	453
10	907	444	431
11	885	433	436
12	833	405	416
7-8	926	426	467
9-12	3512	1704	1736
Total	4438	2130	2203

We recommend that you share the findings of your survey with staff/faculty, administration, boards of education, elected officials, parents, community organizations and the news media.

While the findings are likely to show that certain problems exist within your student population, the overriding message will be that you are taking a fact-based approach to understand and solve these problems.

If you have questions about this report or if you wish to have information on other *Pride Surveys* services and products, please contact:

Pride Surveys

Wendy McGrath 2140 Newmarket Pkwy SE Suite 116 Marietta, GA 30067 1-800-279-6361 1-770-726-9327

E-Mail: wendy.mcgrath@pridesurveys.com

Web Site: www.pridesurveys.com

The following information is for *Pride Surveys* internal use only.

• Data Files: cc150002,03,18,19,91,12,21,20

Filter:

Introduction 19

Chapter 2

Summary

Many federal agencies have identified certain data that are most important in measuring drug use and perceptions among youth. These data are often referred to as the *Core Measures* and consist of:

- Reported 30-day Use the percentage of students who have reported use in the last 30 days,
- **Perception of Risk** the percentage of students who reported that a drug was *harmful* or *very harmful*,
- Perception of Parental Disapproval of Use the percentage of students who reported that their parents would feel it was Wrong or Very Wrong to use,
- Perception of Friends' Disapproval of Use the percentage of students who reported that their friends would feel it was Wrong or Very Wrong to use,

For the drug categories of cigarettes/tobacco, alcohol, marijuana, and prescription drugs. The chapter entitled *Drug Free Communities Support Program Core Measures* will delve into these measures in detail. This section will briefly summarize these data.

2.1 Core Measures

Table 2.1: Core Measures for All Students

Measure	Cig/Tob	Alcohol	Marijuana	Presc. Drugs
Past 30 Day Use	11.6	20.3	13.9	6.2
Perceived Risk	88.4	78.3	64.0	86.9
Parental Disapproval	92.2	85.4	89.7	95.1
Friends Disapproval	73.8	58.4	66.9	85.3

2.2 Annual Use

This is the percentage of students who reported any use in the past year.

Table 2.2: Percentage of Students Who Report Using Drugs

DRUG	ANNUAL
Any Tobacco	20.4
Cigarettes	15.0
Smokeless Tobacco	9.9
Cigars	10.7
Electronic Vapor Products	25.2
Any Alcohol	36.0
Beer	29.2
Coolers, Hard Lemonade, etc.	26.5
Liquor	28.3
Any Illicit Drug	25.2
Marijuana	20.6
Synthetic Marijuana	6.1
Bath Salts	3.1
Pain Meds.	8.0
Stimulants	7.5
Sleeping Meds.	6.9
Sedatives	6.0
Over-the-Counter	3.8
Heroin	2.4
Cocaine	3.4
Inhalants	3.1
Hallucinogens	4.6
Steroids	3.0
Ecstasy	3.8
Meth	2.5
Prescription Drugs	12.9

2.3 Where Students Use

Table 2.3: Where Do Students Report Using

DRUG HOME SCHOOL CAR HOUSE PARTIES OTHER Tobacco 7.8 2.3 6.4 8.2 6.1 6.0 Alcohol 13.6 1.6 2.4 14.9 13.5 5.4 Marijuana 6.1 1.5 6.2 11.0 8.0 5.2 Presc Drugs 3.1 1.7 1.0 1.8 1.4 1.4 Vapor 8.9 2.2 6.7 10.6 6.1 4.7					<u> </u>		
Tobacco 7.8 2.3 6.4 8.2 6.1 6.0 Alcohol 13.6 1.6 2.4 14.9 13.5 5.4 Marijuana 6.1 1.5 6.2 11.0 8.0 5.2 Presc Drugs 3.1 1.7 1.0 1.8 1.4 1.4		AT	AT	IN A	FRIENDS'		
Alcohol 13.6 1.6 2.4 14.9 13.5 5.4 Marijuana 6.1 1.5 6.2 11.0 8.0 5.2 Presc Drugs 3.1 1.7 1.0 1.8 1.4 1.4	DRUG	HOME	SCHOOL	CAR	HOUSE	PARTIES	OTHER
Marijuana 6.1 1.5 6.2 11.0 8.0 5.2 Presc Drugs 3.1 1.7 1.0 1.8 1.4 1.4	Tobacco	7.8	2.3	6.4	8.2	6.1	6.0
Presc Drugs 3.1 1.7 1.0 1.8 1.4 1.4	Alcohol	13.6	1.6	2.4	14.9	13.5	5.4
	Marijuana	6.1	1.5	6.2	11.0	8.0	5.2
Vapor 8.9 2.2 6.7 10.6 6.1 4.7	Presc Drugs	3.1	1.7	1.0	1.8	1.4	1.4
	Vapor	8.9	2.2	6.7	10.6	6.1	4.7

2.4 When Students Use

Table 2.4: When Do Students Report Using

	BEFORE	DURING	AFTER	WEEK	WEEK
DRUG	SCHOOL	SCHOOL	SCHOOL	NIGHT	END
Tobacco	4.6	2.5	7.5	5.5	10.7
Alcohol	1.2	1.5	3.1	3.4	23.3
Marijuana	3.0	1.6	5.6	5.5	13.7
Presc Drugs	1.4	1.5	1.7	1.7	2.9
Vapor	3.3	1.9	7.4	5.8	12.2

Summary 21

2.5 Risk Factors

Table 2.5: Percentage Of Students At Risk

FACTOR	PCT AT RISK
Guns NOT at School	1.5
Guns AT School	2.8
Gang Activity	3.1
Trouble With Police	17.7
Threaten A Student With a Gun, Knife or Club	2.3
Threaten To Hurt A Student By Hitting, Slapping or Kicking	18.3
Hurt A Student With A Gun, Knife or Club	1.7
Hurt A Student By Hitting, Slapping or Kicking	12.1
Been Threatened With a Gun, Knife or Club	6.1
Had A Student Threaten To Hit, Slap or Kick	25.7
Been Afraid A Student May Hurt You	17.3
Been Hurt By A Student With A Gun, Knife or Club	2.0
Been Hurt By A Student By Hitting, Slapping or Kicking	14.5

2.6 Protective Factors

Table 2.6: Percentage Of Students Protected

FACTOR	PCT PROTECTED
Make Good Grades	82.4
Attend Church or Synagogue	39.6
Take Part in Community Activities	28.5
Take Part in School Activities	36.3
Teachers Talk About the Dangers of Drugs	23.5
Parents Talk About the Dangers of Drugs	37.7

Summary 22

Chapter 3

Graphics

The following graphs will assist you in understanding the relationship of student behavior to alcohol and other drug usage. You are encouraged to make overheads or slides from the graphs for presentations to school faculty, parents, media, and other audiences in the community.

The *Location* and *Time* of drug use graphs will be helpful in understanding the need for a commitment to drug abuse prevention by parents and the larger community - not just by schools. Student alcohol and other drug use occurs most often outside the school and at times when school is not in session.

The *Perceived Harm* of alcohol and other drugs will assist with understanding how the false assumptions concerning harm are related to drug use. When drugs are perceived as harmless, the probability of use increases.


Research indicates that easy access, *Availability*, to drugs increases the probability of use. Availability of alcohol and other drugs normally increases at higher grade levels.

3.1 Frequency of Use

3.1.1 Annual Use


The following charts show how students responded to questions about use in the past year. The specific text of the question began with the header, "Within the past year how often have you..." and continued with various behaviors including substance use and abuse as well as factors relating to vehicle safety.

Annual Use of Any Tobacco, Any Alcohol and Any Illicit Drug




Source: Pride Surveys

Annual Use of Cigarettes, Smokeless Tobacco, Cigars and Vapor Products




Source: Pride Surveys

Annual Use of Beer, Coolers, Liquor and Binge Drinking




Source: Pride Surveys

Annual Use of Marijuana, Synthetic Marijuana and Bath Salts




Source: Pride Surveys

Annual Use of Pain Medication, Stimulants, Sleeping Medication, Sedatives, and Over the Counter




Source: Pride Surveys

Annual Use of Heroin, Cocaine, Inhalants and Hallucinogens



Source: Pride Surveys

Annual Use of Steroids, Ecstasy and Meth




Source: Pride Surveys

3.1.2 Past 30-Day Use

We calculate 30-day use from various questions including a subset of "Within the past year..." as well as DFC specific questions about use in the past 30 days.

30-Day Use of Cigarettes, Alcohol, Marijuana and Prescription Drugs



Source: Pride Surveys


3.2 Perception of Harm

An adolescent's perception of the risks associated with substance use is an important determinant of whether he or she engages in substance use. For example, youths who perceive high risk of harm are less likely to use drugs than youths who perceive low risk of harm.*

Students are asked about their perception of harm of any use of various drugs with the possible responses being No Harm, Some Harm, Harmful or Very Harmful. Past analysis of national statistics indicates that as students. perception of harm increases, use of substances decreases. It is also typical for the perception of harm (Harmful or Very Harmful) to decrease as a child gets older. Your students. responses are detailed in the following pages.


*Source: http://archive.samhsa.gov/data/2k13/NSDUH099a/sr099a-risk-perception-trends.pdf

Perception of Harm -- Cigarettes




Source: Pride Surveys

Perception of Harm -- Smokeless Tobacco




Source: Pride Surveys

Perception of Harm -- Cigars




Source: Pride Surveys

Perception of Harm -- Electronic Vapor Products




Source: Pride Surveys

Perception of Harm -- Beer




Source: Pride Surveys

Perception of Harm -- Coolers, Hard Lemonade, etc.




Source: Pride Surveys

Perception of Harm -- Liquor




Source: Pride Surveys

Perception of Harm -- Marijuana




Source: Pride Surveys

Perception of Harm -- Synthetic Marijuana




Source: Pride Surveys

Perception of Harm -- Bath Salts




Source: Pride Surveys

Perception of Harm -- Prescription Drugs




Source: Pride Surveys

Perception of Harm -- Over-the-Counter




Source: Pride Surveys


Perception of Harm -- Heroin



Source: Pride Surveys


Perception of Harm -- Cocaine






Source: Pride Surveys

Perception of Harm -- Inhalants




Source: Pride Surveys

Perception of Harm -- Hallucinogens




Source: Pride Surveys

Perception of Harm -- Steroids




Source: Pride Surveys

Perception of Harm -- Ecstasy



Source: Pride Surveys

Perception of Harm -- Meth




Source: Pride Surveys

3.3 Perception of Parental Disapproval


Similar to the Perception of Harm, we can see an impact on adolescents if their parents strongly disapprove of drugs and drug use. You can see the cross tabs in your own data in section 3.11

Perception of Parental Disapproval -- Use Alcohol




Source: Pride Surveys

Perception of Parental Disapproval -- Binge Alcohol




Source: Pride Surveys

Perception of Parental Disapproval -- Use Any Tobacco




Source: Pride Surveys

Perception of Parental Disapproval -- Smoke Tobacco




Source: Pride Surveys

Perception of Parental Disapproval -- Use electronic vapor products




Source: Pride Surveys

Perception of Parental Disapproval -- Smoke Marijuana




Source: Pride Surveys

Perception of Parental Disapproval -- Use Prescription Drugs




Source: Pride Surveys

Perception of Parental Disapproval -- Use Other Illicit Drugs



Source: Pride Surveys

Perception of Parental Disapproval -- Gamble anything of value




Source: Pride Surveys

3.4 Perception of Friends Disapproval


Similar to other categories of disapproval friends have influence over one another's behaviors. You can see more about this in the cross tabs section 3.11. Typically, students perceive a decreasing amount of disapproval from their friends as they grow older. This is helpful in understanding peer pressure. The following pages detail your students' responses to their friends' disapproval.

Perception of Friends Disapproval -- Use Alcohol




Source: Pride Surveys

Perception of Friends Disapproval -- Binge Alcohol




Source: Pride Surveys

Perception of Friends Disapproval -- Use Any Tobacco




Source: Pride Surveys

Perception of Friends Disapproval -- Smoke Tobacco




Perception of Friends Disapproval -- Use electronic vapor products




Source: Pride Surveys

Perception of Friends Disapproval -- Smoke Marijuana




Source: Pride Surveys

Perception of Friends Disapproval -- Use Prescription Drugs




Source: Pride Surveys

Perception of Friends Disapproval -- Use Other Illicit Drugs



Source: Pride Surveys

Perception of Friends Disapproval -- Gamble anything of value




Source: Pride Surveys

3.5 Average Age of Onset of Use

The question "At what age did you first use..." is used to measure this statistic. The possible responses to this question range from 10 or Under, to 17 or Older, and Never Used. The table shows the average age of first use for those students who answered the question with a response other than Never Used.

Average Age of Onset of Use of Any Tobacco




Source: Pride Surveys

Graphics


75

Average Age of Onset of Use of Any Alcohol




Source: Pride Surveys

Average Age of Onset of Use of Any Illicit Drug




Source: Pride Surveys

Average Age of Onset of Use of Cigarettes




Source: Pride Surveys

Average Age of Onset of Use of Smokeless Tobacco




Source: Pride Surveys

Average Age of Onset of Use of Cigars




Source: Pride Surveys

Average Age of Onset of Use of Electronic Vapor Products




Source: Pride Surveys

Average Age of Onset of Use of Beer




Source: Pride Surveys

Average Age of Onset of Use of Coolers, Hard Lemonade, etc.




Source: Pride Surveys

Average Age of Onset of Use of Liquor




Source: Pride Surveys

Average Age of Onset of Use of Marijuana




Source: Pride Surveys

Average Age of Onset of Use of Synthetic Marijuana




Source: Pride Surveys

Average Age of Onset of Use of Bath Salts




Source: Pride Surveys

Average Age of Onset of Use of Prescription Drugs




Source: Pride Surveys

Average Age of Onset of Use of Over-the-Counter




Source: Pride Surveys

Average Age of Onset of Use of Heroin




Source: Pride Surveys

Average Age of Onset of Use of Cocaine




Source: Pride Surveys

Average Age of Onset of Use of Inhalants




Source: Pride Surveys

Average Age of Onset of Use of Hallucinogens




Source: Pride Surveys

Average Age of Onset of Use of Steroids




Source: Pride Surveys

Average Age of Onset of Use of Ecstasy



Source: Pride Surveys

Average Age of Onset of Use of Meth




Source: Pride Surveys

3.6 Student Information


The student information section asks a variety of information about the students that gives us further insight into their home and school lives.

Attend Church or Synagogue




Source: Pride Surveys

Take Part in Community Activities




Source: Pride Surveys

Make Good Grades




Source: Pride Surveys

Take Part in Sports Teams




Source: Pride Surveys

Take Part in School Activities




Source: Pride Surveys

Get in Trouble at School




Source: Pride Surveys

Teachers Talk About the Dangers of Drugs




Source: Pride Surveys

Parents Talk About the Dangers of Drugs




Source: Pride Surveys

Parents Set Clear Rules




Source: Pride Surveys

Parents Punish for Breaking Rules



Source: Pride Surveys

How Often Do You Experience Stress In Your Life




Source: Pride Surveys

3.7 Availability


This section is related to the question "How easy is it to get..." various substances.

Availability -- Any Tobacco




Source: Pride Surveys

Availability -- Electronic Vapor Products




Source: Pride Surveys

Availability -- Any Alcohol




Source: Pride Surveys

Availability -- Marijuana




Source: Pride Surveys

Availability -- Prescription Drugs



Source: Pride Surveys

Availability -- Other Illicit Drugs




Source: Pride Surveys

3.8 Where Do You Use


We ask the students "Where do you usually..." Possible responses include do not use (which we do not include in the chart), at home, at school, in a car, friend's house, parties, and other.

Where Do You Use Any Tobacco




Source: Pride Surveys

Where Do You Use Any Alcohol




Source: Pride Surveys

Where Do You Use Any Illicit Drug




Source: Pride Surveys

Where Do You Use Cigarettes




Source: Pride Surveys

Where Do You Use Smokeless Tobacco




Source: Pride Surveys

Where Do You Use Cigars




Source: Pride Surveys

Where Do You Use Electronic Vapor Products




Source: Pride Surveys

Where Do You Use Beer




Source: Pride Surveys

Where Do You Use Coolers, Hard Lemonade, etc.




Source: Pride Surveys

Where Do You Use Liquor




Source: Pride Surveys

Where Do You Use Marijuana




Source: Pride Surveys

Where Do You Use Synthetic Marijuana




Source: Pride Surveys

Where Do You Use Bath Salts




Source: Pride Surveys

Where Do You Use Prescription Drugs




Source: Pride Surveys

Where Do You Use Over-the-Counter




Source: Pride Surveys

Where Do You Use Heroin




Source: Pride Surveys

Where Do You Use Cocaine




Source: Pride Surveys

Where Do You Use Inhalants




Source: Pride Surveys

Where Do You Use Hallucinogens




Source: Pride Surveys

Where Do You Use Steroids




Source: Pride Surveys

Where Do You Use Ecstasy



Source: Pride Surveys

Where Do You Use Meth




Source: Pride Surveys

3.9 When Do You Use


We ask the students "When do you usually..." Possible responses include do not use (which we do not include in the chart), before, during, and after school, weeknights, and weekends. Past analysis of national statistics show that *during school* is typically the *least* popular time of use.

When Do You Use Any Tobacco




Source: Pride Surveys

When Do You Use Any Alcohol




Source: Pride Surveys

When Do You Use Any Illicit Drug




Source: Pride Surveys

When Do You Use Cigarettes




Source: Pride Surveys

When Do You Use Smokeless Tobacco




Source: Pride Surveys

When Do You Use Cigars




Source: Pride Surveys

When Do You Use Electronic Vapor Products




Source: Pride Surveys

When Do You Use Beer




Source: Pride Surveys

When Do You Use Coolers, Hard Lemonade, etc.




Source: Pride Surveys

When Do You Use Liquor




Source: Pride Surveys

When Do You Use Marijuana




Source: Pride Surveys

When Do You Use Synthetic Marijuana




Source: Pride Surveys

When Do You Use Bath Salts




Source: Pride Surveys

When Do You Use Prescription Drugs




Source: Pride Surveys

When Do You Use Over-the-Counter




Source: Pride Surveys

When Do You Use Heroin




Source: Pride Surveys

When Do You Use Cocaine




Source: Pride Surveys

When Do You Use Inhalants




Source: Pride Surveys

When Do You Use Hallucinogens




Source: Pride Surveys

When Do You Use Steroids




Source: Pride Surveys

When Do You Use Ecstasy



Source: Pride Surveys

When Do You Use Meth




Source: Pride Surveys

3.10 Annual Drug Use by Gender


These charts break down the annual use that we have seen previously by male/female to examine the effect that gender has on certain categories of use.

Annual Use of Any Tobacco by Gender




Source: Pride Surveys

Annual Use of Cigarettes by Gender




Source: Pride Surveys

Annual Use of Smokeless Tobacco by Gender




Source: Pride Surveys

Annual Use of Cigars by Gender




Source: Pride Surveys

Annual Use of Electronic Vapor Products by Gender




Source: Pride Surveys

Annual Use of Any Alcohol by Gender




Source: Pride Surveys

Annual Use of Beer by Gender




Source: Pride Surveys

Annual Use of Coolers, Hard Lemonade, etc. by Gender




Source: Pride Surveys

Annual Use of Liquor by Gender




Source: Pride Surveys

Annual Use of Any Illicit Drug by Gender




Annual Use of Marijuana by Gender




Source: Pride Surveys

Annual Use of Synthetic Marijuana by Gender




Source: Pride Surveys

Annual Use of Bath Salts by Gender




Source: Pride Surveys

Annual Use of Pain Meds. by Gender




Source: Pride Surveys

Annual Use of Stimulants by Gender




Source: Pride Surveys

Annual Use of Sleeping Meds. by Gender




Source: Pride Surveys

Annual Use of Sedatives by Gender




Source: Pride Surveys

Annual Use of Over-the-Counter by Gender




Source: Pride Surveys

Annual Use of Heroin by Gender




Source: Pride Surveys

Annual Use of Cocaine by Gender




Source: Pride Surveys

Annual Use of Inhalants by Gender




Source: Pride Surveys

Annual Use of Hallucinogens by Gender




Source: Pride Surveys

Annual Use of Steroids by Gender




·

Annual Use of Ecstasy by Gender



Source: Pride Surveys

Annual Use of Meth by Gender



3.11 Risk and Protective Factors – Cross Tabulations

This section looks at the following questions:

- Attend Church or Synagogue
- Take Part in Community Activities
- Make Good Grades
- Take Part in Sports Teams
- Take Part in School Activities
- Get Into Trouble at School
- Teachers Talk About Dangers of Drugs
- Parents Talk About Dangers of Drugs
- Parents Set Clear Rules
- Parents Punish for Breaking Rules

How students responded to each question is presented in table form. Students are then grouped based on how they responded to each question. The percent of illicit drug use for each subgroup is calculated and presented in graphic form. For example, if the bar for *Never* is at 40%, this means 40% of the students who marked *Never* reported using an illicit drug.


3.11.1 Attend Church or Synagogue

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.1: Attend Church or Synagogue

RESPONSE	PCT
Never	28.9
Seldom	13.7
Sometimes	17.8
Often	13.9
A Lot	25.8

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.




3.11.2 Take Part in Community Activities

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.2: Take Part in Community Activities

RESPONSE	PCT
Never	36.9
Seldom	16.2
Sometimes	18.5
Often	13.3
A Lot	15.2

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.




3.11.3 Make Good Grades

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.3: Make Good Grades

RESPONSE	PCT
Never	1.3
Seldom	1.6
Sometimes	14.7
Often	36.3
A Lot	46.1

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.




3.11.4 Take Part in Sports Teams

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.4: Take Part in Sports Teams

RESPONSE	PCT
Never	28.8
Seldom	9.2
Sometimes	13.0
Often	16.0
A Lot	33.0

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.




3.11.5 Take Part in School Activities

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.5: Take Part in School Activities

RESPONSE	PCT
Never	30.8
Seldom	13.7
Sometimes	19.1
Often	15.0
A Lot	21.3

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.




3.11.6 Get Into Trouble at School

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.6: Get Into Trouble at School

RESPONSE	PCT
Never	58.6
Seldom	30.3
Sometimes	8.3
Often	1.3
A Lot	1.4

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Graphics 194

Source: Pride Surveys

3.11.7 Teachers Talk About Dangers of Drugs


Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.7: Teachers Talk About Dangers of Drugs

RESPONSE	PCT
Never	17.2
Seldom	27.1
Sometimes	32.2
Often	14.8
A Lot	8.7

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.

Teachers Talk About Dangers of Drugs



3.11.8 Parents Talk About Dangers of Drugs

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.


Table 3.8: Parents Talk About Dangers of Drugs

RESPONSE	PCT
Never	13.2
Seldom	17.7
Sometimes	31.3
Often	21.6
A Lot	16.1

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Percent of Annual Use of Any Illicit Drug



Source: Pride Surveys

Never


3.11.9 Parents Set Clear Rules

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.9: Parents Set Clear Rules

iabic c.c.	i dicitio oct olcai i talco
RESPONSE	PCT
Never	7.4
Seldom	6.9
Sometimes	11.9
Often	17.1
A Lot	56.8

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.




3.11.10 Parents Punish for Breaking Rules

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.10: Parents Punish for Breaking Rules

RESPONSE	PCT
Never	18.4
Seldom	5.1
Sometimes	9.2
Often	13.3
A Lot	54.1

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



3.12 Safety and Health – Cross Tabulations

The following graphs and tables summarize some of the *Student Information* questions in regard to drug use. These data are calculated by examining specific subsets of your population. For example, a percentage is calculated for students who report carrying a gun and their liquor use. This percentage is calculated as follows:

Number of those reporting carrying a gun to school and claiming to use liquor

Number of those reporting carrying a gun and validly responding to the question *How Often Do You Use Liquor*

The *Ratio* describes the relationship between the groups examined on each graph. For example, in looking at Guns vs. No Guns if the cocaine ratio were 5.3, this would mean the percentage of students who report cocaine use was 5.3 times higher for students who report bringing a gun to school compared to those who don't.

3.13 Carrying a Gun to School

Total number of students surveyed = 4438

Total number who responded to this question = 4198

118 students reported carrying a gun to school. (2.8% of total responding)

Of the 118 students who reported carrying a gun to school,

81 report using liquor (69.8%),


74 report using marijuana (63.8%),

48 report using cocaine (41.4%),

43 report using Meth (37.4%).

NOTE: Results based on students who reported one or more instances of carrying a gun to school

Drug	Gun	No Gun	Ratio
Liquor	69.8%	26.4%	2.6
Marijuana	63.8%	18.5%	3.4
Cocaine	41.4%	2.0%	20.7
Meth	37.4%	1.3%	28.8
N of Students	118	4080	



3.14 Involvement in Gangs

Total number of students surveyed = 4438

Total number who responded to this question = 4370

310 students reported involvement in gangs. (7.1% of total responding)

Of the 310 students who reported involvement in gangs,

196 report using liquor (66.9%),


198 report using marijuana (66.4%),

97 report using cocaine (33.1%),

78 report using Meth (26.4%).

NOTE: Results based on students who reported any involvement with gangs

Drug	Gang	No Gang	Ratio
Liquor	66.9%	25.6%	2.6
Marijuana	66.4%	17.2%	3.9
Cocaine	33.1%	1.2%	27.6
Meth	26.4%	0.8%	33.0
N of Students	310	4060	



3.15 Threatening/Harmful Behaviors

Total number of students surveyed = 4438

Total number who responded to this question = 4212

779 students reported threatening/harmful behaviors. (18.5% of total responding)

Of the 779 students who reported threatening/harmful behaviors,

351 report using liquor (46.1%),

288 report using marijuana (37.4%),


71 report using cocaine (9.2%),

54 report using Meth (7.0%).

NOTE: Results based on students who reported either threatening with a gun, knife or club or threatening to hit, slap or kick

Drug	Threat	No Threat	Ratio
Liquor	46.1%	23.4%	2.0
Marijuana	37.4%	15.8%	2.4
Cocaine	9.2%	1.7%	5.4
Meth	7.0%	1.2%	5.8
N of Students	779	3433	

Drug Use of Students Who Reported Threatening/Harmful Behaviors vs. Students Who Did Not



3.16 Trouble with Police

Total number of students surveyed = 4438

Total number who responded to this question = 4368

774 students reported trouble with police. (17.7% of total responding)

Of the 774 students who reported trouble with police,

426 report using liquor (57.8%),


407 report using marijuana (54.3%),

95 report using cocaine (12.7%),

72 report using Meth (9.6%).

NOTE: Results based on students who reported any trouble with police

Drug	Police	No Police	Ratio
Liquor	57.8%	22.1%	2.6
Marijuana	54.3%	13.4%	4.1
Cocaine	12.7%	1.3%	9.8
Meth	9.6%	1.0%	9.6
N of Students	774	3594	



3.17 Personal Safety

Total number of students surveyed = 4438

720 students report being afraid another student will hurt them at school. (17.3% of total responding)


Of these 720 students, 63 report carrying a gun to school (8.8%).

621 students report getting hurt at school. (14.7% of total responding)

Of these 621 students, 74 report carrying a gun to school (12.0%).


3.18 Gambling

Where Do You Usually Gamble



Source: Pride Surveys

Where Do You Usually Gamble (continued)



Source: Pride Surveys

Chapter 4

Percentage Tables

This chapter contains your school survey results in tabular form. Each table corresponds to an item on the questionnaire. The tables contain percentage data by grade level, grades 7 through 8 combined, grades 9 through 12 combined, and all grades combined. The *N of Valid* column contains the number of students who responded to the question and the *N of Missing* column contains the number of students who did not respond to the question. The remaining columns contain the percentages of students responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the questionnaire. The Table of Contents contains the percentage tables by section and gives the page number where each section is located. The List of Tables contains the location of each individual table.

4.1 Personal & Family Information

Table 4.1: Ethnic Origin

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTA
White	90.1	88.7	86.9	86.9	87.6	86.3	89.4	86.9	87.5
African American	2.3	2.1	1.4	1.8	2.2	1.8	2.2	1.8	1.9
Native American	0.4	0.2	0.7	0.5	0.2	0.4	0.3	0.4	0.4
Asian	1.0	2.3	8.0	1.6	1.1	0.9	1.7	1.1	1.2
Native Hawaiian/Pacific IsIndr	0.2	0.0	0.5	0.2	0.3	0.4	0.1	0.3	0.3
Other	1.9	1.6	3.4	3.5	2.3	3.4	1.8	3.2	2.9
Multi-Racial	4.1	4.9	6.3	5.5	6.2	6.9	4.5	6.2	5.9
N of Valid	483	426	871	878	871	822	909	3442	4351
N of Miss	7	10	16	29	14	11	17	70	87

Table 4.2: Are you Hispanic or Latino/Latina

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes	4.3	4.7	6.2	5.2	5.1	6.8	4.5	5.8	5.5	
No	95.7	95.3	93.8	94.8	94.9	93.2	95.5	94.2	94.5	
N of Valid	416	383	774	788	783	748	799	3093	3892	
N of Miss	74	53	113	119	102	85	127	419	546	

Table 4.3: Sex

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Male	48.0	47.4	48.2	50.7	49.8	49.3	47.7	49.5	49.2	
Female	52.0	52.6	51.8	49.3	50.2	50.7	52.3	50.5	50.8	
N of Valid	475	418	875	875	869	821	893	3440	4333	
N of Miss	15	18	12	32	16	12	33	72	105	

Table 4.4: Do you live with...

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Both Parents	65.8	60.6	63.0	64.3	58.5	58.4	63.3	61.1	61.6
Mother Only	8.1	9.6	10.8	10.7	11.8	13.1	8.8	11.6	11.0
Father Only	2.7	4.0	2.3	3.2	3.9	4.7	3.3	3.5	3.5
Mother & Stepfather	6.2	7.7	9.2	8.1	10.4	9.6	6.9	9.3	8.8
Father & Stepmother	1.7	1.9	3.0	2.5	4.0	4.9	1.8	3.6	3.2
Extended Family	2.7	2.3	1.8	1.8	3.0	2.4	2.5	2.3	2.3
Other	12.9	13.8	10.0	9.4	8.4	6.8	13.3	8.7	9.6
N of Valid	482	426	873	877	868	822	908	3440	4348
N of Miss	8	10	14	30	17	11	18	72	90

Table 4.5: Do you have a job?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes, Full-time	0.2	0.2	1.3	1.3	3.1	5.1	0.2	2.7	2.2	
Yes, Part-time	5.7	11.4	10.9	25.0	49.8	58.0	8.4	35.6	30.0	
No	94.1	88.4	87.8	73.8	47.1	36.9	91.4	61.7	67.9	
N of Valid	473	422	860	869	866	819	895	3414	4309	
N of Miss	17	14	27	38	19	14	31	98	129	

Table 4.6: Does your father have a job?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes, Full-time	87.1	84.9	89.5	89.7	87.0	87.4	86.1	88.4	87.9	
Yes, Part-time	7.5	7.9	4.9	3.9	3.8	3.2	7.7	3.9	4.7	
No	5.3	7.2	5.6	6.5	9.2	9.5	6.2	7.7	7.4	
N of Valid	451	405	820	831	826	783	856	3260	4116	
N of Miss	39	31	67	76	59	50	70	252	322	

Table 4.7: Does your mother have a job?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes, Full-time	67.8	68.1	67.5	73.0	66.3	65.9	68.0	68.2	68.2
Yes, Part-time	16.6	16.4	19.0	14.0	15.9	15.4	16.5	16.1	16.2
No	15.6	15.5	13.5	13.0	17.9	18.8	15.5	15.7	15.7
N of Valid	463	414	843	863	845	800	877	3351	4228
N of Miss	27	22	44	44	40	33	49	161	210

Table 4.8: What is the educational level of your father?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Some High School	6.6	5.6	5.3	5.4	8.5	9.5	6.1	7.2	6.9	
High School Graduate	21.0	23.5	22.7	26.0	32.9	30.6	22.2	28.1	26.9	
Some College	11.6	11.7	15.8	17.9	15.4	16.0	11.7	16.3	15.4	
College Graduate	60.8	59.2	56.2	50.7	43.1	43.9	60.0	48.5	50.8	
N of Valid	395	375	753	777	777	751	770	3058	3828	
N of Miss	95	61	134	130	108	82	156	454	610	

Table 4.9: What is the educational level of your mother?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Some High School	4.1	4.2	4.5	4.4	6.4	7.3	4.2	5.6	5.3	
High School Graduate	14.8	18.5	18.0	19.6	23.8	24.6	16.5	21.5	20.5	
Some College	15.3	13.7	16.9	18.6	20.0	18.2	14.5	18.4	17.7	
College Graduate	65.9	63.6	60.6	57.5	49.7	49.9	64.8	54.4	56.5	
N of Valid	413	379	774	802	794	769	792	3139	3931	
N of Miss	77	57	113	105	91	64	134	373	507	

4.2 Student Information

Table 4.10: Do you make good grades?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	0.6	0.9	0.7	1.3	1.5	2.2	0.8	1.4	1.3	
Seldom	8.0	1.4	1.2	1.4	2.3	2.1	1.1	1.7	1.6	•
Sometimes	16.0	13.1	13.8	13.3	17.6	14.4	14.6	14.8	14.7	
Often	35.5	32.0	36.9	37.7	35.6	37.7	33.8	37.0	36.3	
A Lot	47.1	52.5	47.3	46.2	43.0	43.7	49.7	45.1	46.1	
N of Valid	488	434	883	904	879	826	922	3492	4414	
N of Miss	2	2	4	3	6	7	4	20	24	

Table 4.11: Do you get into trouble at school?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	48.6	46.7	56.4	62.3	62.6	65.0	47.7	61.6	58.6
Seldom	36.6	38.3	32.3	28.0	27.3	26.1	37.4	28.5	30.3
Sometimes	11.9	12.2	8.9	7.0	7.4	5.8	12.1	7.3	8.3
Often	1.4	1.2	1.2	1.7	1.0	1.2	1.3	1.3	1.3
A Lot	1.4	1.6	1.1	1.0	1.6	1.8	1.5	1.4	1.4
N of Valid	486	433	881	903	875	821	919	3480	4399
N of Miss	4	3	6	4	10	12	7	32	39

Table 4.12: Do you take part in school sports teams?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	20.5	24.8	23.4	26.6	33.8	38.5	22.6	30.4	28.8	
Seldom	7.0	8.4	9.7	9.0	10.3	9.5	7.7	9.6	9.2	
Sometimes	15.6	12.4	13.9	12.0	11.4	13.4	14.1	12.7	13.0	
Often	22.0	19.0	17.1	15.2	15.1	11.7	20.6	14.8	16.0	
A Lot	34.9	35.4	36.0	37.2	29.4	26.8	35.1	32.5	33.0	
N of Valid	473	427	865	892	857	818	900	3432	4332	
N of Miss	17	9	22	15	28	15	26	80	106	

Table 4.13: Do you take part in school activities such as band, clubs, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	24.7	29.9	26.6	30.4	35.0	35.5	27.2	31.8	30.8
Seldom	11.2	14.5	16.9	13.3	13.0	12.6	12.8	14.0	13.7
Sometimes	21.6	20.8	22.0	17.8	18.0	16.2	21.2	18.5	19.1
Often	22.2	13.6	14.1	14.7	13.5	14.5	18.2	14.2	15.0
A Lot	20.2	21.3	20.4	23.8	20.5	21.2	20.7	21.5	21.3
N of Valid	481	428	881	899	874	826	909	3480	4389
N of Miss	9	8	6	8	11	7	17	32	49

Table 4.14: Do you take part in community activities such as scouts, rec. teams, youth clubs, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	40.8	37.9	35.1	32.7	39.3	37.9	39.4	36.2	36.9
Seldom	15.1	15.6	17.5	16.4	16.0	15.6	15.3	16.4	16.2
Sometimes	15.9	19.5	18.2	18.6	18.5	19.5	17.6	18.7	18.5
Often	13.8	11.6	13.2	14.6	13.2	12.8	12.8	13.5	13.3
A Lot	14.4	15.3	16.0	17.7	13.0	14.1	14.9	15.3	15.2
N of Valid	478	430	873	892	870	820	908	3455	4363
N of Miss	12	6	14	15	15	13	18	57	75

Table 4.15: Do you attend church, synagogue, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	19.7	23.5	26.9	27.8	31.8	37.2	21.5	30.8	28.9	
Seldom	13.2	11.4	13.6	13.5	13.1	16.0	12.4	14.0	13.7	
Sometimes	19.1	19.1	17.4	18.7	18.8	14.8	19.1	17.5	17.8	
Often	16.6	16.8	14.0	13.4	12.9	12.1	16.7	13.1	13.9	
A Lot	31.4	29.1	28.1	26.6	23.5	19.9	30.4	24.6	25.8	
N of Valid	477	429	877	895	869	819	906	3460	4366	
N of Miss	13	7	10	12	16	14	20	52	72	

Table 4.16: Do your parents talk with you about the dangers of tobacco, alcohol and drug use?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	8.5	9.9	8.6	13.4	17.0	18.5	9.2	14.3	13.2
Seldom	14.5	13.6	16.0	16.5	19.6	22.9	14.1	18.7	17.7
Sometimes	27.0	33.9	31.8	35.1	28.4	31.0	30.2	31.6	31.3
Often	26.3	24.7	24.2	19.5	21.9	16.5	25.5	20.6	21.6
A Lot	23.7	18.0	19.4	15.4	13.2	11.1	21.0	14.9	16.1
N of Valid	482	434	883	901	878	826	916	3488	4404
N of Miss	8	2	4	6	7	7	10	24	34

Table 4.17: Do your teachers talk with you about the dangers of tobacco, alcohol and drug use?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	7.9	9.6	13.8	18.5	20.5	25.4	8.7	19.4	17.2
Seldom	16.0	18.2	24.8	30.4	32.3	31.6	17.0	29.7	27.1
Sometimes	29.3	40.1	35.4	33.9	28.3	28.9	34.4	31.7	32.2
Often	29.7	21.9	16.5	10.0	11.7	9.1	26.0	11.9	14.8
A Lot	17.2	10.3	9.6	7.2	7.3	5.0	13.9	7.3	8.7
N of Valid	482	429	879	899	874	820	911	3472	4383
N of Miss	8	7	8	8	11	13	15	40	55

Table 4.18: Does your school set clear rules on using alcohol and drugs during school and school functions?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	3.2	3.7	3.6	5.7	4.7	5.5	3.5	4.9	4.6	
Seldom	4.7	8.2	4.6	6.3	4.8	4.9	6.4	5.2	5.4	
Sometimes	8.8	10.3	12.0	12.2	12.4	10.9	9.5	11.9	11.4	
Often	18.0	24.5	25.3	25.3	25.8	27.8	21.1	26.0	25.0	
A Lot	65.3	53.3	54.6	50.5	52.2	50.9	59.6	52.1	53.6	
N of Valid	467	428	878	899	869	823	895	3469	4364	
N of Miss	23	8	9	8	16	10	31	43	74	

Table 4.19: Does your school punish you when you break the rules about using alcohol and drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	7.8	9.9	7.1	9.9	8.5	8.1	8.8	8.4	8.5	
Seldom	2.1	2.8	3.4	3.8	4.0	3.2	2.4	3.6	3.4	
Sometimes	3.1	8.2	6.8	7.4	10.5	7.3	5.5	8.0	7.5	
Often	10.8	14.8	18.6	17.7	19.6	18.2	12.7	18.5	17.4	
A Lot	76.2	64.3	64.1	61.2	57.4	63.2	70.5	61.5	63.2	
N of Valid	425	392	844	880	850	812	817	3386	4203	
N of Miss	65	44	43	27	35	21	109	126	235	

Table 4.20: Do your parents set clear rules for you about using alcohol and drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	3.9	4.7	5.4	7.2	9.9	10.4	4.3	8.2	7.4	
Seldom	2.2	4.5	5.2	7.4	6.5	12.4	3.3	7.8	6.9	
Sometimes	5.4	6.6	9.5	13.5	14.9	15.9	6.0	13.4	11.9	
Often	13.6	17.5	15.3	16.7	18.0	20.3	15.5	17.5	17.1	
A Lot	75.0	66.6	64.7	55.2	50.8	41.0	71.0	53.2	56.8	
N of Valid	464	422	878	893	868	817	886	3456	4342	
N of Miss	26	14	9	14	17	16	40	56	96	

Table 4.21: Do your parents punish you when you break the rules about using alcohol and drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	13.3	14.6	14.8	19.1	20.6	23.1	13.9	19.4	18.4	
Seldom	1.8	1.6	4.2	4.5	6.6	8.4	1.7	5.9	5.1	
Sometimes	3.5	5.8	6.1	10.4	11.1	13.3	4.6	10.2	9.2	
Often	6.5	9.3	11.2	14.7	16.4	16.0	7.9	14.6	13.3	
A Lot	74.9	68.7	63.7	51.3	45.3	39.1	72.0	49.9	54.1	
N of Valid	399	364	815	858	821	795	763	3289	4052	
N of Miss	91	72	72	49	64	38	163	223	386	

Table 4.22: Have you been in trouble with the police?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	89.7	87.7	85.0	81.7	78.6	76.7	88.8	80.6	82.3
Seldom	6.7	7.7	8.9	10.8	11.8	12.5	7.2	11.0	10.2
Sometimes	2.1	2.6	3.4	3.3	5.6	5.7	2.3	4.5	4.0
Often	0.4	1.4	8.0	1.6	1.3	2.0	0.9	1.4	1.3
A Lot	1.0	0.7	1.8	2.6	2.7	3.2	0.9	2.6	2.2
N of Valid	477	431	874	898	874	814	908	3460	4368
N of Miss	13	5	13	9	11	19	18	52	70

Table 4.23: Do you take part in gang activities?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	93.1	96.0	94.8	92.6	91.5	90.9	94.5	92.5	92.9
Seldom	3.6	1.4	1.7	1.3	1.9	2.8	2.5	1.9	2.1
Sometimes	1.9	1.4	1.4	2.1	2.4	2.1	1.7	2.0	1.9
Often	8.0	0.2	0.0	8.0	0.6	0.2	0.6	0.4	0.4
A Lot	0.6	0.9	2.2	3.1	3.6	3.9	8.0	3.2	2.7
N of Valid	478	430	878	896	872	816	908	3462	4370
N of Miss	12	6	9	11	13	17	18	50	68

Table 4.24: Have you ever thought about committing suicide?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	76.1	68.7	60.2	61.6	58.3	58.8	72.6	59.8	62.4
Seldom	10.6	15.4	16.2	12.6	15.8	15.1	12.9	14.9	14.5
Sometimes	6.8	9.1	12.3	12.2	11.7	15.1	7.9	12.8	11.8
Often	3.3	3.7	5.0	6.7	6.6	4.8	3.5	5.8	5.3
A Lot	3.1	3.0	6.3	6.8	7.6	6.1	3.1	6.7	6.0
N of Valid	482	428	876	894	865	814	910	3449	4359
N of Miss	8	8	11	13	20	19	16	63	79

Table 4.25: Do your friends use tobacco (cigarettes, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	79.5	79.9	59.1	46.9	31.4	27.8	79.6	41.6	49.5
Seldom	7.5	7.0	14.6	15.6	12.1	12.9	7.3	13.8	12.5
Sometimes	5.6	6.8	12.6	17.4	23.8	22.0	6.2	18.9	16.2
Often	4.4	3.3	6.4	9.6	12.2	16.0	3.9	11.0	9.5
A Lot	3.1	3.0	7.3	10.5	20.5	21.3	3.1	14.8	12.3
N of Valid	482	427	875	896	875	817	909	3463	4372
N of Miss	8	9	12	11	10	16	17	49	66

Table 4.26: Do your friends use alcohol (beer, liquor, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	84.0	80.6	57.0	38.3	22.7	18.5	82.4	34.4	44.3
Seldom	5.9	7.1	14.0	15.2	14.6	11.8	6.5	13.9	12.4
Sometimes	5.3	6.9	15.4	23.5	25.7	24.8	6.0	22.3	18.9
Often	2.9	2.6	7.1	11.7	15.3	19.7	2.8	13.4	11.2
A Lot	1.9	2.8	6.4	11.3	21.7	25.2	2.3	16.0	13.2
N of Valid	476	422	870	890	869	816	898	3445	4343
N of Miss	14	14	17	17	16	17	28	67	95

Table 4.27: Do your friends use marijuana (weed, chronic, dank, kush, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	85.8	81.1	60.2	43.4	31.9	25.4	83.6	40.4	49.5
Seldom	5.4	6.8	13.9	15.5	13.9	12.6	6.0	14.0	12.3
Sometimes	3.7	6.1	12.2	16.5	18.5	21.3	4.8	17.1	14.5
Often	2.7	3.7	5.5	10.5	12.4	15.7	3.2	11.0	9.3
A Lot	2.5	2.3	8.3	14.1	23.4	25.0	2.4	17.6	14.4
N of Valid	485	429	871	895	872	820	914	3458	4372
N of Miss	5	7	16	12	13	13	12	54	66

Table 4.28: In the past 3 months, have you been at a party where alcohol was available?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	83.8	82.8	74.4	65.4	55.7	43.8	83.4	60.1	64.9
Seldom	6.4	7.2	9.0	8.1	7.4	7.9	6.8	8.1	7.8
Sometimes	3.7	6.5	6.2	7.9	10.6	11.3	5.0	8.9	8.1
Often	3.7	1.4	4.2	6.8	9.8	13.1	2.6	8.4	7.2
A Lot	2.3	2.1	6.2	11.7	16.6	24.0	2.2	14.5	11.9
N of Valid	482	431	875	896	869	825	913	3465	4378
N of Miss	8	5	12	11	16	8	13	47	60

Table 4.29: In the past 3 months, have you been at a party where marijuana or other illicit drugs were available?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	94.8	94.0	84.6	72.1	64.6	52.7	94.4	68.8	74.1
Seldom	1.7	2.1	4.3	6.9	5.3	6.1	1.9	5.6	4.9
Sometimes	1.5	1.9	3.2	6.0	7.0	8.4	1.7	6.1	5.2
Often	0.4	0.9	2.3	4.9	7.2	11.7	0.7	6.4	5.2
A Lot	1.7	1.2	5.6	10.1	16.0	21.1	1.4	13.1	10.6
N of Valid	478	431	875	899	876	820	909	3470	4379
N of Miss	12	5	12	8	9	13	17	42	59

Table 4.30: In the past 3 months, have you been at a party where prescription drugs, not prescribed to you, were available?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	95.2	95.8	90.7	85.0	78.4	72.6	95.5	81.8	84.6
Seldom	1.7	2.3	3.2	4.3	6.7	7.8	2.0	5.5	4.7
Sometimes	2.1	0.7	2.0	3.5	4.6	5.7	1.4	3.9	3.4
Often	0.6	0.9	1.2	2.1	3.1	3.3	8.0	2.4	2.1
A Lot	0.4	0.2	3.0	5.2	7.2	10.6	0.3	6.4	5.1
N of Valid	476	427	869	893	866	820	903	3448	4351
N of Miss	14	9	18	14	19	13	23	64	87

Table 4.31: In general, how often do you experience stress in your daily life?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	5.9	3.7	5.0	4.8	7.0	5.5	4.8	5.5	5.4
Seldom	24.3	17.3	12.7	11.3	9.7	8.6	21.0	10.6	12.8
Sometimes	33.3	35.1	27.1	25.7	19.5	19.2	34.1	22.9	25.3
Often	18.0	22.6	28.3	23.7	23.5	23.9	20.2	24.9	23.9
A Lot	18.6	21.2	26.8	34.6	40.4	42.8	19.9	36.0	32.7
N of Valid	478	433	879	900	877	823	911	3479	4390
N of Miss	12	3	8	7	8	10	15	33	48

Table 4.32: Does your school ask any students to take a drug test?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes	19.2	21.0	28.8	27.6	27.8	23.8	20.1	27.0	25.7	
No	80.8	79.0	71.2	72.4	72.2	76.2	79.9	73.0	74.3	
N of Valid	428	414	836	876	848	808	842	3368	4210	
N of Miss	62	22	51	31	37	25	84	144	228	

Table 4.33: Have you bought or sold drugs AT school?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes	0.6	0.9	2.5	4.9	5.4	8.1	0.8	5.2	4.3	
No	99.4	99.1	97.5	95.1	94.6	91.9	99.2	94.8	95.7	
N of Valid	479	429	877	897	868	823	908	3465	4373	
N of Miss	11	7	10	10	17	10	18	47	65	

Table 4.34: Have you bought or sold drugs when NOT at school?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	1.1	3.3	5.7	12.4	18.3	25.7	2.2	15.4	12.6
No	98.9	96.7	94.3	87.6	81.7	74.3	97.8	84.6	87.4
N of Valid	457	419	856	881	846	804	876	3387	4263
N of Miss	33	17	31	26	39	29	50	125	175

Table 4.35: Have you carried a gun for protection or as a weapon when AT school in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes	0.8	0.7	1.6	1.0	2.0	2.2	0.8	1.7	1.5	
No	99.2	99.3	98.4	99.0	98.0	97.8	99.2	98.3	98.5	
N of Valid	477	429	876	895	867	817	906	3455	4361	
N of Miss	13	7	11	12	18	16	20	57	77	

Table 4.36: Have you carried a gun for protection or as a weapon when NOT at school in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes	5.5	5.1	5.5	5.2	7.8	5.8	5.3	6.1	5.9	
No	94.5	94.9	94.5	94.8	92.2	94.2	94.7	93.9	94.1	
N of Valid	473	428	874	896	867	821	901	3458	4359	
N of Miss	17	8	13	11	18	12	25	54	79	

Table 4.37: I did not go to school 1 or more days because I felt unsafe at school?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	6.3	7.5	6.9	7.7	6.9	7.3	6.9	7.2	7.1
No	93.7	92.5	93.1	92.3	93.1	92.7	93.1	92.8	92.9
N of Valid	475	426	875	899	869	820	901	3463	4364
N of Miss	15	10	12	8	16	13	25	49	74

Table 4.38: I did not go to school 1 or more days because I felt unsafe on my way to or from school?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	4.0	3.1	3.3	3.7	3.9	3.3	3.6	3.6	3.6
No	96.0	96.9	96.7	96.3	96.1	96.7	96.4	96.4	96.4
N of Valid	471	423	867	894	868	816	894	3445	4339
N of Miss	19	13	20	13	17	17	32	67	99

Table 4.39: Are you aware of a drug prevention coalition in your neighborhood?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes	24.7	21.6	16.2	14.9	15.3	14.0	23.2	15.1	16.7	
No	75.3	78.4	83.8	85.1	84.7	86.0	76.8	84.9	83.3	
N of Valid	433	412	862	885	855	816	845	3418	4263	
N of Miss	57	24	25	22	30	17	81	94	175	

Table 4.40: Are you involved in an extracurricular activity where the primary purpose of the group is to organize activities around the prevention of drug and alcohol use in your community??

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	5.9	5.9	3.1	4.5	5.1	4.3	5.9	4.2	4.6
No	94.1	94.1	96.9	95.5	94.9	95.7	94.1	95.8	95.4
N of Valid	459	422	866	897	862	814	881	3439	4320
N of Miss	31	14	21	10	23	19	45	73	118

Table 4.41: During the past 7 days, hoy many times did you excercise, play a sport, or participate in a physical activity for at least 20 minutes that made you sweat and breathe hard?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
0 Days	12.5	11.2	12.6	12.5	16.5	18.6	11.9	15.0	14.3
1-3 Days	28.2	25.1	21.3	25.6	30.6	30.2	26.7	26.8	26.8
4-6 Days	30.3	32.5	31.1	32.2	26.3	28.8	31.4	29.7	30.0
7 Days	29.0	31.1	34.9	29.7	26.6	22.4	30.0	28.5	28.9
N of Valid	465	418	862	858	817	791	883	3328	4211
N of Miss	25	18	25	49	68	42	43	184	227

Table 4.42: During the past 7 days, hoy many times did you eat at least one piece of fruit?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
0 Days	6.4	5.5	6.3	6.3	8.4	10.3	6.0	7.8	7.4	
1-3 Days	17.0	19.7	19.0	15.4	20.4	23.3	18.3	19.4	19.2	
4-6 Days	22.1	21.1	22.4	26.3	25.3	26.3	21.6	25.1	24.3	
7 Days	54.5	53.7	52.3	52.0	45.8	40.1	54.1	47.7	49.1	
N of Valid	466	421	862	858	818	794	887	3332	4219	
N of Miss	24	15	25	49	67	39	39	180	219	

Table 4.43: During the past 7 days, hoy many times did you eat at least one vegetable?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
0 Days	9.1	7.9	9.6	8.5	11.2	12.6	8.5	10.4	10.0	
1-3 Days	20.5	19.5	20.7	16.9	19.1	23.4	20.0	20.0	20.0	
4-6 Days	22.6	23.6	23.8	27.5	24.7	26.3	23.1	25.5	25.0	
7 Days	47.8	49.0	45.9	47.0	45.0	37.8	48.4	44.0	45.0	
N of Valid	464	420	863	857	815	792	884	3327	4211	
N of Miss	26	16	24	50	70	41	42	185	227	

Table 4.44: On an average school night, how many hours of sleep do you get?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
4 or less hours	3.4	3.9	5.8	6.8	10.2	8.9	3.6	7.9	7.0	
5 hours	4.5	5.8	9.1	10.2	13.9	15.7	5.1	12.1	10.7	
6 hours	9.6	16.5	18.4	21.1	25.9	27.0	12.8	23.0	20.8	
7 hours	20.8	26.6	28.5	31.6	24.7	27.5	23.5	28.1	27.2	
8 hours	34.9	30.3	29.1	22.6	20.0	16.9	32.7	22.3	24.5	
9 hours	19.5	14.0	6.7	5.8	4.0	2.5	16.9	4.8	7.4	
10 or more hours	7.3	2.9	2.4	2.0	1.2	1.4	5.2	1.8	2.5	
N of Valid	467	413	842	855	803	785	880	3285	4165	
N of Miss	23	23	45	52	82	48	46	227	273	

Table 4.45: Within the past year, as a result of drinking, I did something I later regretted	Table 4.45:	Within the past year	r, as a result of drinking. I	l did somethina	Llater regretted?
--	-------------	----------------------	-------------------------------	-----------------	-------------------

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes	2.1	3.5	3.8	8.8	14.7	15.8	2.8	10.7	9.0	
No	8.0	8.9	15.6	21.8	31.6	39.7	8.4	26.9	23.1	
I do not drink	89.9	87.6	80.6	69.4	53.7	44.5	88.8	62.4	67.9	
N of Valid	475	428	877	900	870	821	903	3468	4371	
N of Miss	15	8	10	7	15	12	23	44	67	

Table 4.46: On an average school day, how often do you play video or computer games or use a device for something that is not school work? (Count time spent on things such as xbox, wii, tablets and smartphones)

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	11.9	7.2	3.6	3.7	6.4	7.1	9.6	5.2	6.1
Seldom	12.9	13.6	10.4	11.7	12.9	12.7	13.3	11.9	12.2
Sometimes	29.2	23.3	23.0	20.6	22.1	21.0	26.4	21.7	22.7
Often	27.1	27.0	32.3	31.0	27.7	27.4	27.1	29.6	29.1
A Lot	18.9	28.9	30.7	33.1	30.9	31.8	23.6	31.6	30.0
N of Valid	472	433	879	900	877	818	905	3474	4379
N of Miss	18	3	8	7	8	15	21	38	59

Table 4.47: In the past 3 months, how often have you seen or heard anti-drug messages? (TV, Radio, Internet, Social Media Sites, Billboards, Movie Theaters)

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	10.9	11.0	7.4	8.1	12.0	11.1	10.9	9.6	9.9	
Once/month	17.9	19.0	19.7	20.4	21.2	19.1	18.4	20.1	19.8	
1-3 times/month	37.1	35.8	31.6	35.2	30.9	32.1	36.5	32.5	33.3	
1-3 times/week	34.1	34.2	41.3	36.2	35.9	37.7	34.2	37.8	37.0	
N of Valid	469	427	877	897	873	820	896	3467	4363	
N of Miss	21	9	10	10	12	13	30	45	75	

Table 4.48: How many days have you been absent from school this year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
None	36.6	39.4	41.6	38.1	35.3	23.1	37.9	34.7	35.4	
1-2 days	40.9	37.8	38.0	38.6	35.3	38.3	39.4	37.5	37.9	
3-5 days	17.3	17.5	15.1	17.5	21.7	26.4	17.4	20.1	19.5	
6-10 days	4.0	4.5	4.2	5.1	4.9	8.9	4.3	5.7	5.4	
More than 10	1.2	8.0	1.2	0.7	2.8	3.3	1.0	2.0	1.8	
N of Valid	421	378	782	801	788	731	799	3102	3901	
N of Miss	69	58	105	106	97	102	127	410	537	

4.3 Within The Past Year How Often Have You...

Table 4.49: Within the past year how often have you smoked cigarettes?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	95.9	94.4	89.5	86.9	79.1	73.4	95.2	82.4	85.0
Once/year	1.1	2.3	4.3	3.3	6.0	6.1	1.7	4.9	4.2
6 times/year	1.3	0.9	1.1	1.9	2.7	2.9	1.1	2.1	1.9
Once/month	0.4	0.0	8.0	1.3	1.9	1.7	0.2	1.4	1.2
Twice/month	0.0	0.5	0.0	0.7	1.0	1.2	0.2	0.7	0.6
Once/week	0.6	0.5	1.1	0.9	1.5	2.3	0.6	1.5	1.3
3 times/week	0.2	0.7	0.9	1.8	1.3	3.2	0.4	1.8	1.5
Every day	0.4	0.7	2.2	3.3	6.5	9.2	0.6	5.2	4.2
N of Valid	468	428	874	891	863	819	896	3447	4343
N of Miss	22	8	13	16	22	14	30	65	95

Table 4.50: Within the past year how often have you used smokeless tobacco (chew, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	98.1	96.2	92.6	90.9	86.1	82.9	97.2	88.2	90.1	
Once/year	0.6	1.4	1.8	2.8	3.1	4.0	1.0	2.9	2.5	
6 times/year	0.0	0.7	0.9	1.3	1.7	1.5	0.3	1.4	1.2	
Once/month	0.0	0.2	1.0	0.7	0.6	0.4	0.1	0.7	0.6	
Twice/month	0.2	0.2	0.5	0.3	0.6	1.3	0.2	0.7	0.6	
Once/week	0.0	0.0	0.3	0.6	0.7	0.9	0.0	0.6	0.5	
3 times/week	0.2	0.2	0.7	0.7	0.9	1.5	0.2	0.9	0.8	
Every day	0.9	0.9	2.2	2.7	6.2	7.6	0.9	4.6	3.8	
N of Valid	469	426	875	892	864	818	895	3449	4344	
N of Miss	21	10	12	15	21	15	31	63	94	

						J. 21.2. J			, , , , , , , , , , , , , , , , , , , ,	
RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	97.8	97.4	93.0	91.2	83.8	80.0	97.6	87.1	89.3	
Once/year	1.3	1.7	2.4	3.8	6.5	7.1	1.5	4.9	4.2	
6 times/year	0.0	0.0	1.3	1.0	2.6	3.0	0.0	1.9	1.5	
Once/month	0.2	0.5	0.7	1.4	2.1	2.8	0.3	1.7	1.4	
Twice/month	0.0	0.0	0.7	0.3	1.2	2.1	0.0	1.1	0.8	
Once/week	0.4	0.2	0.5	0.5	1.1	1.2	0.3	8.0	0.7	
3 times/week	0.0	0.0	0.2	0.2	0.4	1.1	0.0	0.5	0.4	
Every day	0.2	0.2	1.3	1.6	2.5	2.7	0.2	2.0	1.6	
N of Valid	463	423	867	886	856	813	886	3422	4308	
N of Miss	27	13	20	21	29	20	40	90	130	

Table 4.51: Within the past year how often have you smoked cigars?

Table 4.52: Within the past year how often have you used an electronic vapor product (e-cigars, e-cigarettes, e-pipes, vape pipes, vaping pens, e-hookas, hookah pens, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	92.3	88.9	82.8	72.5	66.4	60.2	90.7	70.7	74.8	
Once/year	1.9	4.0	6.4	6.4	9.6	10.0	2.9	8.1	7.0	
6 times/year	0.6	0.9	2.2	5.2	4.7	7.1	8.0	4.8	3.9	
Once/month	1.5	0.7	1.5	3.8	3.7	3.5	1.1	3.1	2.7	•
Twice/month	0.2	0.7	1.1	3.3	3.0	4.2	0.4	2.9	2.4	•
Once/week	1.1	0.5	8.0	1.8	3.6	3.7	8.0	2.4	2.1	
3 times/week	0.6	1.9	1.9	2.1	2.9	5.6	1.2	3.1	2.7	
Every day	1.7	2.4	3.3	4.9	6.1	5.6	2.0	5.0	4.4	
N of Valid	467	425	876	892	865	817	892	3450	4342	
N of Miss	23	11	11	15	20	16	34	62	96	

Table 4.53: Within the past year how often have you drank beer?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	93.8	89.7	80.1	69.4	60.9	49.9	91.8	65.4	70.8
Once/year	4.1	5.9	10.2	10.7	11.0	12.0	4.9	11.0	9.7
6 times/year	0.4	0.7	4.3	7.2	8.6	8.6	0.6	7.1	5.8
Once/month	0.2	0.9	1.5	3.8	4.6	6.6	0.6	4.1	3.4
Twice/month	0.6	1.4	1.4	3.4	6.0	9.3	1.0	4.9	4.1
Once/week	0.2	0.5	0.9	3.3	4.3	8.7	0.3	4.2	3.4
3 times/week	0.2	0.2	0.2	0.6	1.6	2.0	0.2	1.1	0.9
Every day	0.4	0.7	1.4	1.7	2.9	2.8	0.6	2.2	1.8
N of Valid	465	426	874	890	862	815	891	3441	4332
N of Miss	25	10	13	17	23	18	35	71	106

Table 4.54: Within the past year how often have you drank coolers, hard lemonade, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	94.8	92.5	83.3	72.3	64.5	52.1	93.7	68.3	73.5	
Once/year	3.2	4.2	7.5	8.0	10.4	11.9	3.7	9.4	8.2	
6 times/year	0.4	0.5	3.8	6.6	8.7	10.6	0.5	7.4	6.0	
Once/month	0.2	0.7	1.7	4.4	3.7	6.1	0.5	4.0	3.2	
Twice/month	0.2	1.2	1.3	3.8	5.0	8.6	0.7	4.6	3.8	
Once/week	0.4	0.5	0.6	2.5	3.5	7.1	0.5	3.3	2.7	
3 times/week	0.2	0.0	0.5	0.6	1.3	0.9	0.1	0.8	0.6	
Every day	0.4	0.5	1.5	1.8	3.0	2.7	0.5	2.2	1.9	
N of Valid	463	425	872	888	864	817	888	3441	4329	
N of Miss	27	11	15	19	21	16	38	71	109	

	40.0		•	.o paoi	you	011 0110		ou urum	nquoi (III	
RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	95.3	92.4	80.9	71.2	61.4	49.0	93.9	65.9	71.7	
Once/year	1.9	3.6	9.2	10.1	10.8	11.3	2.7	10.3	8.8	
6 times/year	1.5	1.7	4.2	5.3	7.8	10.3	1.6	6.9	5.8	
Once/month	0.0	0.7	2.1	4.3	6.2	6.5	0.3	4.7	3.8	
Twice/month	0.2	0.7	0.9	3.9	6.1	9.9	0.5	5.1	4.1	
Once/week	0.0	0.5	0.6	2.5	3.4	7.8	0.2	3.5	2.8	
3 times/week	0.6	0.0	0.5	0.9	1.2	2.0	0.3	1.1	1.0	
Every day	0.4	0.5	1.6	1.8	3.2	3.2	0.5	2.4	2.0	
N of Valid	464	420	865	882	855	812	884	3414	4298	
N of Miss	26	16	22	25	30	21	42	98	140	

Table 4.55: Within the past year how often have you drank liquor (whiskey, vodka, rum, etc.)?

Table 4.56: Within the past year how often have you had 5 or more glasses of beer, coolers, or shots of liquor within a few hours?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	98.3	95.8	92.0	81.3	72.7	59.7	97.1	76.8	81.0	
Once/year	0.6	2.1	2.5	5.1	7.6	8.2	1.3	5.8	4.9	
6 times/year	0.2	0.9	1.3	3.4	4.8	7.3	0.6	4.1	3.4	
Once/month	0.2	0.0	0.6	2.2	4.0	4.9	0.1	2.9	2.3	•
Twice/month	0.2	0.5	1.1	3.3	4.3	8.3	0.3	4.2	3.4	
Once/week	0.0	0.5	0.7	2.2	3.3	6.0	0.2	3.0	2.4	<u> </u>
3 times/week	0.0	0.0	0.5	0.3	0.7	2.7	0.0	1.0	0.8	•
Every day	0.4	0.2	1.4	2.1	2.8	2.8	0.3	2.3	1.9	
N of Valid	468	426	875	890	860	817	894	3442	4336	
N of Miss	22	10	12	17	25	16	32	70	102	

Table 4.57: Within the past year how often have you smoked marijuana (weed, chronic, dank, kish, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	96.4	94.4	88.5	79.7	71.6	60.2	95.4	75.3	79.4
Once/year	0.9	1.6	2.5	4.4	6.8	8.9	1.2	5.6	4.7
6 times/year	0.6	1.2	1.6	2.8	3.4	6.3	0.9	3.5	2.9
Once/month	0.2	0.7	1.5	1.2	2.2	4.1	0.4	2.2	1.9
Twice/month	0.6	0.5	1.0	2.4	2.8	3.3	0.6	2.3	2.0
Once/week	0.0	0.0	1.0	2.6	2.7	4.1	0.0	2.6	2.1
3 times/week	0.4	0.9	1.4	2.3	2.9	3.5	0.7	2.5	2.1
Every day	0.9	0.7	2.5	4.6	7.6	9.4	8.0	6.0	4.9
N of Valid	467	426	877	887	864	820	893	3448	4341
N of Miss	23	10	10	20	21	13	33	64	97

Table 4.58: Within the past year how often have you used synthetic marijuana (K2, spice)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	98.5	97.6	95.9	93.6	91.2	90.6	98.1	92.9	93.9
Once/year	0.4	0.5	0.9	1.1	2.5	3.2	0.5	1.9	1.6
6 times/year	0.0	0.5	0.3	1.0	1.9	1.0	0.2	1.1	0.9
Once/month	0.2	1.0	0.5	0.3	0.5	0.5	0.6	0.4	0.5
Twice/month	0.0	0.0	0.2	8.0	0.7	1.0	0.0	0.7	0.5
Once/week	0.2	0.0	0.6	0.7	0.6	0.4	0.1	0.6	0.5
3 times/week	0.2	0.5	0.1	0.6	0.1	0.5	0.3	0.3	0.3
Every day	0.4	0.0	1.5	1.9	2.6	2.8	0.2	2.2	1.8
N of Valid	458	420	869	885	855	809	878	3418	4296
N of Miss	32	16	18	22	30	24	48	94	142

Table 4.59: Within the past year how often have you used chemical products to get high (bath salts)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	99.1	98.6	97.4	97.1	95.7	95.2	98.9	96.4	96.9
Once/year	0.2	0.7	0.6	0.6	0.2	0.2	0.4	0.4	0.4
6 times/year	0.2	0.2	0.0	0.2	0.6	0.5	0.2	0.3	0.3
Once/month	0.0	0.5	0.5	0.2	0.3	0.5	0.2	0.4	0.3
Twice/month	0.0	0.0	0.2	0.3	0.3	0.6	0.0	0.4	0.3
Once/week	0.2	0.0	0.2	0.2	0.1	0.4	0.1	0.2	0.2
3 times/week	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.1	0.1
Every day	0.2	0.0	1.1	1.2	2.7	2.3	0.1	1.8	1.5
N of Valid	467	426	877	887	866	818	893	3448	4341
N of Miss	23	10	10	20	19	15	33	64	97

Table 4.60: Within the past year how often have you used pain medication not prescribed to you (Oxycontin, Vicodin, Percocet, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	97.2	97.7	94.5	91.9	89.1	86.3	97.4	90.5	92.0
Once/year	1.5	1.4	1.9	2.0	3.9	4.4	1.5	3.0	2.7
6 times/year	0.6	0.5	0.9	1.1	1.4	1.5	0.6	1.2	1.1
Once/month	0.0	0.5	0.2	1.2	1.2	1.3	0.2	1.0	0.8
Twice/month	0.0	0.0	0.2	0.3	0.6	1.1	0.0	0.6	0.4
Once/week	0.0	0.0	0.6	0.9	8.0	1.1	0.0	8.0	0.7
3 times/week	0.0	0.0	0.3	1.0	0.2	1.1	0.0	0.7	0.5
Every day	0.6	0.0	1.3	1.5	2.8	3.2	0.3	2.1	1.8
N of Valid	467	426	877	886	866	818	893	3447	4340
N of Miss	23	10	10	21	19	15	33	65	98

Table 4.61: Within the past year how often have you used stimulant medication not prescribed to you (Adderall, Ritalin, Concerta, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	98.9	98.6	96.3	93.6	89.0	84.2	98.8	90.9	92.5
Once/year	0.2	0.5	0.9	1.7	3.4	3.2	0.3	2.3	1.9
6 times/year	0.0	0.5	0.2	8.0	1.3	2.8	0.2	1.2	1.0
Once/month	0.2	0.2	0.5	0.6	1.3	2.0	0.2	1.0	0.9
Twice/month	0.0	0.0	0.5	8.0	8.0	1.3	0.0	0.8	0.7
Once/week	0.0	0.2	0.3	0.7	1.0	2.0	0.1	1.0	0.8
3 times/week	0.4	0.0	0.2	0.4	0.3	1.5	0.2	0.6	0.5
Every day	0.2	0.0	1.0	1.5	2.9	3.1	0.1	2.1	1.7
N of Valid	463	424	876	889	863	819	887	3447	4334
N of Miss	27	12	11	18	22	14	39	65	104

Table 4.62: Within the past year how often have you used sleeping medication not prescribed to you (Ambien, Restoril, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	97.4	95.5	93.5	92.6	91.9	90.7	96.5	92.2	93.1	
Once/year	1.1	2.1	2.2	2.1	1.7	2.2	1.6	2.1	2.0	•
6 times/year	0.4	1.2	0.6	1.7	1.6	0.7	8.0	1.2	1.1	
Once/month	0.2	0.5	8.0	8.0	1.2	1.0	0.3	0.9	0.8	
Twice/month	0.4	0.0	8.0	8.0	0.2	1.2	0.2	0.8	0.6	
Once/week	0.0	0.5	0.1	0.5	0.6	0.6	0.2	0.4	0.4	•
3 times/week	0.2	0.2	0.7	0.2	0.1	0.7	0.2	0.4	0.4	•
Every day	0.2	0.0	1.4	1.4	2.7	2.8	0.1	2.0	1.6	
N of Valid	461	422	874	886	863	815	883	3438	4321	
N of Miss	29	14	13	21	22	18	43	74	117	

Table 4.63: Within the past year how often have you used sedative/anxiety medication not prescribed to you (Xanax, Valium, Ativan, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	98.1	98.4	95.9	93.8	91.7	89.8	98.2	92.9	94.0
Once/year	1.5	0.5	1.0	1.6	2.5	2.5	1.0	1.9	1.7
6 times/year	0.0	0.5	0.6	0.6	0.9	1.5	0.2	0.9	0.7
Once/month	0.0	0.0	0.6	0.7	1.0	0.9	0.0	0.8	0.6
Twice/month	0.0	0.0	0.0	0.3	0.5	1.2	0.0	0.5	0.4
Once/week	0.0	0.2	0.1	0.7	0.1	1.0	0.1	0.5	0.4
3 times/week	0.2	0.5	0.3	0.1	0.1	0.5	0.3	0.3	0.3
Every day	0.2	0.0	1.5	2.2	3.1	2.7	0.1	2.4	1.9
N of Valid	464	426	879	890	864	816	890	3449	4339
N of Miss	26	10	8	17	21	17	36	63	99

Table 4.64: Within the past year how often have you used over-the-counter drugs to get high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	99.6	99.1	97.1	95.7	94.5	93.9	99.3	95.3	96.2
Once/year	0.0	0.7	0.6	0.9	1.5	1.5	0.3	1.1	0.9
6 times/year	0.0	0.0	0.2	0.6	0.3	0.7	0.0	0.5	0.4
Once/month	0.0	0.2	0.3	0.6	0.2	0.6	0.1	0.4	0.4
Twice/month	0.2	0.0	0.0	0.3	0.3	0.4	0.1	0.3	0.2
Once/week	0.0	0.0	0.2	0.1	0.1	0.4	0.0	0.2	0.2
3 times/week	0.0	0.0	0.2	0.2	0.2	0.2	0.0	0.2	0.2
Every day	0.2	0.0	1.3	1.6	2.7	2.3	0.1	1.9	1.6
N of Valid	466	426	875	888	860	815	892	3438	4330
N of Miss	24	10	12	19	25	18	34	74	108

Table 4.65: Within the past year how often have you used heroin?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	99.6	100.0	98.5	97.7	95.8	96.2	99.8	97.1	97.6
Once/year	0.0	0.0	0.1	0.0	0.6	0.1	0.0	0.2	0.2
6 times/year	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.1	0.1
Once/month	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.1	0.1
Twice/month	0.0	0.0	0.0	0.3	0.0	0.5	0.0	0.2	0.2
Once/week	0.0	0.0	0.0	0.5	0.2	0.5	0.0	0.3	0.2
3 times/week	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0
Every day	0.4	0.0	1.1	1.2	3.0	2.3	0.2	1.9	1.6
N of Valid	468	423	877	885	864	818	891	3444	4335
N of Miss	22	13	10	22	21	15	35	68	103

Table 4.66: Within the past year how often have you used cocaine (crack, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	99.4	99.3	97.9	97.1	94.8	93.6	99.3	95.9	96.6
Once/year	0.2	0.7	0.5	0.2	1.3	0.7	0.4	0.7	0.6
6 times/year	0.0	0.0	0.0	0.2	0.5	1.0	0.0	0.4	0.3
Once/month	0.0	0.0	0.1	0.2	0.2	0.7	0.0	0.3	0.3
Twice/month	0.0	0.0	0.2	0.2	0.3	0.6	0.0	0.3	0.3
Once/week	0.0	0.0	0.0	0.2	0.2	0.5	0.0	0.2	0.2
3 times/week	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.1	0.1
Every day	0.4	0.0	1.3	1.6	2.7	2.4	0.2	2.0	1.6
N of Valid	467	426	876	887	864	817	893	3444	4337
N of Miss	23	10	11	20	21	16	33	68	101

Table 4.67: Within the past year how often have you used inhalants (glue, gas, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	98.5	99.3	97.5	97.1	95.7	95.1	98.9	96.4	96.9
Once/year	0.4	0.7	0.7	0.6	1.0	1.0	0.6	0.8	0.8
6 times/year	0.2	0.0	0.1	0.3	0.2	0.1	0.1	0.2	0.2
Once/month	0.2	0.0	0.3	0.2	0.1	0.5	0.1	0.3	0.3
Twice/month	0.0	0.0	0.0	0.2	0.3	0.7	0.0	0.3	0.3
Once/week	0.0	0.0	0.2	0.1	0.2	0.1	0.0	0.2	0.1
3 times/week	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
Every day	0.4	0.0	1.1	1.5	2.3	2.4	0.2	1.8	1.5
N of Valid	462	424	877	886	861	817	886	3441	4327
N of Miss	28	12	10	21	24	16	40	71	111

Table 4.68: Within the past year how often have you used hallucinogens (PCP, LSD, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	99.4	99.1	97.4	95.6	93.3	91.4	99.2	94.5	95.4
Once/year	0.2	0.7	0.6	8.0	2.2	1.7	0.4	1.3	1.1
6 times/year	0.0	0.2	0.0	0.7	1.0	1.2	0.1	0.7	0.6
Once/month	0.0	0.0	0.3	0.2	0.7	1.1	0.0	0.6	0.5
Twice/month	0.0	0.0	0.0	0.3	0.2	0.5	0.0	0.3	0.2
Once/week	0.0	0.0	0.2	0.6	0.2	1.2	0.0	0.6	0.4
3 times/week	0.0	0.0	0.2	0.6	0.0	0.6	0.0	0.3	0.3
Every day	0.4	0.0	1.3	1.2	2.3	2.2	0.2	1.7	1.4
N of Valid	463	426	874	884	861	816	889	3435	4324
N of Miss	27	10	13	23	24	17	37	77	114

Table 4.69: Within the past year how often have you used steroids?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	98.5	99.1	97.5	97.1	95.9	95.8	98.8	96.6	97.0
Once/year	0.9	0.2	0.6	0.3	0.6	0.9	0.6	0.6	0.6
6 times/year	0.0	0.2	0.2	0.5	0.3	0.1	0.1	0.3	0.3
Once/month	0.0	0.0	0.3	0.1	0.6	0.5	0.0	0.4	0.3
Twice/month	0.0	0.0	0.0	0.2	0.1	0.5	0.0	0.2	0.2
Once/week	0.0	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0
3 times/week	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.1	0.1
Every day	0.6	0.2	1.3	1.5	2.4	2.2	0.4	1.8	1.5
N of Valid	465	425	879	883	858	815	890	3435	4325
N of Miss	25	11	8	24	27	18	36	77	113

Table 4.70: Within the past year how often have you used ecstasy (MDMA)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	99.8	99.3	97.3	96.6	94.4	92.8	99.5	95.3	96.2
Once/year	0.0	0.7	0.9	0.6	1.9	2.3	0.3	1.4	1.2
6 times/year	0.0	0.0	0.0	0.5	0.6	0.9	0.0	0.5	0.4
Once/month	0.0	0.0	0.1	0.2	0.6	0.7	0.0	0.4	0.3
Twice/month	0.0	0.0	0.0	0.5	0.4	0.2	0.0	0.3	0.2
Once/week	0.0	0.0	0.1	0.3	0.0	0.6	0.0	0.3	0.2
3 times/week	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.1
Every day	0.2	0.0	1.5	1.2	2.1	2.5	0.1	1.8	1.5
N of Valid	463	424	875	888	857	815	887	3435	4322
N of Miss	27	12	12	19	28	18	39	77	116

Table 4.71: Within the past year how often have you used meth (crystal, ice, crank, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	99.1	100.0	97.9	97.7	96.2	95.7	99.6	96.9	97.5
Once/year	0.0	0.0	0.1	0.1	0.9	0.2	0.0	0.3	0.3
6 times/year	0.2	0.0	0.0	0.2	0.1	0.4	0.1	0.2	0.2
Once/month	0.0	0.0	0.3	0.0	0.1	0.5	0.0	0.2	0.2
Twice/month	0.0	0.0	0.0	0.2	0.1	0.2	0.0	0.1	0.1
Once/week	0.0	0.0	0.1	0.3	0.2	0.2	0.0	0.2	0.2
3 times/week	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.1	0.1
Every day	0.6	0.0	1.3	1.2	2.3	2.7	0.3	1.9	1.5
N of Valid	465	425	875	884	864	816	890	3439	4329
N of Miss	25	11	12	23	21	17	36	73	109

Table 4.72: Within the past year how often have you ridden in a car with a driver who was drunk?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	89.0	88.7	85.5	84.0	82.9	81.8	88.9	83.6	84.7	
Once/year	6.5	7.1	9.0	6.9	7.2	7.6	6.7	7.7	7.5	
6 times/year	1.3	1.9	1.8	3.5	3.2	3.6	1.6	3.0	2.7	
Once/month	0.4	0.7	1.3	1.2	1.6	1.5	0.6	1.4	1.2	
Twice/month	0.9	0.5	0.7	1.7	1.9	1.5	0.7	1.4	1.3	
Once/week	0.6	0.5	0.2	8.0	0.5	1.5	0.6	0.7	0.7	
3 times/week	0.4	0.5	0.3	0.6	0.6	0.2	0.4	0.4	0.4	
Every day	0.9	0.2	1.1	1.4	2.1	2.3	0.6	1.7	1.5	
N of Valid	465	425	873	887	862	814	890	3436	4326	
N of Miss	25	11	14	20	23	19	36	76	112	

Table 4.73: Within the past year how often have you ridden in a car with a driver who was high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	94.6	95.3	88.9	82.7	74.7	66.7	94.9	78.5	81.9
Once/year	1.9	1.9	4.5	5.1	6.1	8.0	1.9	5.9	5.1
6 times/year	1.1	0.7	1.4	3.8	4.5	6.6	0.9	4.0	3.4
Once/month	0.9	0.9	1.5	1.7	1.9	2.6	0.9	1.9	1.7
Twice/month	0.2	0.2	0.6	1.6	2.4	2.2	0.2	1.7	1.4
Once/week	0.0	0.0	0.6	1.6	3.0	3.6	0.0	2.2	1.7
3 times/week	0.4	0.5	0.9	1.4	3.4	3.9	0.4	2.4	2.0
Every day	0.9	0.5	1.7	2.1	3.9	6.4	0.7	3.5	2.9
N of Valid	466	425	871	886	863	815	891	3435	4326
N of Miss	24	11	16	21	22	18	35	77	112

Table 4.74: Within the past year how often have you driven a car while drunk?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	99.4	99.5	97.6	96.0	93.5	88.2	99.4	93.9	95.1
Once/year	0.2	0.2	0.7	1.2	1.7	4.7	0.2	2.0	1.7
6 times/year	0.0	0.0	0.2	0.3	8.0	2.1	0.0	0.8	0.7
Once/month	0.0	0.0	0.3	0.0	0.6	0.7	0.0	0.4	0.3
Twice/month	0.0	0.0	0.0	0.3	0.2	1.1	0.0	0.4	0.3
Once/week	0.2	0.0	0.1	0.2	0.7	0.9	0.1	0.5	0.4
3 times/week	0.0	0.0	0.1	0.5	0.2	0.2	0.0	0.3	0.2
Every day	0.2	0.2	0.9	1.4	2.2	2.1	0.2	1.6	1.3
N of Valid	466	425	876	884	863	814	891	3437	4328
N of Miss	24	11	11	23	22	19	35	75	110

Table 4.75: Within the past year how often have you driven a car while high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	99.1	98.8	97.1	94.1	86.8	76.6	99.0	88.9	91.0
Once/year	0.2	0.7	8.0	1.1	2.6	5.7	0.5	2.5	2.1
6 times/year	0.2	0.0	0.3	0.3	1.0	2.8	0.1	1.1	0.9
Once/month	0.0	0.0	0.2	0.2	1.2	2.2	0.0	0.9	0.7
Twice/month	0.0	0.2	0.2	8.0	1.5	2.2	0.1	1.2	0.9
Once/week	0.0	0.0	0.0	1.0	1.5	2.5	0.0	1.2	1.0
3 times/week	0.0	0.0	0.2	8.0	1.4	2.0	0.0	1.1	0.9
Every day	0.4	0.2	1.0	1.6	4.1	6.0	0.3	3.1	2.5
N of Valid	465	422	876	888	861	813	887	3438	4325
N of Miss	25	14	11	19	24	20	39	74	113

Table 4.76: Within the past year how often have you used any tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	95.1	93.0	86.8	82.1	70.8	62.7	94.1	75.8	79.6	
Once/year	1.7	3.5	4.5	5.3	7.3	9.5	2.6	6.6	5.7	
6 times/year	1.1	0.9	1.5	2.8	4.2	4.5	1.0	3.2	2.8	
Once/month	0.2	0.2	1.4	1.5	2.3	2.6	0.2	1.9	1.6	
Twice/month	0.2	0.5	0.5	1.0	1.5	1.9	0.3	1.2	1.0	
Once/week	0.4	0.2	1.1	1.3	1.8	2.2	0.3	1.6	1.4	
3 times/week	0.4	0.5	1.5	1.8	2.1	2.9	0.4	2.1	1.7	
Every day	0.9	1.2	2.9	4.3	10.0	13.7	1.0	7.6	6.2	
N of Valid	470	428	876	894	867	823	898	3460	4358	
N of Miss	20	8	11	13	18	10	28	52	80	

Table 4.77: Within the past year how often have you used any alcohol?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	91.7	85.9	74.9	62.9	51.9	39.0	89.0	57.5	64.0
Once/year	4.7	9.1	12.1	12.9	14.0	15.4	6.8	13.5	12.1
6 times/year	1.7	0.7	5.3	7.4	11.1	11.2	1.2	8.7	7.2
Once/month	0.4	1.4	2.6	5.6	5.7	6.7	0.9	5.1	4.2
Twice/month	0.2	1.4	2.0	4.4	6.6	11.3	8.0	6.0	4.9
Once/week	0.0	0.5	0.9	4.0	5.7	10.0	0.2	5.1	4.1
3 times/week	0.4	0.2	0.3	1.0	2.0	2.9	0.3	1.5	1.3
Every day	0.9	0.7	1.8	1.9	3.2	3.4	8.0	2.6	2.2
N of Valid	470	427	879	894	867	820	897	3460	4357
N of Miss	20	9	8	13	18	13	29	52	81

Table 4.78: Within the past year how often have you used any illicit drug?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	91.3	90.2	82.6	76.2	66.4	56.2	90.7	70.6	74.8	
Once/year	4.3	3.5	5.0	5.9	8.1	9.6	3.9	7.1	6.4	
6 times/year	1.3	2.1	2.7	2.8	3.6	6.1	1.7	3.8	3.3	
Once/month	0.6	0.7	1.9	2.0	3.1	4.5	0.7	2.9	2.4	
Twice/month	0.2	0.5	1.4	2.1	3.1	4.3	0.3	2.7	2.2	
Once/week	0.0	0.5	8.0	2.8	3.3	4.6	0.2	2.9	2.3	
3 times/week	0.9	1.6	1.7	2.0	2.6	4.0	1.2	2.6	2.3	
Every day	1.5	0.9	3.9	6.1	9.8	10.7	1.2	7.6	6.3	
N of Valid	470	427	880	895	869	822	897	3466	4363	
N of Miss	20	9	7	12	16	11	29	46	75	

4.4 What Effect Do You Most Often Get When You Use

Table 4.79: What effect do you most often get when you drink beer?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do Not Use	96.0	91.0	84.6	73.2	64.4	54.6	93.6	69.5	74.5
No High	2.4	4.7	8.0	10.6	11.9	15.2	3.5	11.4	9.7
A Little High	0.9	2.6	5.4	11.4	16.1	17.5	1.7	12.5	10.3
Very High	0.4	0.5	0.2	3.0	2.4	7.1	0.5	3.1	2.6
Bombed/Stoned	0.2	1.2	1.7	1.8	5.1	5.6	0.7	3.5	2.9
N of Valid	452	422	865	876	838	804	874	3383	4257
N of Miss	38	14	22	31	47	29	52	129	181

Table 4.80: What effect do you most often get when you drink coolers, hard lemonade, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do Not Use	96.2	94.5	86.2	75.3	66.2	55.2	95.4	71.0	76.0	
No High	2.4	2.4	7.3	10.1	13.8	13.4	2.4	11.1	9.3	
A Little High	0.9	2.1	4.4	9.5	12.5	19.0	1.5	11.2	9.2	
Very High	0.0	0.2	0.7	3.2	3.3	6.7	0.1	3.4	2.7	
Bombed/Stoned	0.4	0.7	1.4	1.9	4.2	5.6	0.6	3.2	2.7	
N of Valid	451	421	861	877	841	804	872	3383	4255	
N of Miss	39	15	26	30	44	29	54	129	183	

Table 4.81: What effect do you most often get when you drink liquor?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do Not Use	96.4	94.3	85.5	75.1	65.1	52.7	95.4	69.9	75.2	
No High	1.8	2.4	4.9	5.3	7.5	8.5	2.1	6.5	5.6	
A Little High	0.9	0.9	4.4	8.8	9.4	12.7	0.9	8.8	7.2	
Very High	0.4	0.9	3.0	6.8	9.6	14.4	0.7	8.4	6.8	
Bombed/Stoned	0.4	1.4	2.2	4.0	8.4	11.7	0.9	6.5	5.3	
N of Valid	450	422	861	876	836	803	872	3376	4248	
N of Miss	40	14	26	31	49	30	54	136	190	

Table 4.82: What effect do you most often get when you smoke marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do Not Use	96.9	94.5	89.3	80.4	72.6	61.5	95.7	76.2	80.2
No High	0.0	0.5	0.7	1.1	1.8	2.1	0.2	1.4	1.2
A Little High	0.4	0.7	2.1	3.4	6.8	9.9	0.6	5.5	4.5
Very High	0.9	1.2	2.2	5.5	7.3	10.7	1.0	6.4	5.3
Bombed/Stoned	1.8	3.1	5.7	9.5	11.5	15.8	2.4	10.5	8.9
N of Valid	448	422	858	874	835	802	870	3369	4239
N of Miss	42	14	29	33	50	31	56	143	199

Table 4.83: What effect do you most often get when you use an electronic vapro product?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do Not Use	92.0	90.0	87.2	77.5	72.3	67.9	91.1	76.4	79.4
No High	5.3	7.4	9.6	16.7	20.4	23.5	6.3	17.5	15.2
A Little High	1.8	1.2	1.5	2.9	3.9	4.4	1.5	3.1	2.8
Very High	0.4	0.5	0.2	1.0	0.4	1.0	0.5	0.7	0.6
Bombed/Stoned	0.4	1.0	1.4	1.8	3.0	3.2	0.7	2.3	2.0
N of Valid	452	420	862	873	837	803	872	3375	4247
N of Miss	38	16	25	34	48	30	54	137	191

Table 4.84: What effect do you most often get when you use prescription drugs not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do Not Use	98.2	99.0	95.4	93.3	90.5	86.8	98.6	91.6	93.0	
No High	1.1	0.5	2.1	0.9	2.3	1.9	8.0	1.8	1.6	
A Little High	0.0	0.2	0.9	1.4	1.8	3.7	0.1	1.9	1.6	
Very High	0.2	0.0	0.1	1.9	2.0	3.7	0.1	1.9	1.6	
Bombed/Stoned	0.4	0.2	1.5	2.5	3.4	3.9	0.3	2.8	2.3	
N of Valid	450	421	861	875	841	804	871	3381	4252	
N of Miss	40	15	26	32	44	29	55	131	186	

			-			,		9	,	
RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do Not Use	99.3	99.0	97.2	95.2	93.1	90.9	99.2	94.2	95.2	
No High	0.0	0.5	0.6	0.6	1.8	1.4	0.2	1.1	0.9	
A Little High	0.2	0.2	0.3	8.0	1.1	1.0	0.2	8.0	0.7	
Very High	0.0	0.0	0.1	0.9	8.0	1.6	0.0	0.9	0.7	
Bombed/Stoned	0.4	0.2	1.7	2.5	3.2	5.1	0.3	3.1	2.5	
N of Valid	449	420	861	874	837	799	869	3371	4240	

57

141

198

34

33

48

26

Table 4.85: What effect do you most often get when you use other illicit drugs?

4.5 During the Past 30 Days?

N of Miss

41

Table 4.86: During the past 30 days did you drink one or more drinks of an alcoholic beverage?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes	5.7	8.1	12.5	18.8	26.7	38.4	6.8	23.8	20.3	
No	94.3	91.9	87.5	81.2	73.3	61.6	93.2	76.2	79.7	
N of Valid	458	418	863	873	851	805	876	3392	4268	
N of Miss	32	18	24	34	34	28	50	120	170	

Table 4.87: During the past 30 days did you smoke part or all of a cigarette?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes	5.0	6.0	7.5	9.7	15.2	20.8	5.5	13.2	11.6	
No	95.0	94.0	92.5	90.3	84.8	79.2	94.5	86.8	88.4	
N of Valid	456	420	861	874	848	806	876	3389	4265	
N of Miss	34	16	26	33	37	27	50	123	173	

Table 4.88: During the past 30 days have you used marijuana or hashish?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes	5.3	5.3	7.7	13.6	19.3	24.6	5.3	16.1	13.9	
No	94.7	94.7	92.3	86.4	80.7	75.4	94.7	83.9	86.1	
N of Valid	449	416	849	869	843	798	865	3359	4224	
N of Miss	41	20	38	38	42	35	61	153	214	

Table 4.89: During the past 30 days have you used prescription drugs not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	2.6	3.1	4.4	5.7	7.3	11.2	2.9	7.1	6.2
No	97.4	96.9	95.6	94.3	92.7	88.8	97.1	92.9	93.8
N of Valid	456	418	857	874	844	803	874	3378	4252
N of Miss	34	18	30	33	41	30	52	134	186

Table 4.90: During the past 30 days have you used other illicit drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes	3.1	1.7	2.7	4.2	5.0	6.1	2.4	4.5	4.0	
No	96.9	98.3	97.3	95.8	95.0	93.9	97.6	95.5	96.0	
N of Valid	459	415	856	872	845	802	874	3375	4249	
N of Miss	31	21	31	35	40	31	52	137	189	

Table 4.91: During the past 30 days have you used an electronic vapor product?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes	8.8	9.6	12.7	17.8	22.5	24.8	9.2	19.3	17.2	
No	91.2	90.4	87.3	82.2	77.5	75.2	90.8	80.7	82.8	
N of Valid	456	417	861	873	846	805	873	3385	4258	
N of Miss	34	19	26	34	39	28	53	127	180	

4.6 Do You Feel The Following Are Harmful To Your Health?

Table 4.92: Do you feel smoking cigarettes is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	4.6	6.2	5.1	4.8	5.4	6.3	5.4	5.4	5.4	
Some harm	5.5	4.3	3.7	4.9	7.5	6.2	4.9	5.5	5.4	
Harmful	22.9	23.6	19.7	20.5	22.0	21.5	23.2	20.9	21.4	
Very harmful	67.0	65.9	71.6	69.7	65.1	66.0	66.4	68.2	67.8	
N of Valid	454	416	869	876	845	808	870	3398	4268	
N of Miss	36	20	18	31	40	25	56	114	170	

Table 4.93: Do you feel using smokeless tobacco is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
No harm	6.6	7.2	6.3	5.5	7.7	8.4	6.9	7.0	6.9
Some harm	10.2	10.8	10.3	10.3	12.7	13.8	10.5	11.7	11.5
Harmful	28.3	30.0	26.4	27.2	26.2	28.4	29.1	27.0	27.5
Very harmful	54.9	51.9	57.0	56.9	53.4	49.4	53.5	54.3	54.1
N of Valid	452	416	868	870	844	810	868	3392	4260
N of Miss	38	20	19	37	41	23	58	120	178

Table 4.94: Do you feel smoking cigars is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	5.8	6.6	6.0	5.6	8.1	8.7	6.1	7.0	6.9	
Some harm	8.4	9.5	11.2	13.5	14.2	15.9	8.9	13.7	12.7	
Harmful	26.3	26.9	24.1	25.5	27.4	28.7	26.6	26.4	26.4	
Very harmful	59.5	57.0	58.7	55.3	50.4	46.7	58.3	52.9	54.0	
N of Valid	452	412	867	873	844	809	864	3393	4257	
N of Miss	38	24	20	34	41	24	62	119	181	

Table 4.95: Do you feel using an electronic vapor product is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
No harm	10.9	14.6	16.9	23.6	28.2	26.1	12.7	23.6	21.4
Some harm	21.7	24.8	27.5	28.1	28.9	33.3	23.1	29.4	28.1
Harmful	20.3	23.1	19.2	17.7	16.8	17.3	21.6	17.8	18.6
Very harmful	47.1	37.6	36.4	30.6	26.1	23.2	42.6	29.2	31.9
N of Valid	448	412	865	869	840	807	860	3381	4241
N of Miss	42	24	22	38	45	26	66	131	197

Table 4.96: Do you feel drinking beer is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
No harm	9.4	8.7	9.6	11.8	13.5	12.5	9.1	11.8	11.3
Some harm	22.1	30.8	29.4	35.7	35.8	40.8	26.2	35.3	33.5
Harmful	22.3	24.9	25.4	23.9	22.1	24.1	23.6	23.9	23.8
Very harmful	46.2	35.6	35.6	28.6	28.6	22.6	41.1	28.9	31.4
N of Valid	448	413	863	874	843	809	861	3389	4250
N of Miss	42	23	24	33	42	24	65	123	188

Table 4.97: Do you feel drinking coolers, hard lemonade, etc. is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	8.8	9.7	11.4	14.5	16.2	15.1	9.2	14.3	13.3	
Some harm	21.4	30.3	32.3	36.5	35.3	41.9	25.7	36.4	34.3	
Harmful	23.4	24.5	21.7	21.6	21.1	22.6	23.9	21.7	22.2	
Very harmful	46.4	35.4	34.6	27.3	27.4	20.5	41.1	27.6	30.3	
N of Valid	444	412	863	873	844	810	856	3390	4246	
N of Miss	46	24	24	34	41	23	70	122	192	

Table 4.98: Do you feel drinking liquor is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	8.2	7.0	8.5	9.7	11.5	10.0	7.6	9.9	9.4	
Some harm	16.8	18.6	21.4	26.7	27.6	33.5	17.7	27.2	25.3	
Harmful	22.8	31.5	27.5	29.3	27.1	28.9	26.9	28.2	27.9	
Very harmful	52.2	42.9	42.6	34.3	33.7	27.6	47.7	34.7	37.3	
N of Valid	452	413	863	875	840	811	865	3389	4254	
N of Miss	38	23	24	32	45	22	61	123	184	

Table 4.99: Do you feel smoking marijuana is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	9.1	10.4	15.4	22.4	25.5	33.7	9.7	24.1	21.1	
Some harm	5.8	8.2	11.4	19.7	23.0	25.4	6.9	19.8	17.1	
Harmful	12.6	18.6	16.6	16.8	15.0	15.0	15.5	15.9	15.8	
Very harmful	72.5	62.8	56.5	41.1	36.5	25.9	67.9	40.3	45.9	
N of Valid	451	414	865	874	840	807	865	3386	4251	
N of Miss	39	22	22	33	45	26	61	126	187	

Table 4.100: Do you feel using synthetic marijuana is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	7.3	7.8	9.3	11.8	14.4	13.3	7.5	12.2	11.3	
Some harm	5.2	9.1	11.2	16.8	16.0	17.7	7.1	15.4	13.7	
Harmful	15.2	20.3	17.8	23.0	19.9	23.0	17.7	20.9	20.2	
Very harmful	72.3	62.7	61.7	48.5	49.6	46.0	67.7	51.5	54.8	
N of Valid	441	408	856	871	838	804	849	3369	4218	
N of Miss	49	28	31	36	47	29	77	143	220	

Table 4.101: Do you feel using chemical products (bath salts) to get high is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	5.6	6.1	5.6	4.6	6.3	6.4	5.8	5.7	5.7	
Some harm	4.4	1.9	4.1	3.7	2.7	3.2	3.2	3.5	3.4	
Harmful	11.8	17.2	13.4	14.9	16.3	13.8	14.4	14.6	14.6	
Very harmful	78.2	74.8	76.8	76.8	74.6	76.5	76.6	76.2	76.3	
N of Valid	450	412	870	870	838	810	862	3388	4250	
N of Miss	40	24	17	37	47	23	64	124	188	

Table 4.102: Do you feel using prescription drugs not prescribed to you is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	6.0	5.8	5.2	5.9	6.2	7.0	5.9	6.1	6.0	
Some harm	4.3	3.9	6.4	5.9	6.9	8.2	4.1	6.8	6.2	
Harmful	11.9	17.8	16.0	20.0	22.4	18.5	14.7	19.2	18.3	
Very harmful	77.9	72.5	72.5	68.3	64.5	66.3	75.3	67.9	69.4	
N of Valid	447	411	865	871	840	809	858	3385	4243	
N of Miss	43	25	22	36	45	24	68	127	195	

Table 4.103: Do you feel using over-the-counter drugs to get high is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	5.2	5.8	5.4	5.3	6.9	7.2	5.5	6.2	6.0	
Some harm	2.7	2.7	4.6	5.1	5.5	7.2	2.7	5.5	5.0	
Harmful	11.5	18.2	17.1	20.1	23.2	21.0	14.7	20.3	19.2	
Very harmful	80.6	73.4	72.8	69.6	64.5	64.7	77.1	68.0	69.8	
N of Valid	443	413	865	871	842	811	856	3389	4245	
N of Miss	47	23	22	36	43	22	70	123	193	

Table 4.104: Do you feel using heroin is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	4.7	6.1	5.1	4.8	5.5	6.3	5.4	5.4	5.4	
Some harm	1.3	0.2	1.9	0.6	1.7	1.9	0.8	1.5	1.3	
Harmful	6.9	6.8	5.9	6.7	5.8	4.3	6.9	5.7	5.9	
Very harmful	87.0	86.9	87.1	87.9	87.0	87.5	87.0	87.4	87.3	
N of Valid	447	412	862	870	840	808	859	3380	4239	
N of Miss	43	24	25	37	45	25	67	132	199	

Table 4.105: Do you feel using cocaine is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
No harm	5.1	6.1	5.0	5.1	5.7	6.4	5.6	5.5	5.5
Some harm	1.1	0.2	1.6	1.4	1.4	2.2	0.7	1.7	1.5
Harmful	7.1	9.5	8.3	9.1	7.8	7.4	8.3	8.2	8.2
Very harmful	86.6	84.1	85.1	84.5	85.0	83.9	85.4	84.6	84.8
N of Valid	449	409	865	870	841	809	858	3385	4243
N of Miss	41	27	22	37	44	24	68	127	195

Table 4.106: Do you feel using inhalants is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	5.0	6.4	4.8	5.0	5.5	6.5	5.6	5.4	5.5	
Some harm	2.7	1.7	2.4	2.0	1.6	2.5	2.2	2.1	2.1	
Harmful	9.0	10.8	10.6	12.3	9.9	8.8	9.9	10.4	10.3	
Very harmful	83.3	81.1	82.1	80.8	83.1	82.2	82.3	82.0	82.1	
N of Valid	444	408	866	865	838	810	852	3379	4231	
N of Miss	46	28	21	42	47	23	74	133	207	

Table 4.107: Do you feel using hallucinogens is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
No harm	4.5	6.4	5.0	5.5	6.0	7.5	5.4	5.9	5.8
Some harm	1.4	2.7	2.4	3.2	3.3	5.3	2.0	3.6	3.2
Harmful	10.4	8.1	10.5	12.0	10.5	10.3	9.3	10.8	10.5
Very harmful	83.7	82.8	82.1	79.3	80.2	76.9	83.3	79.7	80.4
N of Valid	442	407	866	869	839	805	849	3379	4228
N of Miss	48	29	21	38	46	28	77	133	210

Table 4.108: Do you feel using steroids is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	5.8	6.3	5.3	5.2	6.0	6.8	6.0	5.8	5.8	
Some harm	4.0	5.6	6.1	5.4	6.2	5.3	4.8	5.8	5.6	
Harmful	15.4	17.5	15.0	15.6	15.6	15.4	16.4	15.4	15.6	
Very harmful	74.8	70.6	73.5	73.9	72.2	72.5	72.8	73.0	73.0	
N of Valid	448	412	865	872	838	811	860	3386	4246	
N of Miss	42	24	22	35	47	22	66	126	192	

Table 4.109: Do you feel using ecstasy is harmful to your health?

RESPONSE	E 7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	5.0	6.3	4.7	5.4	6.1	6.8	5.6	5.7	5.7	
Some harm	1.8	2.0	3.2	2.9	3.5	4.1	1.9	3.4	3.1	
Harmful	11.3	10.2	10.0	11.3	10.5	11.0	10.8	10.7	10.7	
Very harmfu	ıl 82.0	81.5	82.1	80.4	80.0	78.1	81.7	80.2	80.5	
N of Valid	444	410	864	869	839	808	854	3380	4234	
N of Miss	46	26	23	38	46	25	72	132	204	

Table 4.110: Do you feel using meth is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
No harm	4.7	6.4	5.1	4.9	5.5	6.2	5.5	5.4	5.4
Some harm	1.4	0.7	1.2	0.3	1.2	1.9	1.1	1.1	1.1
Harmful	7.7	6.2	6.9	8.1	4.8	4.5	6.9	6.1	6.3
Very harmful	86.2	86.7	86.9	86.7	88.5	87.5	86.5	87.4	87.2
N of Valid	443	406	868	863	835	805	849	3371	4220
N of Miss	47	30	19	44	50	28	77	141	218

4.7 How Much Do You Think People Risk Harming Themselves Physically Or In Other Ways If They

Table 4.111: How much do you think people risk harming themselves physically or in other ways if they use any alcohol?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
No risk	5.7	5.3	5.1	7.1	8.9	9.6	5.5	7.6	7.2
Slight risk	27.3	26.3	27.8	31.8	31.8	33.3	26.8	31.1	30.3
Moderate risk	32.3	36.1	36.1	34.4	34.0	35.7	34.1	35.1	34.9
Great risk	34.7	32.3	31.0	26.7	25.3	21.4	33.6	26.2	27.7
N of Valid	458	418	870	875	846	804	876	3395	4271
N of Miss	32	18	17	32	39	29	50	117	167

Table 4.112: How much do you think people risk harming themselves physically or in other ways if they have five or more drinks of an alcoholic beverage once or twice a week?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	6.6	5.5	4.5	6.5	8.5	8.4	6.1	6.9	6.8	
Slight risk	10.0	15.8	13.2	15.3	16.7	16.8	12.8	15.5	14.9	
Moderate risk	31.4	30.7	34.8	31.0	33.4	37.4	31.1	34.1	33.5	
Great risk	52.0	48.0	47.6	47.1	41.4	37.4	50.1	43.5	44.9	
N of Valid	458	417	866	873	845	799	875	3383	4258	
N of Miss	32	19	21	34	40	34	51	129	180	

Table 4.113: How much do you think people risk harming themselves physically or in other ways if they take one or two drinks of an alcoholic beverage nearly every day?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	8.3	7.7	6.1	8.7	9.5	9.2	8.0	8.4	8.3	
Slight risk	14.2	14.1	16.5	15.0	18.9	18.5	14.2	17.2	16.6	
Moderate risk	28.2	28.7	26.8	27.8	25.4	31.4	28.4	27.8	27.9	
Great risk	49.3	49.5	50.6	48.5	46.2	41.0	49.4	46.7	47.2	
N of Valid	458	418	862	871	840	796	876	3369	4245	
N of Miss	32	18	25	36	45	37	50	143	193	

Table 4.114: How much do you think people risk harming themselves physically or in other ways if they use any tobacco?

				-	-		-	=		
RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	5.5	5.3	6.2	7.8	10.9	12.1	5.4	9.2	8.4	
Slight risk	13.0	15.4	16.5	20.7	24.0	21.8	14.1	20.7	19.3	
Moderate risk	31.0	30.1	30.5	28.5	26.7	32.2	30.6	29.5	29.7	
Great risk	50.5	49.2	46.8	42.9	38.4	33.9	49.9	40.7	42.6	
N of Valid	455	415	861	869	835	793	870	3358	4228	
N of Miss	35	21	26	38	50	40	56	154	210	

Table 4.115: How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	3.9	4.1	3.6	5.3	7.3	8.4	4.0	6.1	5.7	
Slight risk	3.3	4.6	4.9	6.1	7.3	7.5	3.9	6.4	5.9	
Moderate risk	14.9	14.1	14.8	15.3	17.1	18.0	14.5	16.3	15.9	
Great risk	77.9	77.2	76.7	73.3	68.3	66.2	77.6	71.2	72.5	
N of Valid	457	417	862	865	836	801	874	3364	4238	
N of Miss	33	19	25	42	49	32	52	148	200	

Table 4.116: How much do you think people risk harming themselves physically or in other ways if they use electronic vapor products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
No risk	10.8	15.3	16.1	25.1	29.4	28.6	12.9	24.7	22.3
Slight risk	21.8	26.4	27.6	30.8	34.2	36.0	24.0	32.1	30.4
Moderate risk	28.9	25.7	25.7	18.0	15.3	17.8	27.3	19.2	20.9
Great risk	38.5	32.7	30.5	26.1	21.0	17.6	35.8	24.0	26.4
N of Valid	454	413	861	867	841	800	867	3369	4236
N of Miss	36	23	26	40	44	33	59	143	202

Table 4.117: How much do you think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	7.7	7.0	11.9	19.9	25.0	31.2	7.4	21.8	18.8	
Slight risk	5.3	9.4	13.6	19.6	21.8	24.4	7.3	19.7	17.2	
Moderate risk	18.1	21.2	22.8	22.2	20.6	19.9	19.6	21.4	21.0	
Great risk	68.8	62.5	51.7	38.3	32.5	24.5	65.8	37.1	42.9	
N of Valid	452	416	863	866	839	795	868	3363	4231	
N of Miss	38	20	24	41	46	38	58	149	207	

Table 4.118: How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	4.2	4.3	3.2	4.8	6.4	6.0	4.3	5.1	4.9	
Slight risk	6.5	4.3	8.1	8.6	10.2	8.5	5.4	8.9	8.2	
Moderate risk	16.5	19.8	21.9	20.0	21.5	24.8	18.1	22.0	21.2	
Great risk	72.8	71.6	66.7	66.6	62.0	60.6	72.2	64.1	65.7	
N of Valid	449	419	863	871	834	797	868	3365	4233	
N of Miss	41	17	24	36	51	36	58	147	205	

Table 4.119: How much do you think people risk harming themselves physically or in other ways if they use illicit drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	4.0	3.9	3.1	4.5	6.2	5.8	3.9	4.9	4.7	
Slight risk	3.5	2.9	4.4	4.0	5.6	4.5	3.2	4.6	4.3	
Moderate risk	13.3	17.1	17.1	18.0	15.6	17.5	15.1	17.1	16.7	
Great risk	79.2	76.1	75.3	73.5	72.6	72.2	77.7	73.4	74.3	
N of Valid	451	415	858	869	838	799	866	3364	4230	
N of Miss	39	21	29	38	47	34	60	148	208	

Table 4.120: How much do you think people risk harming themselves physically or in other ways if they drive while drunk?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
No risk	3.3	3.4	2.4	3.6	4.6	5.1	3.3	3.9	3.8
Slight risk	0.7	1.2	1.4	1.6	2.7	2.5	0.9	2.0	1.8
Moderate risk	4.8	5.0	5.2	5.6	5.0	6.6	4.9	5.6	5.5
Great risk	91.2	90.4	90.9	89.2	87.6	85.8	90.8	88.4	88.9
N of Valid	456	416	860	869	842	800	872	3371	4243
N of Miss	34	20	27	38	43	33	54	141	195

Table 4.121: How much do you think people risk harming themselves physically or in other ways if they drive while high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	4.4	4.3	4.9	6.6	9.2	9.9	4.4	7.6	6.9	
Slight risk	2.4	2.9	4.2	4.9	10.0	13.7	2.6	8.1	7.0	
Moderate risk	4.2	6.5	8.3	12.8	12.5	14.1	5.3	11.9	10.5	
Great risk	89.0	86.3	82.7	75.7	68.3	62.3	87.7	72.5	75.6	
N of Valid	455	417	859	869	833	796	872	3357	4229	
N of Miss	35	19	28	38	52	37	54	155	209	

4.8 How Easy Is It To Get

Table 4.122: How easy is it to get cigarettes, smokeless tobacco, cigars, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Don't know/can't get	65.3	61.0	58.3	46.2	36.5	23.9	63.3	41.6	46.0	
Very difficult	2.0	1.7	1.8	2.2	1.3	1.1	1.8	1.6	1.7	
Fairly difficult	4.6	6.2	4.9	5.5	5.5	2.6	5.4	4.7	4.8	
Fairly easy	11.5	13.1	15.6	21.8	20.0	18.3	12.2	18.9	17.6	
Very easy	16.6	18.1	19.4	24.3	36.6	54.2	17.3	33.2	29.9	
N of Valid	453	421	872	876	849	805	874	3402	4276	
N of Miss	37	15	15	31	36	28	52	110	162	

Table 4.123: How easy is it to get electronic vapor products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Don't know/can't get	66.1	61.1	58.5	45.8	35.6	26.1	63.7	41.8	46.3
Very difficult	2.7	3.8	2.2	2.7	2.0	1.1	3.2	2.0	2.3
Fairly difficult	8.0	7.2	6.0	5.9	5.4	3.8	7.6	5.3	5.8
Fairly easy	10.7	14.1	17.0	19.0	20.4	15.8	12.3	18.1	16.9
Very easy	12.5	13.8	16.3	26.5	36.6	53.2	13.1	32.7	28.7
N of Valid	448	419	870	877	845	806	867	3398	4265
N of Miss	42	17	17	30	40	27	59	114	173

Table 4.124: How easy is it to get beer, wine, liquor and other alcohol products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Don't know/can't get	60.4	57.0	52.8	39.1	31.2	21.2	58.7	36.4	40.9	
Very difficult	5.1	4.5	3.2	2.8	4.2	3.1	4.8	3.3	3.6	
Fairly difficult	6.9	8.3	7.5	10.4	10.0	8.9	7.6	9.2	8.9	
Fairly easy	9.8	12.6	16.9	21.1	20.8	30.0	11.1	22.1	19.8	
Very easy	17.8	17.6	19.6	26.7	33.9	36.8	17.7	29.1	26.7	
N of Valid	449	421	868	878	843	807	870	3396	4266	
N of Miss	41	15	19	29	42	26	56	116	172	

Table 4.125: How easy is it to get marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Don't know/can't get	73.9	69.5	62.1	47.7	39.7	31.0	71.8	45.5	50.8	
Very difficult	7.3	6.9	4.4	4.1	3.3	1.6	7.1	3.4	4.1	
Fairly difficult	6.5	9.0	9.0	9.1	5.8	6.2	7.7	7.6	7.6	
Fairly easy	5.1	7.1	11.6	17.0	16.9	20.2	6.1	16.4	14.3	
Very easy	7.1	7.4	12.9	22.0	34.3	41.0	7.2	27.2	23.2	
N of Valid	449	420	868	880	846	803	869	3397	4266	
N of Miss	41	16	19	27	39	30	57	115	172	

Table 4.126: How easy is it to get prescription drugs not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Don't know/can't get	67.0	63.0	63.7	53.2	47.3	40.5	65.1	51.4	54.2
Very difficult	6.9	7.2	5.0	6.9	7.9	6.7	7.0	6.6	6.7
Fairly difficult	9.6	7.9	7.0	9.5	12.3	13.7	8.8	10.6	10.2
Fairly easy	7.8	7.6	11.2	14.3	12.0	14.8	7.7	13.0	12.0
Very easy	8.7	14.3	13.1	16.0	20.5	24.3	11.4	18.4	17.0
N of Valid	449	419	868	880	844	805	868	3397	4265
N of Miss	41	17	19	27	41	28	58	115	173

Table 4.127: How easy is it to get other illicit drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Don't know/can't get	76.7	73.3	75.5	64.0	57.3	53.2	75.0	62.7	65.2	
Very difficult	8.1	6.4	5.8	8.1	8.4	7.3	7.3	7.4	7.4	
Fairly difficult	5.6	9.1	6.2	8.1	10.9	12.3	7.3	9.3	8.9	
Fairly easy	5.2	4.3	5.0	9.1	8.3	9.7	4.7	8.0	7.3	
Very easy	4.5	6.9	7.6	10.6	15.1	17.5	5.7	12.6	11.2	
N of Valid	446	419	868	876	843	805	865	3392	4257	
N of Miss	44	17	19	31	42	28	61	120	181	

4.9 Feel About Binge Drinking

Table 4.128: How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Neither approve or disapprove	4.8	7.7	13.9	20.3	23.5	22.7	6.2	20.0	17.2	
Somewhat disapprove	7.5	8.2	13.0	16.6	17.0	18.6	7.8	16.2	14.5	
Strongly disapprove	80.0	73.0	65.7	52.9	47.9	48.8	76.7	54.0	58.6	
Don't know or can't say	7.7	11.2	7.3	10.2	11.6	9.9	9.4	9.8	9.7	
N of Valid	441	403	846	851	818	787	844	3302	4146	
N of Miss	49	33	41	56	67	46	82	210	292	

4.10 How Wrong Do Your Friends Feel It Would Be For You To

Table 4.129: How wrong would your friends feel it would be for you to use any alcohol?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	4.6	7.1	9.8	19.8	29.9	41.6	5.8	24.9	21.0	
A little bit wrong	7.9	11.1	15.9	23.6	26.8	28.5	9.5	23.6	20.7	
Wrong	16.5	21.1	22.4	22.9	18.8	12.5	18.7	19.3	19.2	
Very wrong	71.0	60.7	51.8	33.7	24.5	17.4	66.0	32.2	39.2	
N of Valid	455	422	866	869	833	803	877	3371	4248	
N of Miss	35	14	21	38	52	30	49	141	190	

Table 4.130: How wrong would your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	4.8	4.5	5.2	10.2	14.5	16.6	4.7	11.5	10.1	
A little bit wrong	4.2	10.2	11.5	13.6	19.6	21.9	7.1	16.5	14.6	
Wrong	14.9	18.7	22.2	26.7	26.7	25.4	16.8	25.2	23.5	
Very wrong	76.0	66.6	61.1	49.4	39.3	36.1	71.5	46.7	51.8	
N of Valid	455	422	864	872	833	803	877	3372	4249	
N of Miss	35	14	23	35	52	30	49	140	189	

Table 4.131: How wrong would your friends feel it would be for you to use any tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	4.2	3.8	7.1	13.0	21.0	27.3	4.0	16.8	14.2	
A little bit wrong	4.9	8.3	10.1	15.1	18.8	22.5	6.5	16.5	14.4	
Wrong	12.8	15.4	22.7	22.6	21.3	21.2	14.1	22.0	20.3	
Very wrong	78.1	72.4	60.2	49.3	38.9	29.0	75.4	44.7	51.0	
N of Valid	452	421	865	868	835	803	873	3371	4244	
N of Miss	38	15	22	39	50	30	53	141	194	

Table 4.132: How wrong would your friends feel it would be for you to smoke tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Not at all wrong	4.4	3.6	6.2	11.7	19.1	26.0	4.0	15.5	13.2
A little bit wrong	4.6	7.1	8.8	13.9	18.3	18.9	5.8	14.9	13.0
Wrong	11.0	15.7	21.1	23.3	21.3	24.0	13.3	22.4	20.5
Very wrong	79.9	73.6	63.9	51.1	41.3	31.2	76.9	47.2	53.3
N of Valid	453	421	861	871	831	805	874	3368	4242
N of Miss	37	15	26	36	54	28	52	144	196

Table 4.133: How wrong would your friends feel it would be for you to use electronic vapor products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	10.0	9.8	13.8	27.9	39.9	44.5	9.9	31.2	26.8	
A little bit wrong	6.9	11.4	16.7	17.9	18.1	18.3	9.1	17.7	16.0	
Wrong	13.1	15.2	20.8	16.7	15.1	15.8	14.1	17.2	16.5	
Very wrong	70.1	63.6	48.7	37.4	26.9	21.3	66.9	33.9	40.7	
N of Valid	451	420	862	866	834	802	871	3364	4235	
N of Miss	39	16	25	41	51	31	55	148	203	

Table 4.134: How wrong would your friends feel it would be for you to smoke marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	5.8	5.7	10.2	19.1	28.6	36.7	5.7	23.4	19.7	
A little bit wrong	3.8	4.3	11.0	15.3	16.7	20.5	4.0	15.8	13.4	
Wrong	8.0	10.0	16.1	17.7	17.2	15.4	8.9	16.6	15.0	
Very wrong	82.5	80.1	62.6	47.9	37.4	27.5	81.4	44.2	51.9	
N of Valid	452	422	862	869	836	801	874	3368	4242	
N of Miss	38	14	25	38	49	32	52	144	196	

Table 4.135: How wrong would your friends feel it would be for you to use prescription drugs that are not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	3.5	2.9	3.7	7.2	9.6	11.4	3.2	7.9	6.9	
A little bit wrong	3.5	3.6	5.9	8.1	9.8	11.9	3.6	8.9	7.8	
Wrong	10.2	10.0	17.6	18.9	22.3	24.2	10.1	20.7	18.5	
Very wrong	82.7	83.6	72.8	65.9	58.3	52.5	83.1	62.6	66.8	
N of Valid	451	420	863	867	834	800	871	3364	4235	
N of Miss	39	16	24	40	51	33	55	148	203	

Table 4.136: How wrong would your friends feel it would be for you to use other illicit drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	2.9	2.9	2.8	6.8	7.9	9.7	2.9	6.7	5.9	
A little bit wrong	2.9	3.1	3.5	5.9	6.5	7.1	3.0	5.7	5.1	
Wrong	8.2	8.8	16.0	16.1	18.8	21.3	8.5	18.0	16.0	
Very wrong	86.1	85.2	77.7	71.2	66.8	61.9	85.7	69.6	72.9	
N of Valid	453	419	861	868	832	803	872	3364	4236	
N of Miss	37	17	26	39	53	30	54	148	202	

Table 4.137: How wrong would your friends feel it would be for you to gamble anything of value?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	6.4	7.0	8.1	14.7	17.3	17.9	6.7	14.4	12.8	
A little bit wrong	6.4	10.4	15.1	15.5	16.9	18.4	8.3	16.4	14.8	
Wrong	16.7	22.9	22.7	21.6	22.4	24.7	19.7	22.8	22.2	
Very wrong	70.4	59.8	54.1	48.2	43.3	39.0	65.3	46.3	50.2	
N of Valid	450	415	862	865	833	799	865	3359	4224	
N of Miss	40	21	25	42	52	34	61	153	214	

4.11 How Wrong Do Your Parents Feel It Would Be For You To

Table 4.138: How wrong would your parents feel it would be for you to use any alcohol?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	2.8	3.3	3.0	5.4	7.3	12.1	3.1	6.8	6.1	
A little bit wrong	3.5	3.8	5.8	8.5	10.1	15.5	3.7	9.8	8.6	
Wrong	5.5	6.2	7.1	13.3	15.4	18.1	5.8	13.4	11.8	
Very wrong	88.2	86.6	84.1	72.8	67.2	54.4	87.4	69.9	73.5	
N of Valid	457	418	868	872	832	802	875	3374	4249	
N of Miss	33	18	19	35	53	31	51	138	189	

Table 4.139: How wrong would your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	2.6	1.4	2.3	3.3	5.6	7.1	2.1	4.5	4.0	
A little bit wrong	2.0	3.1	2.4	3.7	4.2	4.7	2.5	3.7	3.5	
Wrong	3.5	5.0	6.4	8.9	9.9	15.2	4.2	10.0	8.8	
Very wrong	91.9	90.5	88.9	84.1	80.3	72.9	91.2	81.7	83.7	
N of Valid	455	420	865	872	832	801	875	3370	4245	
N of Miss	35	16	22	35	53	32	51	142	193	

Table 4.140: How wrong would your parents feel it would be for you to use any tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	2.8	2.4	2.3	3.8	6.4	9.1	2.6	5.3	4.8	
A little bit wrong	1.1	1.4	2.0	3.0	5.2	7.0	1.3	4.2	3.6	
Wrong	4.4	4.8	4.7	8.3	10.0	16.9	4.6	9.8	8.7	
Very wrong	91.7	91.4	91.0	84.9	78.5	67.0	91.6	80.6	82.9	
N of Valid	457	421	866	870	832	800	878	3368	4246	
N of Miss	33	15	21	37	53	33	48	144	192	

Table 4.141: How wrong would your parents feel it would be for you to smoke tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	2.4	2.1	2.2	3.8	5.5	8.0	2.3	4.8	4.3	
A little bit wrong	1.3	1.4	2.0	3.2	4.3	7.0	1.4	4.1	3.5	
Wrong	3.7	4.8	4.4	6.8	10.1	15.5	4.2	9.0	8.1	
Very wrong	92.5	91.6	91.4	86.2	80.1	69.6	92.1	82.1	84.1	
N of Valid	456	419	864	871	834	802	875	3371	4246	
N of Miss	34	17	23	36	51	31	51	141	192	

Table 4.142: How wrong would your parents feel it would be for you to use electronic vapor products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Not at all wrong	2.6	2.9	3.7	5.8	10.1	13.4	2.8	8.1	7.0
A little bit wrong	2.9	2.4	3.1	7.5	7.8	11.9	2.6	7.5	6.5
Wrong	5.5	6.7	7.6	10.4	12.5	14.1	6.1	11.1	10.1
Very wrong	89.0	88.0	85.6	76.4	69.6	60.6	88.5	73.3	76.5
N of Valid	455	417	866	869	832	799	872	3366	4238
N of Miss	35	19	21	38	53	34	54	146	200

Table 4.143: How wrong would your parents feel it would be for you to smoke marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	2.6	2.6	2.9	5.4	7.3	10.7	2.6	6.5	5.7	
A little bit wrong	1.1	1.2	2.4	4.7	6.5	8.4	1.1	5.4	4.6	
Wrong	3.5	3.3	5.1	7.8	9.6	14.9	3.4	9.3	8.0	
Very wrong	92.8	92.9	89.5	82.0	76.5	66.0	92.8	78.8	81.7	
N of Valid	456	421	861	868	830	801	877	3360	4237	
N of Miss	34	15	26	39	55	32	49	152	201	

Table 4.144: How wrong would your parents feel it would be for you to use prescription drugs that are not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Not at all wrong	2.2	1.4	2.0	2.6	4.2	5.1	1.8	3.5	3.1
A little bit wrong	0.7	0.7	1.3	2.6	2.2	2.2	0.7	2.1	1.8
Wrong	4.0	2.9	3.7	5.4	6.6	9.9	3.4	6.3	5.7
Very wrong	93.2	95.0	93.0	89.3	87.0	82.8	94.1	88.1	89.4
N of Valid	455	419	860	869	830	802	874	3361	4235
N of Miss	35	17	27	38	55	31	52	151	203

Table 4.145: How wrong would your parents feel it would be for you to use other illicit drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Not at all wrong	1.5	1.7	1.7	2.2	3.4	4.9	1.6	3.0	2.7
A little bit wrong	0.9	0.2	0.9	1.7	1.6	1.5	0.6	1.4	1.3
Wrong	2.6	2.9	2.2	4.1	5.1	7.5	2.7	4.7	4.3
Very wrong	95.0	95.2	95.1	92.0	90.0	86.1	95.1	90.9	91.7
N of Valid	456	417	860	871	827	798	873	3356	4229
N of Miss	34	19	27	36	58	35	53	156	209

Table 4.146: How wrong would your parents feel it would be for you to gamble anything of value?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	2.4	2.2	2.2	3.9	5.7	6.6	2.3	4.6	4.1	
A little bit wrong	3.1	2.7	4.8	5.0	5.1	5.3	2.9	5.0	4.6	
Wrong	6.6	7.0	7.1	9.7	10.2	14.4	6.8	10.3	9.5	
Very wrong	87.9	88.2	85.9	81.4	79.0	73.7	88.0	80.1	81.8	
N of Valid	455	415	859	867	823	791	870	3340	4210	
N of Miss	35	21	28	40	62	42	56	172	228	

4.12 From Whom Do You Get

Table 4.147: From whom do you get alcohol?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	86.5	86.9	79.3	66.9	56.2	42.1	86.7	61.4	66.7
Friends	2.2	4.8	9.4	17.2	24.5	35.9	3.5	21.5	17.7
Parent	2.0	3.0	5.4	8.4	9.3	12.5	2.5	8.8	7.5
Siblings	0.4	1.4	3.0	3.2	5.5	8.2	0.9	4.9	4.1
Store	1.2	0.9	1.0	1.7	3.8	6.1	1.1	3.1	2.7
Internet	0.4	0.0	0.6	0.7	1.4	1.4	0.2	1.0	0.8
Other	1.2	2.5	5.4	6.2	8.7	9.0	1.8	7.3	6.2
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.148: From whom do you get tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	89.2	91.5	86.7	81.5	70.5	62.7	90.3	75.6	78.6	
Friends	1.4	3.0	6.7	8.9	14.9	16.6	2.2	11.7	9.7	
Parent	8.0	0.9	1.6	2.4	3.1	3.5	0.9	2.6	2.3	•
Siblings	0.2	0.9	1.7	1.5	2.4	2.2	0.5	1.9	1.6	
Store	1.0	0.7	1.0	1.3	4.7	12.0	0.9	4.6	3.9	
Internet	0.2	0.2	0.6	8.0	1.6	1.7	0.2	1.1	0.9	<u> </u>
Other	1.0	1.6	3.0	2.6	6.1	6.7	1.3	4.6	3.9	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.149: From whom do you get electronic vapor products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	84.9	85.6	82.1	72.4	64.1	60.6	85.2	70.0	73.1
Friends	4.5	6.4	8.9	16.2	18.5	18.5	5.4	15.5	13.4
Parent	0.2	2.1	2.3	2.6	2.5	2.5	1.1	2.5	2.2
Siblings	8.0	1.8	2.5	2.2	3.4	2.0	1.3	2.5	2.3
Store	1.4	0.9	1.7	3.1	6.9	12.1	1.2	5.8	4.9
Internet	8.0	0.7	1.0	2.2	3.3	4.2	8.0	2.6	2.3
Other	0.8	1.1	2.9	3.1	5.8	6.6	1.0	4.6	3.8
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.150: From whom do you get marijuana?

Do not use 87.8 90.6 84.9 76.3 66.4 58.6 89.1 71.8 75.4 Friends 2.7 3.9 9.1 13.9 20.0 28.6 3.2 17.7 14.7 Parent 0.0 0.5 1.0 1.8 1.6 2.5 0.2 1.7 1.4 Siblings 0.4 1.4 2.7 2.0 3.6 3.8 0.9 3.0 2.6 Store 0.0 0.2 0.6 0.3 1.4 1.2 0.1 0.9 0.7 Internet 0.4 0.2 0.6 0.8 1.7 1.4 0.3 1.1 0.9 Other 1.6 1.1 2.8 4.6 7.7 7.8 1.4 5.7 4.8 N of Valid 490 436 887 907 885 833 926 3512 4438 N of Miss 0 0 0 0 0 0 0 0	RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Parent 0.0 0.5 1.0 1.8 1.6 2.5 0.2 1.7 1.4 Siblings 0.4 1.4 2.7 2.0 3.6 3.8 0.9 3.0 2.6 Store 0.0 0.2 0.6 0.3 1.4 1.2 0.1 0.9 0.7 Internet 0.4 0.2 0.6 0.8 1.7 1.4 0.3 1.1 0.9 Other 1.6 1.1 2.8 4.6 7.7 7.8 1.4 5.7 4.8 N of Valid 490 436 887 907 885 833 926 3512 4438	Do not use	87.8	90.6	84.9	76.3	66.4	58.6	89.1	71.8	75.4	
Siblings 0.4 1.4 2.7 2.0 3.6 3.8 0.9 3.0 2.6 Store 0.0 0.2 0.6 0.3 1.4 1.2 0.1 0.9 0.7 Internet 0.4 0.2 0.6 0.8 1.7 1.4 0.3 1.1 0.9 Other 1.6 1.1 2.8 4.6 7.7 7.8 1.4 5.7 4.8 N of Valid 490 436 887 907 885 833 926 3512 4438	Friends	2.7	3.9	9.1	13.9	20.0	28.6	3.2	17.7	14.7	
Store 0.0 0.2 0.6 0.3 1.4 1.2 0.1 0.9 0.7 Internet 0.4 0.2 0.6 0.8 1.7 1.4 0.3 1.1 0.9 Other 1.6 1.1 2.8 4.6 7.7 7.8 1.4 5.7 4.8 N of Valid 490 436 887 907 885 833 926 3512 4438	Parent	0.0	0.5	1.0	1.8	1.6	2.5	0.2	1.7	1.4	
Internet 0.4 0.2 0.6 0.8 1.7 1.4 0.3 1.1 0.9 Other 1.6 1.1 2.8 4.6 7.7 7.8 1.4 5.7 4.8 N of Valid 490 436 887 907 885 833 926 3512 4438	Siblings	0.4	1.4	2.7	2.0	3.6	3.8	0.9	3.0	2.6	
Other 1.6 1.1 2.8 4.6 7.7 7.8 1.4 5.7 4.8 N of Valid 490 436 887 907 885 833 926 3512 4438	Store	0.0	0.2	0.6	0.3	1.4	1.2	0.1	0.9	0.7	
N of Valid 490 436 887 907 885 833 926 3512 4438	Internet	0.4	0.2	0.6	8.0	1.7	1.4	0.3	1.1	0.9	
	Other	1.6	1.1	2.8	4.6	7.7	7.8	1.4	5.7	4.8	
N of Miss 0 0 0 0 0 0 0 0	N of Valid	490	436	887	907	885	833	926	3512	4438	
	N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.151: From whom do you get prescription drugs not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	90.0	94.0	90.9	86.2	81.5	78.0	91.9	84.3	85.8
Friends	0.6	1.4	2.7	4.5	5.8	10.4	1.0	5.8	4.8
Parent	8.0	0.9	2.4	2.4	2.1	2.8	0.9	2.4	2.1
Siblings	0.4	0.2	1.1	0.7	0.9	1.3	0.3	1.0	0.9
Store	0.4	0.0	0.3	0.7	1.1	1.2	0.2	0.8	0.7
Internet	0.6	0.0	0.7	0.7	1.6	1.3	0.3	1.1	0.9
Other	1.0	0.2	2.6	2.2	4.4	5.3	0.6	3.6	3.0
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.152: From whom do you get illicit drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	90.8	94.7	93.1	89.2	84.6	83.1	92.7	87.6	88.6
Friends	0.2	0.7	2.1	2.5	4.0	7.6	0.4	4.0	3.2
Parent	0.0	0.5	0.5	0.7	8.0	1.3	0.2	0.8	0.7
Siblings	0.0	0.2	0.6	0.6	1.0	1.1	0.1	0.8	0.7
Store	0.2	0.2	0.6	0.1	0.9	1.2	0.2	0.7	0.6
Internet	0.2	0.2	0.6	1.0	1.8	1.6	0.2	1.2	1.0
Other	8.0	0.0	1.8	2.3	4.0	4.1	0.4	3.0	2.5
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

4.13 At What Age Did You First

Table 4.153: At what age did you first smoke cigarettes?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never used	93.4	93.3	87.6	83.1	74.6	67.0	93.4	78.4	81.5
10 or under	2.6	2.1	2.6	3.2	4.7	5.2	2.4	3.9	3.6
11	1.1	1.2	2.0	1.3	2.2	1.8	1.1	1.8	1.6
12	2.0	1.7	1.4	1.9	2.4	2.4	1.8	2.0	2.0
13	0.7	1.2	3.0	2.8	3.6	3.3	0.9	3.1	2.7
14	0.0	0.5	2.5	4.4	2.8	3.9	0.2	3.4	2.7
15	0.2	0.0	0.3	2.6	5.3	4.5	0.1	3.1	2.5
16	0.0	0.0	0.2	0.5	3.2	6.7	0.0	2.6	2.0
17 or older	0.0	0.0	0.3	0.2	1.3	5.3	0.0	1.7	1.4
N of Valid	457	420	869	872	834	795	877	3370	4247
N of Miss	33	16	18	35	51	38	49	142	191

Table 4.154: At what age did you first use smokeless tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	96.5	96.4	91.7	89.6	82.0	76.8	96.5	85.2	87.5	
10 or under	1.5	1.7	1.2	1.6	2.9	3.0	1.6	2.1	2.0	
11	0.4	0.5	0.5	0.6	1.3	1.6	0.5	1.0	0.9	
12	0.7	0.7	1.3	1.3	2.8	2.1	0.7	1.8	1.6	
13	0.7	0.0	2.3	1.0	2.0	2.4	0.3	1.9	1.6	
14	0.0	0.7	1.9	3.3	2.3	2.5	0.3	2.5	2.0	
15	0.2	0.0	8.0	1.7	4.3	3.3	0.1	2.5	2.0	
16	0.0	0.0	0.1	0.6	1.6	4.4	0.0	1.6	1.3	
17 or older	0.0	0.0	0.3	0.3	8.0	3.9	0.0	1.3	1.0	
N of Valid	458	420	863	872	835	798	878	3368	4246	
N of Miss	32	16	24	35	50	35	48	144	192	

Table 4.155: At what age did you first smoke cigars?

							_	-		_
RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	97.2	97.6	92.4	89.3	80.5	74.7	97.4	84.5	87.1	
10 or under	0.7	1.2	1.5	2.2	2.6	3.4	0.9	2.4	2.1	
11	0.4	0.2	0.3	0.5	1.3	0.4	0.3	0.6	0.6	
12	1.3	0.7	8.0	8.0	2.5	1.0	1.0	1.3	1.2	
13	0.2	0.2	2.4	1.2	1.8	2.7	0.2	2.0	1.6	
14	0.0	0.0	1.7	2.8	2.0	2.7	0.0	2.3	1.8	
15	0.0	0.0	0.2	2.2	4.1	3.4	0.0	2.4	1.9	
16	0.2	0.0	0.1	8.0	3.8	4.4	0.1	2.2	1.8	
17 or older	0.0	0.0	0.5	0.3	1.3	7.4	0.0	2.3	1.8	
N of Valid	457	419	864	869	835	789	876	3357	4233	
N of Miss	33	17	23	38	50	44	50	155	205	

Table 4.156: At what age did you first use electronic vapor products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	90.8	88.8	82.0	73.2	63.6	59.7	89.9	69.9	74.1	
10 or under	1.3	1.4	1.2	1.7	1.9	2.6	1.4	1.8	1.7	
11	2.2	0.2	0.7	0.2	0.6	0.4	1.3	0.5	0.6	
12	4.6	2.4	0.7	8.0	2.1	1.0	3.5	1.1	1.6	
13	0.9	5.0	6.2	2.3	1.7	1.3	2.8	2.9	2.9	•
14	0.0	1.9	7.5	9.1	6.4	2.9	0.9	6.5	5.4	
15	0.0	0.2	1.2	10.9	11.1	6.9	0.1	7.5	6.0	
16	0.0	0.0	0.1	1.5	10.4	14.1	0.0	6.3	5.0	
17 or older	0.2	0.0	0.5	0.3	2.2	11.1	0.1	3.4	2.7	
N of Valid	459	420	867	872	828	795	879	3362	4241	
N of Miss	31	16	20	35	57	38	47	150	197	

Table 4.157: At what age did you first drink beer?

							_	-		
RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	88.8	86.2	76.2	65.9	55.2	43.0	87.5	60.5	66.1	
10 or under	4.8	4.0	4.6	5.5	5.5	5.9	4.5	5.4	5.2	
11	3.1	1.4	2.3	1.3	2.0	2.3	2.3	2.0	2.0	
12	1.8	3.1	2.8	3.6	2.7	3.3	2.4	3.1	3.0	
13	1.3	3.6	5.8	4.6	4.9	5.2	2.4	5.1	4.6	
14	0.0	1.7	7.1	9.4	7.2	7.2	8.0	7.7	6.3	
15	0.0	0.0	0.7	8.1	9.9	10.5	0.0	7.2	5.7	
16	0.0	0.0	0.1	1.3	10.8	14.4	0.0	6.4	5.1	
17 or older	0.2	0.0	0.3	0.3	1.8	8.2	0.1	2.6	2.1	
N of Valid	454	420	863	872	837	791	874	3363	4237	
N of Miss	36	16	24	35	48	42	52	149	201	

Table 4.158: At what age did you first drink coolers, hard lemonade, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	92.5	93.1	82.7	71.7	60.6	46.8	92.8	65.9	71.4	
10 or under	2.6	1.7	2.1	3.2	4.0	4.2	2.2	3.3	3.1	
11	1.8	0.5	1.4	0.7	1.0	1.3	1.1	1.1	1.1	
12	2.0	2.1	2.2	2.5	3.2	1.8	2.1	2.4	2.4	
13	0.9	1.9	3.7	3.8	4.4	4.8	1.4	4.2	3.6	
14	0.0	0.7	6.5	7.9	5.9	6.8	0.3	6.8	5.5	
15	0.0	0.0	0.9	8.6	8.9	10.3	0.0	7.1	5.6	
16	0.0	0.0	0.1	1.2	9.5	13.9	0.0	6.0	4.7	
17 or older	0.2	0.0	0.3	0.3	2.6	10.2	0.1	3.2	2.6	
N of Valid	454	420	863	869	834	793	874	3359	4233	
N of Miss	36	16	24	38	51	40	52	153	205	

Table 4.159: At what age did you first drink liquor?

							_	-		
RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	94.1	91.7	83.1	69.6	59.2	46.3	92.9	65.0	70.8	
10 or under	1.8	1.9	2.1	2.5	3.4	3.2	1.8	2.8	2.6	
11	1.8	1.4	0.7	0.6	1.1	1.0	1.6	0.8	1.0	
12	2.0	1.7	2.9	3.1	2.5	2.0	1.8	2.7	2.5	
13	0.2	2.4	4.1	2.8	3.0	3.9	1.3	3.4	3.0	
14	0.0	1.0	6.1	8.1	7.7	7.5	0.5	7.3	5.9	
15	0.0	0.0	0.6	11.0	11.4	9.7	0.0	8.1	6.4	
16	0.2	0.0	0.1	2.1	9.2	16.0	0.1	6.6	5.3	
17 or older	0.0	0.0	0.3	0.3	2.5	10.4	0.0	3.3	2.6	
N of Valid	455	421	864	867	830	787	876	3348	4224	
N of Miss	35	15	23	40	55	46	50	164	214	
									•	

Table 4.160: At what age did you first smoke marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	95.8	95.5	88.6	80.3	69.4	56.1	95.7	74.0	78.5	
10 or under	1.1	0.7	1.6	1.4	2.4	3.5	0.9	2.2	1.9	
11	1.3	0.2	0.6	1.1	2.2	0.9	8.0	1.2	1.1	
12	1.3	1.0	1.2	1.4	2.6	2.8	1.1	2.0	1.8	
13	0.0	1.4	3.0	2.5	3.7	4.3	0.7	3.4	2.8	
14	0.0	1.2	4.1	5.6	6.4	8.0	0.6	6.0	4.8	
15	0.0	0.0	0.5	6.1	6.7	8.0	0.0	5.2	4.2	
16	0.0	0.0	0.1	1.3	5.2	8.5	0.0	3.6	2.9	
17 or older	0.4	0.0	0.3	0.2	1.4	8.0	0.2	2.4	1.9	
N of Valid	453	421	861	870	833	790	874	3354	4228	
N of Miss	37	15	26	37	52	43	52	158	210	

Table 4.161: At what age did you first use synthetic marijuana?

						•	•		•	•
RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	98.7	98.3	96.3	93.3	89.3	88.6	98.5	92.0	93.3	
10 or under	0.7	0.5	1.0	1.0	1.9	2.7	0.6	1.6	1.4	
11	0.2	0.5	0.5	0.5	1.0	8.0	0.3	0.7	0.6	
12	0.0	0.0	0.3	1.0	1.1	0.4	0.0	0.7	0.6	
13	0.2	0.5	8.0	0.7	1.0	1.8	0.3	1.0	0.9	
14	0.0	0.2	0.5	1.6	1.2	1.1	0.1	1.1	0.9	
15	0.0	0.0	0.2	1.3	1.9	1.4	0.0	1.2	0.9	
16	0.0	0.0	0.1	0.2	1.8	1.9	0.0	1.0	0.8	
17 or older	0.2	0.0	0.2	0.3	8.0	1.4	0.1	0.7	0.6	
N of Valid	454	416	863	871	831	790	870	3355	4225	
N of Miss	36	20	24	36	54	43	56	157	213	
									•	

Table 4.162: At what age did you first use chemical products (bath salts) to get high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	99.1	99.0	97.7	96.7	95.5	94.8	99.1	96.2	96.8	
10 or under	0.4	0.0	0.7	1.0	1.7	2.4	0.2	1.4	1.2	
11	0.2	0.2	0.1	0.2	0.4	0.4	0.2	0.3	0.3	
12	0.2	0.0	0.2	0.2	0.5	0.4	0.1	0.3	0.3	
13	0.0	0.5	0.5	0.2	0.1	0.4	0.2	0.3	0.3	
14	0.0	0.2	0.2	0.6	0.4	0.3	0.1	0.4	0.3	
15	0.0	0.0	0.1	0.5	0.5	0.4	0.0	0.4	0.3	
16	0.0	0.0	0.1	0.2	0.2	0.5	0.0	0.3	0.2	
17 or older	0.0	0.0	0.3	0.3	0.7	0.5	0.0	0.5	0.4	
N of Valid	454	415	860	872	830	790	869	3352	4221	
N of Miss	36	21	27	35	55	43	57	160	217	

Table 4.163: At what age did you first use prescription drugs not prescribed to you?

					-	-	-	•	_	
RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	97.8	98.6	95.2	92.2	88.6	84.7	98.2	90.3	91.9	
10 or under	0.9	0.2	1.0	1.3	2.3	3.1	0.6	1.9	1.6	
11	0.4	0.7	0.5	0.1	0.5	0.3	0.6	0.3	0.4	
12	0.7	0.2	0.5	1.0	0.2	0.4	0.5	0.5	0.5	
13	0.2	0.2	8.0	0.9	1.0	1.5	0.2	1.0	0.9	
14	0.0	0.0	1.5	1.5	1.8	1.6	0.0	1.6	1.3	
15	0.0	0.0	0.1	1.8	1.9	2.4	0.0	1.5	1.2	
16	0.0	0.0	0.1	0.8	3.0	3.0	0.0	1.7	1.3	
17 or older	0.0	0.0	0.2	0.3	0.7	3.0	0.0	1.0	0.8	
N of Valid	457	416	862	872	832	795	873	3361	4234	
N of Miss	33	20	25	35	53	38	53	151	204	

Table 4.164: At what age did you first use over-the-counter drugs to get high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	98.9	98.6	97.3	95.4	94.0	91.7	98.7	94.7	95.5	
10 or under	0.7	0.0	0.6	1.0	1.7	2.6	0.3	1.5	1.2	
11	0.2	0.5	0.1	0.1	0.4	0.4	0.3	0.2	0.3	
12	0.2	0.2	0.5	0.7	0.5	0.5	0.2	0.5	0.5	
13	0.0	0.5	0.7	0.7	8.0	0.6	0.2	0.7	0.6	
14	0.0	0.2	0.3	0.9	0.6	0.8	0.1	0.7	0.5	
15	0.0	0.0	0.1	0.5	8.0	1.1	0.0	0.6	0.5	
16	0.0	0.0	0.1	0.5	0.6	1.3	0.0	0.6	0.5	
17 or older	0.0	0.0	0.2	0.2	0.6	1.0	0.0	0.5	0.4	
N of Valid	458	419	861	870	832	797	877	3360	4237	
N of Miss	32	17	26	37	53	36	49	152	201	

Table 4.165: At what age did you first use heroin?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never used	99.3	99.8	98.6	97.0	95.6	94.8	99.5	96.5	97.2
10 or under	0.4	0.0	0.7	1.1	2.0	2.7	0.2	1.6	1.3
11	0.0	0.2	0.0	0.0	0.4	0.4	0.1	0.2	0.2
12	0.2	0.0	0.1	0.2	0.4	0.3	0.1	0.2	0.2
13	0.0	0.0	0.0	0.3	0.2	0.4	0.0	0.2	0.2
14	0.0	0.0	0.1	0.6	0.1	0.5	0.0	0.3	0.3
15	0.0	0.0	0.0	0.5	0.5	0.4	0.0	0.3	0.3
16	0.0	0.0	0.1	0.0	0.2	0.1	0.0	0.1	0.1
17 or older	0.0	0.0	0.3	0.2	0.6	0.5	0.0	0.4	0.3
N of Valid	458	416	860	875	833	790	874	3358	4232
N of Miss	32	20	27	32	52	43	52	154	206

Table 4.166: At what age did you first use cocaine?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	99.1	99.8	97.8	96.5	93.5	92.3	99.4	95.1	96.0	
10 or under	0.4	0.0	0.7	1.3	1.9	2.7	0.2	1.6	1.3	
11	0.0	0.2	0.0	0.1	0.4	0.3	0.1	0.2	0.2	
12	0.2	0.0	0.3	0.1	0.7	0.5	0.1	0.4	0.4	
13	0.0	0.0	0.2	0.3	0.7	0.3	0.0	0.4	0.3	
14	0.0	0.0	0.5	8.0	0.2	8.0	0.0	0.6	0.4	
15	0.0	0.0	0.0	0.6	8.0	1.3	0.0	0.7	0.5	
16	0.2	0.0	0.1	0.1	1.0	0.6	0.1	0.4	0.4	
17 or older	0.0	0.0	0.3	0.2	0.7	1.4	0.0	0.7	0.5	
N of Valid	459	417	862	874	834	791	876	3361	4237	
N of Miss	31	19	25	33	51	42	50	151	201	

Table 4.167: At what age did you first use inhalants?

							_	-		
RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	98.9	99.5	98.3	97.0	95.2	93.8	99.2	96.1	96.8	Ī
10 or under	0.7	0.0	0.7	1.0	1.6	2.8	0.3	1.5	1.3	
11	0.0	0.2	0.1	0.1	0.5	0.1	0.1	0.2	0.2	
12	0.4	0.2	0.1	0.5	0.4	0.3	0.3	0.3	0.3	
13	0.0	0.0	0.1	0.2	0.5	8.0	0.0	0.4	0.3	
14	0.0	0.0	0.1	0.8	0.2	0.6	0.0	0.4	0.4	
15	0.0	0.0	0.1	0.1	0.6	0.9	0.0	0.4	0.3	
16	0.0	0.0	0.1	0.0	0.4	0.1	0.0	0.1	0.1	
17 or older	0.0	0.0	0.3	0.2	0.7	0.6	0.0	0.5	0.4	
N of Valid	455	417	861	873	834	792	872	3360	4232	
N of Miss	35	19	26	34	51	41	54	152	206	

Table 4.168: At what age did you first use hallucinogens?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	99.1	99.5	97.9	96.5	94.0	91.0	99.3	95.0	95.9	
10 or under	0.4	0.0	0.7	1.3	2.1	2.8	0.2	1.7	1.4	
11	0.0	0.2	0.0	0.0	0.4	0.3	0.1	0.1	0.1	
12	0.2	0.0	0.1	0.3	0.5	0.0	0.1	0.2	0.2	
13	0.2	0.2	0.3	0.5	0.0	0.4	0.2	0.3	0.3	
14	0.0	0.0	0.3	0.6	0.4	1.4	0.0	0.7	0.5	
15	0.0	0.0	0.1	0.6	1.1	1.0	0.0	0.7	0.5	
16	0.0	0.0	0.1	0.1	0.8	1.0	0.0	0.5	0.4	
17 or older	0.0	0.0	0.3	0.1	0.8	2.1	0.0	0.8	0.7	
N of Valid	458	420	862	868	828	792	878	3350	4228	
N of Miss	32	16	25	39	57	41	48	162	210	

Table 4.169: At what age did you first use steroids?

							-	-		
RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	98.9	98.8	98.3	96.9	95.2	95.0	98.9	96.4	96.9	
10 or under	0.9	0.0	0.7	1.4	1.8	2.6	0.5	1.6	1.4	
11	0.0	0.7	0.0	0.2	0.1	0.1	0.3	0.1	0.2	ı
12	0.2	0.0	0.1	0.3	8.0	0.1	0.1	0.4	0.3	
13	0.0	0.2	0.1	0.1	0.1	0.3	0.1	0.1	0.1	
14	0.0	0.2	0.2	0.5	0.5	0.5	0.1	0.4	0.4	
15	0.0	0.0	0.1	0.3	0.4	0.4	0.0	0.3	0.2	
16	0.0	0.0	0.1	0.0	0.5	0.4	0.0	0.2	0.2	
17 or older	0.0	0.0	0.3	0.2	0.6	0.6	0.0	0.4	0.4	
N of Valid	459	418	864	871	832	794	877	3361	4238	
N of Miss	31	18	23	36	53	39	49	151	200	

Table 4.170: At what age did you first use ecstasy?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	98.9	99.3	97.9	96.7	94.5	91.8	99.1	95.3	96.1	
10 or under	0.4	0.0	0.7	1.3	1.7	2.4	0.2	1.5	1.2	
11	0.0	0.2	0.0	0.1	0.5	0.5	0.1	0.3	0.2	
12	0.4	0.0	0.1	0.2	0.4	0.1	0.2	0.2	0.2	
13	0.0	0.2	0.2	0.3	0.4	0.5	0.1	0.4	0.3	
14	0.0	0.2	0.3	0.3	0.4	0.9	0.1	0.5	0.4	
15	0.0	0.0	0.2	0.6	8.0	1.0	0.0	0.7	0.5	
16	0.0	0.0	0.1	0.1	0.7	1.5	0.0	0.6	0.5	
17 or older	0.2	0.0	0.3	0.3	0.7	1.3	0.1	0.7	0.5	
N of Valid	457	420	863	870	837	792	877	3362	4239	
N of Miss	33	16	24	37	48	41	49	150	199	

Table 4.171: At what age did you first use meth?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never used	98.9	99.8	98.5	97.5	95.5	94.7	99.3	96.6	97.2
10 or under	0.7	0.0	0.7	1.0	1.9	2.5	0.3	1.5	1.3
11	0.0	0.2	0.0	0.1	0.2	0.3	0.1	0.1	0.1
12	0.4	0.0	0.1	0.1	0.4	0.1	0.2	0.2	0.2
13	0.0	0.0	0.1	0.3	0.0	0.4	0.0	0.2	0.2
14	0.0	0.0	0.0	0.3	0.5	0.4	0.0	0.3	0.2
15	0.0	0.0	0.1	0.2	0.5	0.3	0.0	0.3	0.2
16	0.0	0.0	0.1	0.1	0.2	0.5	0.0	0.2	0.2
17 or older	0.0	0.0	0.3	0.2	0.7	0.9	0.0	0.5	0.4
N of Valid	457	413	863	865	829	789	870	3346	4216
N of Miss	33	23	24	42	56	44	56	166	222

Table 4.172: At what age did you first use any tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	93.2	93.1	84.9	79.4	67.8	57.7	93.1	72.8	77.0	
10 or under	2.9	2.4	3.2	4.0	5.7	5.6	2.6	4.6	4.2	
11	1.1	1.2	1.9	1.3	2.5	2.7	1.1	2.1	1.9	
12	2.2	1.7	1.7	2.4	3.4	3.0	1.9	2.6	2.5	
13	0.4	1.2	3.9	3.2	4.6	4.1	8.0	3.9	3.3	
14	0.0	0.5	3.2	4.6	3.7	4.8	0.2	4.1	3.3	
15	0.2	0.0	0.6	3.8	6.8	5.6	0.1	4.1	3.3	
16	0.0	0.0	0.1	0.9	3.8	8.2	0.0	3.2	2.5	
17 or older	0.0	0.0	0.3	0.3	1.7	8.4	0.0	2.6	2.0	
N of Valid	456	418	862	869	835	790	874	3356	4230	
N of Miss	34	18	25	38	50	43	52	156	208	

Table 4.173: At what age did you first use any alcohol?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never used	86.6	84.5	72.6	60.4	50.5	36.1	85.6	55.3	61.6
10 or under	5.5	4.5	5.8	6.1	6.1	6.6	5.0	6.1	5.9
11	4.0	2.1	2.7	1.4	2.2	2.1	3.1	2.1	2.3
12	2.4	3.6	2.9	3.7	3.1	3.3	3.0	3.2	3.2
13	1.3	3.8	6.7	5.7	5.6	6.1	2.5	6.0	5.3
14	0.0	1.4	8.1	10.7	7.9	8.7	0.7	8.9	7.2
15	0.0	0.0	0.7	9.7	10.4	11.0	0.0	7.9	6.2
16	0.2	0.0	0.1	2.0	12.0	16.0	0.1	7.3	5.8
17 or older	0.0	0.0	0.3	0.3	2.3	10.1	0.0	3.1	2.5
N of Valid	454	420	862	867	836	792	874	3357	4231
N of Miss	36	16	25	40	49	41	52	155	207

Table 4.174: At what age did you first use any illicit drug?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	93.3	93.6	85.1	78.1	65.5	54.1	93.4	71.1	75.6	
10 or under	2.7	1.0	2.6	2.4	3.8	5.1	1.9	3.4	3.1	
11	1.3	1.0	1.2	1.0	3.0	0.6	1.2	1.5	1.4	
12	2.0	1.2	1.8	1.9	2.4	2.8	1.6	2.2	2.1	
13	0.2	1.7	3.5	2.8	3.8	4.8	0.9	3.7	3.1	
14	0.0	1.5	4.9	5.9	6.7	8.0	0.7	6.4	5.2	
15	0.0	0.0	0.5	6.2	7.3	8.0	0.0	5.4	4.3	
16	0.2	0.0	0.1	1.4	5.7	8.7	0.1	3.9	3.1	
17 or older	0.2	0.0	0.4	0.2	1.8	7.8	0.1	2.4	2.0	
N of Valid	446	404	852	859	823	784	850	3318	4168	
N of Miss	44	32	35	48	62	49	76	194	270	

4.14 Where Do You Usually Use...

Table 4.175: Where do you usually smoke cigarettes?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	89.0	90.8	89.1	84.7	75.8	72.0	89.8	80.6	82.5
At home	1.6	1.6	3.5	4.5	8.2	7.6	1.6	5.9	5.0
At school	0.2	0.2	0.5	0.9	2.0	3.0	0.2	1.6	1.3
In a car	0.2	0.7	2.1	3.4	6.8	10.3	0.4	5.6	4.5
Friend's house	1.2	1.4	3.4	4.3	8.1	10.3	1.3	6.5	5.4
Parties	0.6	0.9	2.0	3.1	6.2	8.9	8.0	5.0	4.1
Other	1.4	1.6	3.2	3.4	6.1	7.4	1.5	5.0	4.3
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.176: Where do you usually use smokeless tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	90.6	93.3	90.4	88.3	81.8	77.1	91.9	84.5	86.1	
At home	1.2	1.1	2.5	2.9	5.6	6.5	1.2	4.3	3.7	
At school	0.2	0.0	1.0	1.1	3.6	4.1	0.1	2.4	1.9	
In a car	0.0	0.5	1.2	1.2	3.8	7.9	0.2	3.5	2.8	
Friend's house	8.0	0.7	2.8	2.2	5.1	7.7	8.0	4.4	3.6	
Parties	0.2	0.5	1.4	1.4	3.5	6.2	0.3	3.1	2.5	
Other	0.4	0.5	2.1	2.0	3.6	6.4	0.4	3.5	2.8	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.177: Where do you usually smoke cigars?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	90.8	93.6	90.8	87.3	80.9	76.5	92.1	84.0	85.7
At home	1.0	1.1	2.8	3.0	4.4	4.8	1.1	3.7	3.2
At school	0.2	0.0	0.5	0.6	1.9	1.9	0.1	1.2	1.0
In a car	0.6	0.0	1.4	1.1	2.7	5.6	0.3	2.6	2.2
Friend's house	1.6	0.5	2.5	2.8	4.3	6.2	1.1	3.9	3.3
Parties	0.0	0.2	1.5	1.1	3.6	6.6	0.1	3.1	2.5
Other	1.0	0.2	2.3	1.9	3.5	4.6	0.6	3.0	2.5
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.178: Where do you usually use electronic vapor products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	86.1	86.7	82.0	74.1	66.9	63.5	86.4	71.8	74.8	
At home	4.5	4.1	6.2	8.9	13.6	12.1	4.3	10.2	8.9	
At school	0.4	0.2	1.1	2.2	3.5	3.8	0.3	2.6	2.2	
In a car	1.4	2.1	3.3	5.4	9.3	14.5	1.7	8.0	6.7	
Friend's house	3.9	4.6	7.3	11.4	12.8	18.0	4.2	12.3	10.6	
Parties	1.2	2.3	4.6	6.0	7.5	11.4	1.7	7.3	6.1	
Other	1.6	2.1	3.5	4.1	6.9	7.3	1.8	5.4	4.7	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.179: Where do you usually drink beer?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	88.0	86.7	81.4	69.7	59.1	47.3	87.4	64.7	69.4	
At home	3.7	3.2	7.8	10.5	15.7	16.9	3.5	12.6	10.7	
At school	0.2	0.2	0.5	1.1	2.1	2.6	0.2	1.6	1.3	
In a car	0.4	0.5	1.4	1.0	2.6	4.3	0.4	2.3	1.9	
Friend's house	2.0	3.4	6.3	11.4	16.9	26.3	2.7	15.0	12.5	
Parties	0.4	3.2	5.1	9.8	15.6	27.0	1.7	14.2	11.6	
Other	0.6	2.5	2.4	2.3	5.6	8.8	1.5	4.7	4.0	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.180: Where do you usually drink coolers, hard lemonade, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	88.4	89.7	82.8	71.6	61.7	50.3	89.0	66.9	71.5	
At home	2.7	1.8	6.5	9.5	13.6	15.8	2.3	11.3	9.4	
At school	0.2	0.0	0.7	0.7	2.0	2.5	0.1	1.5	1.2	
In a car	0.4	0.5	1.1	8.0	2.4	4.0	0.4	2.0	1.7	•
Friend's house	1.8	1.4	5.3	10.4	15.1	22.9	1.6	13.3	10.8	
Parties	0.6	1.8	4.3	9.6	15.0	24.4	1.2	13.1	10.6	
Other	1.2	2.5	2.7	2.5	5.8	7.0	1.8	4.4	3.9	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.181: Where do you usually drink liquor?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	87.8	89.9	83.1	70.0	60.2	48.9	88.8	65.8	70.6
At home	3.1	2.1	5.4	10.4	13.4	15.0	2.6	11.0	9.2
At school	0.4	0.0	0.5	8.0	2.1	2.8	0.2	1.5	1.2
In a car	0.4	0.9	1.0	1.2	2.5	4.1	0.6	2.2	1.8
Friend's house	1.8	2.1	5.5	10.0	15.8	25.2	1.9	14.0	11.4
Parties	0.6	2.1	4.4	9.3	16.4	25.6	1.3	13.7	11.1
Other	8.0	2.1	2.7	2.9	6.2	7.1	1.4	4.7	4.0
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.182: Where do you usually smoke marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	89.4	91.1	86.9	78.5	69.2	58.7	90.2	73.6	77.0	
At home	1.2	1.4	3.5	5.8	9.7	10.7	1.3	7.4	6.1	
At school	0.2	0.2	0.7	1.2	2.6	3.1	0.2	1.9	1.5	
In a car	0.4	0.9	2.8	5.2	8.8	14.5	0.6	7.7	6.2	
Friend's house	2.2	2.5	5.2	9.4	15.6	23.5	2.4	13.2	11.0	
Parties	0.6	1.8	4.1	5.2	11.6	19.2	1.2	9.9	8.0	
Other	1.0	2.3	3.6	4.2	7.8	9.2	1.6	6.2	5.2	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.183: Where do you usually use synthetic marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	91.8	93.6	93.0	89.3	85.2	85.8	92.7	88.4	89.3
At home	0.6	0.5	1.1	1.0	1.6	1.8	0.5	1.4	1.2
At school	0.2	0.0	0.5	0.9	1.8	2.0	0.1	1.3	1.0
In a car	0.0	0.7	0.6	1.0	1.5	2.0	0.3	1.3	1.1
Friend's house	0.4	0.5	1.0	2.0	3.3	2.9	0.4	2.3	1.9
Parties	0.0	0.9	1.1	1.1	2.3	3.1	0.4	1.9	1.6
Other	0.4	0.7	1.6	8.0	2.6	1.3	0.5	1.6	1.4
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.184: Where do you usually use chemical products (bath salts) to get high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	91.8	94.3	94.0	91.1	88.1	88.5	93.0	90.5	91.0
At home	8.0	0.0	8.0	0.6	1.6	1.0	0.4	1.0	0.9
At school	0.2	0.0	0.5	0.4	1.8	1.8	0.1	1.1	0.9
In a car	0.2	0.0	0.5	0.6	0.7	1.2	0.1	0.7	0.6
Friend's house	0.4	0.5	0.6	0.6	1.0	1.4	0.4	0.9	0.8
Parties	0.0	0.2	0.7	0.3	1.4	1.2	0.1	0.9	0.7
Other	0.2	0.0	0.9	0.7	1.9	1.1	0.1	1.1	0.9
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.185: Where do you usually use prescription drugs not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	91.4	94.3	92.9	88.4	85.0	82.5	92.8	87.3	88.4
At home	1.4	0.5	2.7	2.6	4.4	4.8	1.0	3.6	3.1
At school	0.4	0.0	8.0	1.1	2.5	4.0	0.2	2.1	1.7
In a car	0.2	0.2	0.7	0.6	1.2	2.3	0.2	1.2	1.0
Friend's house	0.6	0.0	0.9	1.8	2.7	3.7	0.3	2.2	1.8
Parties	0.4	0.2	1.0	1.1	1.7	3.0	0.3	1.7	1.4
Other	0.2	0.0	1.2	1.4	2.6	1.9	0.1	1.8	1.4
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.186: Where do you usually use over-the-counter drugs to get high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	91.8	94.5	94.6	90.3	88.1	87.0	93.1	90.1	90.7
At home	0.4	0.2	0.9	1.7	2.5	2.5	0.3	1.9	1.6
At school	0.2	0.0	0.5	0.4	1.7	2.6	0.1	1.3	1.0
In a car	0.0	0.2	0.5	0.6	0.6	1.4	0.1	0.7	0.6
Friend's house	0.4	0.0	0.7	0.7	1.0	2.0	0.2	1.1	0.9
Parties	0.2	0.2	0.7	0.6	1.1	1.7	0.2	1.0	0.8
Other	0.0	0.0	0.9	0.6	1.8	1.3	0.0	1.1	0.9
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.187: Where do you usually use heroin?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	92.4	95.0	95.2	91.6	89.2	89.8	93.6	91.5	91.9
At home	0.4	0.2	0.5	0.6	1.5	0.6	0.3	0.8	0.7
At school	0.2	0.0	0.6	0.7	1.5	1.8	0.1	1.1	0.9
In a car	0.0	0.0	0.5	0.3	0.7	8.0	0.0	0.6	0.5
Friend's house	0.2	0.0	0.6	0.4	0.7	1.3	0.1	0.7	0.6
Parties	0.0	0.0	0.3	0.3	0.6	1.4	0.0	0.7	0.5
Other	0.0	0.0	8.0	0.7	1.7	1.2	0.0	1.1	0.9
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.188: Where do you usually use cocaine?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	91.8	95.2	95.0	91.2	88.6	87.6	93.4	90.7	91.2
At home	0.2	0.0	0.6	0.7	1.7	1.0	0.1	1.0	0.8
At school	0.4	0.0	0.5	0.6	1.8	2.4	0.2	1.3	1.1
In a car	0.0	0.2	0.5	0.3	0.9	1.6	0.1	0.8	0.7
Friend's house	0.2	0.0	8.0	0.7	0.9	1.9	0.1	1.1	0.9
Parties	0.0	0.0	0.7	1.0	8.0	2.8	0.0	1.3	1.0
Other	0.0	0.0	8.0	0.6	1.4	1.2	0.0	1.0	0.8
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.189: Where do you usually use inhalants?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	92.4	95.2	95.2	92.0	88.8	89.3	93.7	91.3	91.8
At home	0.6	0.2	0.7	0.6	1.2	0.6	0.4	0.8	0.7
At school	0.4	0.2	0.3	0.6	1.5	1.8	0.3	1.0	0.9
In a car	0.2	0.0	0.6	0.4	8.0	1.1	0.1	0.7	0.6
Friend's house	0.2	0.0	0.5	0.4	8.0	1.1	0.1	0.7	0.6
Parties	0.0	0.0	0.3	0.6	0.5	1.6	0.0	0.7	0.6
Other	0.2	0.0	8.0	8.0	1.6	1.0	0.1	1.0	0.8
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.190: Where do you usually use hallucinogens?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	91.8	95.2	95.0	91.7	88.2	86.7	93.4	90.5	91.1
At home	0.4	0.0	8.0	0.4	1.7	1.7	0.2	1.1	0.9
At school	0.2	0.0	0.5	0.7	1.8	2.3	0.1	1.3	1.0
In a car	0.0	0.2	0.6	0.7	8.0	1.6	0.1	0.9	0.7
Friend's house	0.4	0.2	8.0	0.9	1.1	2.8	0.3	1.4	1.1
Parties	0.0	0.2	0.7	0.7	0.7	2.6	0.1	1.1	0.9
Other	0.2	0.0	8.0	0.9	1.6	2.0	0.1	1.3	1.1
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.191: Where do you usually use steroids?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	91.6	94.5	95.6	92.1	88.5	89.6	93.0	91.5	91.8
At home	0.6	0.5	0.6	8.0	1.7	0.4	0.5	0.9	0.8
At school	0.2	0.0	0.5	0.7	1.6	1.8	0.1	1.1	0.9
In a car	0.0	0.2	0.5	0.4	0.6	1.0	0.1	0.6	0.5
Friend's house	0.2	0.0	0.5	0.4	0.9	1.0	0.1	0.7	0.6
Parties	0.0	0.0	0.3	0.3	8.0	1.2	0.0	0.7	0.5
Other	0.4	0.0	0.9	0.6	1.8	1.0	0.2	1.1	0.9
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.192: Where do you usually use ecstasy?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	91.8	94.3	94.8	91.6	88.5	87.0	93.0	90.5	91.1
At home	0.6	0.0	0.6	1.0	1.1	0.6	0.3	0.8	0.7
At school	0.2	0.0	0.3	0.6	1.4	1.9	0.1	1.0	0.8
In a car	0.0	0.2	0.6	0.3	0.6	1.3	0.1	0.7	0.6
Friend's house	0.2	0.2	0.7	8.0	0.5	1.8	0.2	0.9	0.8
Parties	0.0	0.5	0.6	8.0	1.2	2.6	0.2	1.3	1.1
Other	0.2	0.0	8.0	0.6	1.8	1.6	0.1	1.2	0.9
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.193: Where do you usually use meth?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	90.2	93.8	94.6	91.0	88.4	89.1	91.9	90.8	91.0
At home	0.6	0.0	0.6	0.7	1.7	8.0	0.3	0.9	0.8
At school	0.2	0.0	0.7	0.4	1.4	1.9	0.1	1.1	0.9
In a car	0.0	0.2	0.5	0.3	0.5	1.3	0.1	0.6	0.5
Friend's house	0.2	0.0	8.0	0.3	0.6	1.0	0.1	0.7	0.5
Parties	0.0	0.0	0.5	0.2	8.0	1.3	0.0	0.7	0.5
Other	0.2	0.0	8.0	0.6	1.7	1.0	0.1	1.0	0.8
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.194: Where do you usually use any tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	92.2	94.5	93.9	91.5	87.9	84.6	93.3	89.6	90.4	
At home	2.2	2.5	5.1	6.8	12.4	12.8	2.4	9.2	7.8	
At school	0.2	0.2	1.0	1.5	4.1	5.2	0.2	2.9	2.3	
In a car	0.6	0.9	2.7	4.1	9.8	15.5	8.0	7.9	6.4	
Friend's house	2.4	1.6	5.2	5.8	12.7	16.1	2.1	9.8	8.2	
Parties	0.6	1.1	2.9	4.0	9.6	13.7	0.9	7.4	6.1	
Other	2.0	1.8	4.5	4.6	7.7	11.9	1.9	7.1	6.0	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.195: Where do you usually use any alcohol?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	90.0	92.0	87.6	76.2	67.5	57.4	90.9	72.4	76.3
At home	5.1	4.1	9.4	13.9	19.4	21.7	4.6	16.0	13.6
At school	0.4	0.2	0.7	1.4	2.6	3.2	0.3	2.0	1.6
In a car	0.6	0.9	1.6	1.4	3.3	5.0	8.0	2.8	2.4
Friend's house	2.9	3.4	8.0	13.7	20.8	30.3	3.1	18.0	14.9
Parties	1.0	3.2	6.4	12.0	19.1	29.5	2.1	16.5	13.5
Other	1.6	3.2	3.6	3.7	7.8	9.7	2.4	6.2	5.4
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.196: Where do you usually use any illicit drug?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	-
Do not use	93.1	95.6	96.2	93.6	91.0	91.5	94.3	93.1	93.3	
At home	2.9	2.3	6.3	8.5	13.2	13.3	2.6	10.3	8.7	
At school	8.0	0.2	1.4	2.3	4.2	5.6	0.5	3.3	2.7	
In a car	8.0	1.1	3.0	6.0	10.2	15.5	1.0	8.5	7.0	
Friend's house	2.9	3.0	5.7	10.7	17.3	24.1	2.9	14.3	11.9	
Parties	1.2	2.1	4.5	6.2	12.7	20.4	1.6	10.8	8.9	
Other	1.8	2.3	4.2	5.3	9.4	10.3	2.1	7.2	6.2	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

4.15 When Do You Usually Use...

Table 4.197: When do you usually smoke cigarettes?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	90.6	92.7	90.1	84.6	77.5	76.0	91.6	82.1	84.1
Before school	0.4	0.7	1.7	2.6	4.7	7.1	0.5	4.0	3.3
During school	0.2	0.0	1.1	1.1	1.8	2.4	0.1	1.6	1.3
After school	1.6	1.1	3.4	4.4	7.3	10.4	1.4	6.3	5.3
Week nights	0.0	0.5	2.9	3.5	5.8	7.6	0.2	4.9	3.9
Weekends	2.2	3.2	5.0	6.7	10.7	13.3	2.7	8.9	7.6
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.198: When do you usually use smokeless tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	92.9	94.7	91.2	87.2	81.8	80.2	93.7	85.2	87.0	
Before school	0.4	0.7	1.0	2.0	3.1	5.3	0.5	2.8	2.3	
During school	0.4	0.0	1.4	1.7	3.3	4.4	0.2	2.6	2.1	
After school	0.6	0.7	2.1	2.6	5.4	8.3	0.6	4.6	3.7	
Week nights	0.4	0.0	1.9	2.0	3.5	5.9	0.2	3.3	2.6	
Weekends	1.2	1.1	4.5	3.7	5.1	8.4	1.2	5.4	4.5	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.199: When do you usually smoke cigars?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	92.2	95.2	91.9	87.3	82.0	80.7	93.6	85.6	87.2	
Before school	0.2	0.2	0.7	1.1	1.9	1.6	0.2	1.3	1.1	
During school	0.2	0.0	0.9	1.1	1.7	1.7	0.1	1.3	1.1	
After school	0.6	0.0	1.9	1.9	2.6	4.0	0.3	2.6	2.1	
Week nights	0.2	0.0	1.5	1.4	1.9	2.8	0.1	1.9	1.5	
Weekends	1.0	0.7	3.9	4.7	6.9	9.5	0.9	6.2	5.1	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.200: When do you usually use electronic vapor products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	87.8	88.3	84.1	76.6	69.0	67.7	88.0	74.5	77.3
Before school	0.6	1.4	2.4	3.2	5.0	5.0	1.0	3.9	3.3
During school	0.4	0.2	1.1	1.7	3.5	2.9	0.3	2.3	1.9
After school	3.3	4.1	5.7	6.5	9.8	11.5	3.7	8.3	7.4
Week nights	1.6	1.8	4.5	4.9	8.7	9.6	1.7	6.9	5.8
Weekends	5.1	5.7	9.2	12.8	15.7	18.6	5.4	14.0	12.2
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.201: When do you usually drink beer?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	89.8	89.2	83.9	71.3	64.0	53.1	89.5	68.3	72.7
Before school	0.4	0.0	1.0	0.9	1.2	1.0	0.2	1.0	0.9
During school	0.2	0.0	1.4	1.0	1.7	1.9	0.1	1.5	1.2
After school	8.0	0.9	1.8	2.9	2.5	4.0	0.9	2.8	2.4
Week nights	0.2	0.9	1.8	2.6	3.6	5.2	0.5	3.3	2.7
Weekends	3.7	5.5	10.9	19.8	25.9	38.1	4.5	23.4	19.5
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.202: When do you usually drink coolers, hard lemonade, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	90.2	91.1	84.2	73.4	64.5	55.5	90.6	69.6	74.0	
Before school	0.4	0.0	8.0	0.9	1.4	1.1	0.2	1.0	0.9	
During school	0.2	0.0	1.1	0.9	1.9	1.6	0.1	1.4	1.1	
After school	1.0	0.7	1.6	2.3	1.8	3.4	0.9	2.2	2.0	
Week nights	0.4	0.7	1.2	2.5	2.7	4.0	0.5	2.6	2.2	
Weekends	3.1	3.9	10.8	18.5	25.1	36.5	3.5	22.5	18.5	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.203: When do you usually drink liquor?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	89.6	91.1	84.9	71.9	63.2	52.9	90.3	68.5	73.0
Before school	0.4	0.0	0.9	1.1	1.2	1.0	0.2	1.1	0.9
During school	0.2	0.0	1.2	1.2	1.8	1.9	0.1	1.5	1.2
After school	1.6	0.9	1.9	3.0	2.4	3.5	1.3	2.7	2.4
Week nights	8.0	0.2	1.4	2.5	3.2	4.2	0.5	2.8	2.3
Weekends	3.3	4.4	9.9	19.4	26.3	38.2	3.8	23.2	19.2
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.204: When do you usually smoke marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	91.0	92.7	87.5	79.1	70.2	62.5	91.8	75.0	78.5	
Before school	0.6	0.7	1.9	2.3	4.5	5.6	0.6	3.6	3.0	
During school	0.2	0.0	1.4	1.4	2.7	2.6	0.1	2.0	1.6	
After school	8.0	2.1	3.5	5.5	7.6	10.4	1.4	6.7	5.6	
Week nights	0.4	1.1	3.2	4.5	8.7	10.7	8.0	6.7	5.5	
Weekends	2.2	3.7	8.0	12.0	19.2	27.9	2.9	16.6	13.7	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.205: When do you usually use synthetic marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	92.9	95.0	93.1	89.0	86.0	87.2	93.8	88.8	89.9	
Before school	0.0	0.2	1.1	1.2	8.0	1.1	0.1	1.1	0.9	
During school	0.2	0.0	1.1	1.3	1.8	2.0	0.1	1.6	1.3	
After school	0.2	0.2	1.2	1.3	0.9	2.0	0.2	1.4	1.1	
Week nights	0.0	0.0	1.4	1.2	1.4	1.3	0.0	1.3	1.0	
Weekends	0.2	1.4	2.4	3.0	3.2	3.7	8.0	3.0	2.6	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.206: When do you usually use chemical products (bath salts) to get high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	92.7	94.7	94.1	91.3	88.8	90.8	93.6	91.3	91.8
Before school	0.2	0.0	0.3	0.9	0.8	8.0	0.1	0.7	0.6
During school	0.2	0.0	8.0	0.9	1.4	1.6	0.1	1.1	0.9
After school	0.4	0.2	0.5	0.7	0.6	1.0	0.3	0.7	0.6
Week nights	0.2	0.0	8.0	0.6	8.0	0.6	0.1	0.7	0.6
Weekends	0.4	0.9	1.4	1.2	1.1	1.4	0.6	1.3	1.1
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.207: When do you usually use prescription drugs not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	92.2	94.5	92.7	88.9	85.4	85.4	93.3	88.1	89.2
Before school	0.2	0.0	1.4	1.8	1.1	2.5	0.1	1.7	1.4
During school	0.4	0.0	1.0	1.5	2.1	2.8	0.2	1.9	1.5
After school	8.0	0.2	1.1	2.3	1.9	2.6	0.5	2.0	1.7
Week nights	0.2	0.7	1.2	1.8	2.3	2.8	0.4	2.0	1.7
Weekends	0.6	0.7	1.9	3.1	4.1	5.2	0.6	3.5	2.9
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.208: When do you usually use over-the-counter drugs to get high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	92.7	95.0	93.9	90.4	88.0	88.8	93.7	90.3	91.0	
Before school	0.0	0.0	0.6	1.3	8.0	1.3	0.0	1.0	0.8	
During school	0.2	0.0	8.0	1.1	1.9	2.0	0.1	1.5	1.2	
After school	0.2	0.0	0.6	1.2	1.0	1.4	0.1	1.1	0.9	
Week nights	0.2	0.2	0.7	1.2	1.1	1.4	0.2	1.1	0.9	
Weekends	0.4	0.7	1.4	2.0	1.9	2.8	0.5	2.0	1.7	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.209: When do you usually use heroin?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	92.7	95.9	95.3	91.3	88.6	90.4	94.2	91.4	92.0
Before school	0.0	0.0	0.3	0.7	0.6	0.7	0.0	0.6	0.5
During school	0.2	0.0	1.0	1.1	1.8	1.8	0.1	1.4	1.1
After school	0.2	0.0	0.3	1.0	0.9	1.2	0.1	0.9	0.7
Week nights	0.0	0.0	0.3	0.7	1.1	0.6	0.0	0.7	0.5
Weekends	0.2	0.2	8.0	1.4	1.2	1.2	0.2	1.2	1.0
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.210: When do you usually use cocaine?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	93.5	95.6	94.6	91.2	87.9	89.2	94.5	90.7	91.5
Before school	0.0	0.0	0.7	0.9	0.7	1.4	0.0	0.9	0.7
During school	0.2	0.0	0.9	8.0	1.5	1.8	0.1	1.2	1.0
After school	0.0	0.0	0.6	1.3	1.2	1.3	0.0	1.1	0.9
Week nights	0.0	0.0	0.3	1.0	1.0	1.0	0.0	0.8	0.7
Weekends	0.2	0.2	0.9	1.5	1.7	2.8	0.2	1.7	1.4
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.211: When do you usually use inhalants?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	93.1	95.6	94.6	91.1	88.2	90.3	94.3	91.1	91.7	
Before school	0.0	0.0	0.6	0.4	0.5	0.7	0.0	0.5	0.4	
During school	0.2	0.0	1.1	0.9	1.7	1.7	0.1	1.3	1.1	
After school	0.2	0.0	0.6	1.0	0.9	1.1	0.1	0.9	0.7	
Week nights	0.2	0.0	0.5	0.6	0.9	8.0	0.1	0.7	0.6	
Weekends	0.4	0.2	0.9	1.1	1.4	1.4	0.3	1.2	1.0	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.212: When do you usually use hallucinogens?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	92.7	95.4	94.0	90.7	87.3	88.5	94.0	90.2	91.0
Before school	0.0	0.0	0.7	1.0	0.7	1.3	0.0	0.9	0.7
During school	0.2	0.0	0.9	1.1	1.7	1.9	0.1	1.4	1.1
After school	0.0	0.0	0.6	1.0	0.8	1.3	0.0	0.9	0.7
Week nights	0.0	0.0	0.6	0.9	8.0	1.1	0.0	0.8	0.7
Weekends	0.2	0.5	1.2	1.9	2.4	4.1	0.3	2.4	1.9
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.213: When do you usually use steroids?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	92.9	95.4	94.8	91.0	88.1	90.3	94.1	91.1	91.7
Before school	0.2	0.0	0.5	8.0	0.9	8.0	0.1	0.7	0.6
During school	0.2	0.0	0.9	0.9	1.7	1.7	0.1	1.3	1.0
After school	0.4	0.2	0.5	1.0	1.2	8.0	0.3	0.9	0.8
Week nights	0.0	0.0	0.5	1.0	1.5	0.7	0.0	0.9	0.7
Weekends	0.4	0.2	8.0	1.4	1.1	1.2	0.3	1.1	1.0
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.214: When do you usually use ecstasy?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	93.3	94.3	94.4	90.5	88.2	88.6	93.7	90.5	91.1
Before school	0.0	0.0	0.7	8.0	0.7	8.0	0.0	0.7	0.6
During school	0.2	0.0	0.9	1.0	1.4	1.7	0.1	1.2	1.0
After school	0.0	0.0	0.6	1.2	0.9	1.4	0.0	1.0	0.8
Week nights	0.0	0.0	0.5	0.9	0.9	0.6	0.0	0.7	0.6
Weekends	0.4	0.7	1.2	1.7	1.5	2.9	0.5	1.8	1.5
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.215: When do you usually use meth?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	92.7	95.0	94.1	90.1	88.2	89.6	93.7	90.5	91.2
Before school	0.0	0.0	0.3	0.7	8.0	1.1	0.0	0.7	0.6
During school	0.2	0.0	0.9	1.0	1.6	2.0	0.1	1.4	1.1
After school	0.0	0.0	0.5	1.0	0.8	1.0	0.0	0.8	0.6
Week nights	0.0	0.0	0.3	0.7	0.7	8.0	0.0	0.6	0.5
Weekends	0.4	0.2	8.0	1.2	1.1	1.4	0.3	1.1	1.0
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.216: When do you usually use any tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	93.3	95.6	94.1	90.7	87.5	88.6	94.4	90.3	91.1	
Before school	8.0	0.9	1.9	3.5	6.9	10.3	0.9	5.6	4.6	
During school	0.4	0.0	1.5	2.2	3.7	5.4	0.2	3.2	2.5	
After school	2.0	1.1	4.5	5.5	10.6	16.0	1.6	9.0	7.5	
Week nights	0.6	0.5	3.8	4.4	7.8	11.6	0.5	6.8	5.5	
Weekends	2.7	3.2	7.1	9.3	14.7	20.4	2.9	12.7	10.7	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.217: When do you usually use any alcohol?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	91.8	92.4	88.7	77.1	69.9	61.7	92.1	74.6	78.2
Before school	8.0	0.0	1.2	1.3	1.6	1.3	0.4	1.4	1.2
During school	0.2	0.0	1.6	1.4	2.1	2.3	0.1	1.9	1.5
After school	1.6	1.1	2.5	3.6	3.2	4.9	1.4	3.5	3.1
Week nights	8.0	1.1	2.5	3.5	4.2	6.1	1.0	4.0	3.4
Weekends	5.1	6.4	13.6	23.9	31.3	43.7	5.7	27.9	23.3
N of Valid	490	436	887	907	885	833	926	3512	4438
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.218: When do you usually use any illicit drug?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	93.9	96.3	95.9	92.4	90.6	92.1	95.0	92.8	93.2	
Before school	1.2	0.7	3.2	3.4	5.6	7.6	1.0	4.9	4.1	
During school	0.4	0.0	2.0	2.8	4.3	4.4	0.2	3.4	2.7	
After school	2.7	2.3	4.7	7.4	9.3	12.2	2.5	8.3	7.1	
Week nights	8.0	1.6	4.5	5.7	10.3	12.7	1.2	8.2	6.8	
Weekends	2.9	3.9	8.9	12.9	21.4	29.5	3.3	18.0	14.9	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

4.16 Gambling

Table 4.219: Within the past year how often have you played "scratch offs"?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	73.0	68.2	65.2	65.1	64.6	63.0	70.7	64.5	65.8
Once/year	14.1	18.0	19.9	18.7	18.3	20.7	16.0	19.4	18.7
6 times/year	6.5	7.3	8.7	9.8	8.2	7.3	6.9	8.5	8.2
Once/month	3.3	3.6	2.0	3.2	2.2	2.9	3.4	2.6	2.7
Twice/month	1.5	1.7	1.5	1.5	2.3	0.9	1.6	1.6	1.6
Once/week	0.4	0.5	0.5	0.6	1.3	1.7	0.5	1.0	0.9
3 times/week	0.4	0.5	0.5	0.2	0.5	1.0	0.5	0.5	0.5
Every day	0.7	0.2	1.8	0.9	2.6	2.6	0.5	2.0	1.6
N of Valid	460	422	865	847	816	783	882	3311	4193
N of Miss	30	14	22	60	69	50	44	201	245

Table 4.220: Within the past year how often have you played lottery tickets (Powerball or Megabucks)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	87.7	84.4	85.2	83.9	85.0	82.7	86.1	84.2	84.6	
Once/year	7.3	9.1	8.2	8.5	7.7	9.7	8.2	8.5	8.4	
6 times/year	2.2	3.6	3.0	2.6	2.1	2.0	2.8	2.4	2.5	
Once/month	1.3	1.7	1.0	2.1	1.2	1.3	1.5	1.4	1.4	
Twice/month	0.9	0.5	0.5	0.9	0.7	0.4	0.7	0.6	0.6	
Once/week	0.2	0.5	0.5	0.9	0.6	1.1	0.3	0.8	0.7	
3 times/week	0.0	0.0	0.0	0.0	0.2	0.5	0.0	0.2	0.1	
Every day	0.4	0.2	1.6	0.9	2.3	2.3	0.3	1.8	1.5	
N of Valid	463	417	864	846	816	786	880	3312	4192	
N of Miss	27	19	23	61	69	47	46	200	246	

Table 4.221: Within the past year how often have you played pull tabs or "paper" games other than lotteries?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	91.3	89.7	88.2	85.3	89.4	88.6	90.5	87.9	88.4
Once/year	5.0	7.4	6.4	8.2	4.9	5.0	6.2	6.1	6.2
6 times/year	1.1	1.4	2.7	3.6	1.7	1.8	1.3	2.5	2.2
Once/month	1.5	0.2	0.7	1.4	0.4	1.0	0.9	0.9	0.9
Twice/month	0.2	0.5	0.2	0.5	0.2	0.1	0.3	0.3	0.3
Once/week	0.0	0.2	0.0	0.1	0.5	8.0	0.1	0.3	0.3
3 times/week	0.2	0.2	0.0	0.0	0.2	0.4	0.2	0.2	0.2
Every day	0.7	0.2	1.9	1.0	2.6	2.3	0.5	1.9	1.6
N of Valid	460	417	862	842	813	784	877	3301	4178
N of Miss	30	19	25	65	72	49	49	211	260

Table 4.222: Within the past year how often have you played dice or coin flips?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	78.1	79.4	76.6	79.8	78.4	83.7	78.7	79.5	79.4
Once/year	8.0	7.1	9.0	7.1	7.2	4.1	7.6	6.9	7.1
6 times/year	5.0	6.9	5.0	5.2	5.9	4.4	5.9	5.1	5.3
Once/month	3.7	1.9	2.3	2.4	1.5	1.4	2.8	1.9	2.1
Twice/month	2.4	1.7	2.6	1.9	2.1	1.4	2.0	2.0	2.0
Once/week	0.9	1.9	1.3	1.9	0.9	1.0	1.4	1.3	1.3
3 times/week	1.1	0.2	0.9	0.6	1.1	1.2	0.7	0.9	0.9
Every day	0.9	0.9	2.3	1.1	3.0	2.8	0.9	2.3	2.0
N of Valid	461	422	862	842	811	780	883	3295	4178
N of Miss	29	14	25	65	74	53	43	217	260

Table 4.223: Within the past year how often have you played cards (poker, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	80.2	79.6	73.0	72.5	71.4	72.7	79.9	72.4	74.0
Once/year	5.4	6.9	8.6	8.0	7.6	7.8	6.1	8.0	7.6
6 times/year	5.2	5.0	6.8	8.5	7.6	6.8	5.1	7.4	6.9
Once/month	4.1	3.1	3.0	4.0	4.3	3.4	3.6	3.7	3.7
Twice/month	1.5	3.1	3.4	3.9	2.8	2.7	2.3	3.2	3.0
Once/week	1.7	1.0	1.4	1.1	1.3	1.5	1.4	1.3	1.3
3 times/week	0.9	0.7	0.9	0.6	1.7	1.8	8.0	1.2	1.1
Every day	0.9	0.7	2.8	1.4	3.3	3.3	8.0	2.7	2.3
N of Valid	459	421	856	846	817	783	880	3302	4182
N of Miss	31	15	31	61	68	50	46	210	256

Table 4.224: Within the past year how often have you bet on a sport?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	81.4	81.8	78.0	78.2	80.4	82.2	81.6	79.6	80.0	
Once/year	8.3	8.6	7.6	8.1	8.1	6.4	8.5	7.5	7.7	
6 times/year	3.1	3.6	4.1	5.3	2.1	2.7	3.3	3.6	3.5	
Once/month	2.4	1.2	2.4	2.1	1.3	1.1	1.8	1.8	1.8	
Twice/month	1.1	0.2	2.1	2.6	1.0	1.0	0.7	1.7	1.5	
Once/week	1.8	1.9	2.0	8.0	2.1	2.2	1.8	1.8	1.8	
3 times/week	0.7	0.5	0.9	1.1	1.7	1.0	0.6	1.2	1.1	
Every day	1.3	2.2	2.9	1.8	3.3	3.3	1.7	2.8	2.6	
N of Valid	456	418	860	843	815	783	874	3301	4175	
N of Miss	34	18	27	64	70	50	52	211	263	

Table 4.225: Within the past year how often have you bet on a horse/dog race?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	94.1	92.8	90.0	90.3	89.6	91.6	93.5	90.3	91.0
Once/year	3.7	4.8	5.2	5.6	4.7	3.5	4.2	4.8	4.7
6 times/year	0.9	1.4	1.4	1.1	1.6	8.0	1.1	1.2	1.2
Once/month	0.9	0.2	0.6	8.0	0.4	0.6	0.6	0.6	0.6
Twice/month	0.0	0.0	0.7	0.4	0.2	0.3	0.0	0.4	0.3
Once/week	0.0	0.2	0.0	0.4	0.4	0.1	0.1	0.2	0.2
3 times/week	0.2	0.0	0.1	0.2	0.5	0.5	0.1	0.3	0.3
Every day	0.2	0.5	2.0	1.2	2.7	2.6	0.3	2.1	1.7
N of Valid	458	419	858	838	816	771	877	3283	4160
N of Miss	32	17	29	69	69	62	49	229	278

Table 4.226: Within the past year how often have you bet on games of personal skill (bowling, video games, dares, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	75.1	74.6	70.1	74.0	75.9	80.3	74.9	74.9	74.9
Once/year	8.7	8.5	8.3	7.5	6.3	5.1	8.6	6.8	7.2
6 times/year	5.2	6.3	7.6	6.4	4.2	3.6	5.7	5.5	5.6
Once/month	3.3	4.1	3.8	3.1	3.6	2.7	3.7	3.3	3.4
Twice/month	2.0	1.2	2.3	2.7	2.3	1.1	1.6	2.2	2.0
Once/week	1.3	1.7	2.0	2.7	1.7	1.5	1.5	2.0	1.9
3 times/week	2.8	0.7	1.7	0.7	1.2	1.5	1.8	1.3	1.4
Every day	1.7	2.9	4.1	2.9	4.8	4.1	2.3	3.9	3.6
N of Valid	461	414	863	842	813	783	875	3301	4176
N of Miss	29	22	24	65	72	50	51	211	262

Table 4.227: Within the past year how often have you played bingo for money?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	93.0	90.9	89.7	92.1	91.6	91.1	92.0	91.1	91.3
Once/year	4.2	6.9	5.7	3.3	3.1	3.8	5.5	4.0	4.3
6 times/year	0.9	1.4	1.8	1.8	1.5	8.0	1.1	1.5	1.4
Once/month	0.7	0.5	0.4	0.7	0.2	0.5	0.6	0.5	0.5
Twice/month	0.2	0.0	0.5	0.6	0.1	0.4	0.1	0.4	0.3
Once/week	0.2	0.0	0.1	0.2	0.4	0.3	0.1	0.2	0.2
3 times/week	0.4	0.0	0.0	0.2	0.2	0.4	0.2	0.2	0.2
Every day	0.4	0.2	1.9	1.1	2.8	2.8	0.3	2.1	1.8
N of Valid	454	418	856	846	809	783	872	3294	4166
N of Miss	36	18	31	61	76	50	54	218	272

Table 4.228: Within the past year how often have you bet money over the internet?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	97.8	98.1	95.1	95.6	93.6	93.1	97.9	94.4	95.1
Once/year	0.4	0.7	1.2	1.2	1.5	1.2	0.6	1.2	1.1
6 times/year	0.2	0.5	0.7	0.4	0.7	0.4	0.3	0.5	0.5
Once/month	0.7	0.2	0.1	0.6	0.1	0.6	0.5	0.4	0.4
Twice/month	0.2	0.2	0.6	0.5	0.4	0.1	0.2	0.4	0.4
Once/week	0.0	0.0	0.2	0.7	0.6	8.0	0.0	0.6	0.5
3 times/week	0.4	0.0	0.2	0.0	0.4	8.0	0.2	0.3	0.3
Every day	0.2	0.2	1.9	1.1	2.7	3.1	0.2	2.2	1.8
N of Valid	458	415	858	844	813	782	873	3297	4170
N of Miss	32	21	29	63	72	51	53	215	268

Table 4.229: Within the past year how often have you bet money in other ways?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	88.5	89.7	87.5	86.8	86.4	86.7	89.1	86.8	87.3	
Once/year	5.1	3.8	5.1	4.5	4.3	4.1	4.5	4.5	4.5	
6 times/year	1.8	3.4	2.0	2.0	2.4	2.7	2.5	2.3	2.3	
Once/month	1.1	1.0	1.3	1.4	1.6	0.6	1.0	1.3	1.2	
Twice/month	1.1	0.5	0.9	2.1	0.9	8.0	8.0	1.2	1.1	
Once/week	0.4	0.5	0.2	0.6	0.4	8.0	0.5	0.5	0.5	
3 times/week	1.3	0.5	0.6	8.0	0.6	8.0	0.9	0.7	0.7	
Every day	0.7	0.7	2.4	1.7	3.5	3.6	0.7	2.7	2.3	
N of Valid	454	416	849	839	806	780	870	3274	4144	
N of Miss	36	20	38	68	79	53	56	238	294	

Table 4.230: Where do you usually gamble?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Internet	2.0	1.4	4.8	4.1	6.3	6.1	1.7	5.3	4.6	
Casino	8.0	0.0	1.1	0.8	2.4	2.3	0.4	1.6	1.4	
Harness racing	8.0	0.0	2.0	2.0	2.5	3.2	0.4	2.4	2.0	
My home	17.3	17.0	21.0	20.7	18.8	18.6	17.2	19.8	19.2	
Sporting event	5.3	5.5	8.3	7.3	6.1	6.2	5.4	7.0	6.7	
School property	1.4	2.3	2.8	4.3	4.0	3.1	1.8	3.6	3.2	•
Community festival, concert or other event	5.7	7.8	10.4	11.4	7.6	8.4	6.7	9.5	8.9	
Another person's home	9.2	7.3	13.4	13.1	12.4	11.6	8.3	12.7	11.8	
Neighborhood store or convenience store	1.8	2.3	2.6	2.5	2.4	3.5	2.1	2.7	2.6	
Park, parking lot, or other public place	2.0	2.1	3.0	3.9	4.0	4.4	2.1	3.8	3.4	
Other place	7.1	4.6	7.0	8.0	7.0	6.4	5.9	7.1	6.9	
I have not gambled	69.4	70.2	65.1	61.2	62.6	64.3	69.8	63.3	64.6	
N of Valid	490	436	887	907	885	833	926	3512	4438	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.231: Have you ever felt bad about the amount you bet or about what happens when you bet money?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	78.5	79.6	72.9	70.0	73.2	72.3	79.0	72.1	73.5
Seldom	12.5	12.3	18.4	20.1	18.9	19.2	12.4	19.1	17.7
Sometimes	5.1	5.3	5.3	5.8	5.4	4.9	5.2	5.4	5.3
Often	3.3	2.9	3.2	3.2	2.1	2.9	3.1	2.8	2.9
A lot	0.7	0.0	0.2	8.0	0.5	0.6	0.3	0.6	0.5
N of Valid	455	416	849	844	801	770	871	3264	4135
N of Miss	34	17	28	56	69	50	51	203	254

Table 4.232: Have you ever felt that you would like to stop betting money but didn't think you could?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	80.0	81.2	74.3	71.4	73.4	73.1	80.6	73.0	74.6
Seldom	16.5	16.1	22.8	25.3	24.7	24.0	16.3	24.2	22.5
Sometimes	2.4	1.0	1.5	2.2	1.0	1.9	1.7	1.7	1.7
Often	0.7	1.0	1.3	0.6	0.5	8.0	8.0	0.8	0.8
A lot	0.4	0.7	0.1	0.5	0.4	0.3	0.6	0.3	0.4
N of Valid	454	416	848	845	805	772	870	3270	4140
N of Miss	34	17	27	60	68	52	51	207	258

Table 4.233: Have you ever lied to anyone about betting or gambling?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	79.6	81.1	73.3	71.9	73.7	73.8	80.3	73.2	74.7	
Seldom	16.8	17.3	23.9	25.0	23.3	23.6	17.0	24.0	22.5	
Sometimes	2.2	1.2	1.6	1.5	2.0	1.4	1.7	1.7	1.7	
Often	0.7	0.5	0.7	1.0	0.6	0.9	0.6	8.0	0.8	•
A lot	0.7	0.0	0.5	0.6	0.4	0.3	0.3	0.4	0.4	•
N of Valid	457	417	850	839	803	767	874	3259	4133	
N of Miss	33	16	28	60	68	54	49	210	259	

Table 4.234: Have you ever bet or gambled more than you wanted?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	80.5	80.6	73.5	71.3	73.4	73.8	80.6	73.0	74.6	
Seldom	15.5	15.6	20.8	23.5	20.8	21.5	15.5	21.7	20.4	
Sometimes	2.6	2.2	3.5	2.9	3.6	3.1	2.4	3.3	3.1	
Often	0.9	1.4	2.1	1.9	1.8	1.6	1.1	1.8	1.7	
A lot	0.4	0.2	0.0	0.4	0.5	0.0	0.3	0.2	0.2	
N of Valid	457	418	846	841	800	768	875	3255	4130	
N of Miss	33	16	32	60	70	53	49	215	264	

4.17 While At School Have You

Table 4.235: While at school have you carried a handgun in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	98.3	97.6	96.7	97.4	96.3	97.5	98.0	97.0	97.2
One time	0.6	1.4	1.0	0.5	1.2	0.5	1.0	0.8	0.9
2-5 times	0.2	0.5	0.6	0.6	0.5	0.4	0.3	0.5	0.5
6 or more times	0.9	0.5	1.6	1.5	2.0	1.6	0.7	1.7	1.5
N of Valid	462	421	858	853	815	789	883	3315	4198
N of Miss	28	15	29	54	70	44	43	197	240

Table 4.236: While at school have you carried a knife, club or other weapon in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	93.9	92.8	92.7	91.6	90.4	88.3	93.4	90.8	91.3
One time	1.9	1.7	2.8	3.2	4.4	3.7	1.8	3.5	3.1
2-5 times	1.9	2.6	1.3	2.2	1.7	3.2	2.3	2.1	2.1
6 or more times	2.2	2.9	3.3	3.0	3.4	4.9	2.5	3.6	3.4
N of Valid	462	419	858	853	816	792	881	3319	4200
N of Miss	28	17	29	54	69	41	45	193	238

Table 4.237: While at school have you threatened a student with a handgun, knife or club in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	99.6	99.3	96.5	97.4	97.9	97.1	99.4	97.2	97.7
One time	0.2	0.5	1.8	0.7	0.5	1.3	0.3	1.1	0.9
2-5 times	0.0	0.0	0.4	0.7	0.1	0.6	0.0	0.5	0.4
6 or more times	0.2	0.2	1.4	1.2	1.5	1.0	0.2	1.3	1.1
N of Valid	454	411	854	845	813	784	865	3296	4161
N of Miss	36	25	33	62	72	49	61	216	277

Table 4.238: While at school have you threatened to hurt a student by hitting, slapping or kicking in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	83.8	78.1	80.9	80.1	82.1	84.5	81.1	81.9	81.7
One time	8.4	10.7	6.8	7.5	6.0	5.6	9.5	6.5	7.1
2-5 times	3.7	7.1	6.2	5.4	5.6	5.4	5.3	5.7	5.6
6 or more times	4.1	4.0	6.1	6.9	6.3	4.4	4.1	6.0	5.6
N of Valid	462	420	854	849	822	789	882	3314	4196
N of Miss	28	16	33	58	63	44	44	198	242

Table 4.239: While at school have you hurt a student by using a handgun, knife or club in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	98.9	99.8	98.0	98.1	98.0	97.8	99.3	98.0	98.3
One time	0.4	0.0	0.5	0.7	0.4	0.4	0.2	0.5	0.4
2-5 times	0.4	0.0	0.4	0.4	0.4	0.5	0.2	0.4	0.4
6 or more times	0.2	0.2	1.2	8.0	1.2	1.3	0.2	1.1	0.9
N of Valid	458	419	852	848	819	785	877	3304	4181
N of Miss	32	17	35	59	66	48	49	208	257

Table 4.240: While at school have you hurt a student by hitting, slapping or kicking in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	87.0	83.8	86.2	89.2	88.2	90.8	85.5	88.6	87.9
One time	8.1	10.2	5.8	5.3	4.2	4.2	9.1	4.9	5.8
2-5 times	3.5	3.8	4.5	3.1	4.4	2.3	3.7	3.6	3.6
6 or more times	1.3	2.1	3.5	2.4	3.2	2.7	1.7	2.9	2.7
N of Valid	455	420	849	846	816	783	875	3294	4169
N of Miss	35	16	38	61	69	50	51	218	269

Table 4.241: While at school have you been threatened with a handgun, knife or club by a student in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	93.6	93.0	92.4	94.8	94.5	94.4	93.3	94.0	93.9
One time	3.5	4.8	3.3	1.7	2.6	2.2	4.2	2.4	2.8
2-5 times	2.0	1.0	2.7	1.8	1.1	1.0	1.5	1.7	1.6
6 or more times	0.9	1.2	1.6	1.8	1.8	2.4	1.0	1.9	1.7
N of Valid	454	413	854	842	818	786	867	3300	4167
N of Miss	36	23	33	65	67	47	59	212	271

Table 4.242: While at school have you had a student threaten to hit, slap or kick you in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	69.3	65.8	70.7	74.9	76.7	82.5	67.6	76.1	74.3
One time	14.2	15.0	11.3	10.8	8.6	6.1	14.5	9.3	10.4
2-5 times	11.8	11.6	9.8	7.2	9.0	6.0	11.7	8.0	8.8
6 or more times	4.8	7.6	8.1	7.1	5.7	5.4	6.1	6.6	6.5
N of Valid	459	421	847	850	818	789	880	3304	4184
N of Miss	31	15	40	57	67	44	46	208	254

Table 4.243: While at school have you been afraid a student may hurt you in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	75.8	78.7	78.5	84.0	85.3	89.2	77.2	84.1	82.7	
One time	11.5	8.5	9.6	7.5	7.2	4.7	10.0	7.3	7.9	
2-5 times	7.0	8.5	7.1	4.2	3.9	2.9	7.7	4.6	5.2	
6 or more times	5.7	4.4	4.8	4.2	3.6	3.2	5.1	4.0	4.2	
N of Valid	454	413	846	850	811	786	867	3293	4160	
N of Miss	36	23	41	57	74	47	59	219	278	

Table 4.244: While at school have you been hurt by a student using a handgun, knife or club in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	98.9	99.0	97.8	98.0	97.3	97.9	99.0	97.7	98.0
One time	0.4	0.2	0.7	0.5	1.2	0.5	0.3	0.7	0.6
2-5 times	0.2	0.5	0.2	0.5	0.1	0.4	0.3	0.3	0.3
6 or more times	0.4	0.2	1.3	1.1	1.3	1.3	0.3	1.2	1.0
N of Valid	458	418	855	849	819	792	876	3315	4191
N of Miss	32	18	32	58	66	41	50	197	247

Table 4.245: While at school have you been hurt by a student who hit, slapped or kicked you in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	78.1	75.4	82.2	88.7	88.2	92.4	76.8	87.7	85.5
One time	10.2	10.7	9.2	5.3	4.8	3.9	10.5	5.9	6.8
2-5 times	9.5	6.7	4.4	3.8	3.8	1.7	8.2	3.4	4.4
6 or more times	2.2	7.2	4.2	2.2	3.2	2.0	4.5	2.9	3.3
N of Valid	461	419	858	849	812	787	880	3306	4186
N of Miss	29	17	29	58	73	46	46	206	252

4.18 In My School, I Feel Safe...

Table 4.246: In my school, I feel safe in the classroom.

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	3.5	3.8	6.1	6.8	8.0	5.8	3.6	6.7	6.0
Seldom	1.5	3.6	1.9	2.2	2.6	2.4	2.5	2.3	2.3
Sometimes	4.2	4.8	7.4	6.9	4.7	4.8	4.4	6.0	5.7
Often	15.3	19.7	17.8	19.4	19.9	16.6	17.4	18.5	18.2
A Lot	75.5	68.2	66.8	64.6	65.0	70.3	72.0	66.6	67.7
N of Valid	457	421	853	850	816	787	878	3306	4184
N of Miss	33	15	34	57	69	46	48	206	254

Table 4.247: In my school, I feel safe in the cafeteria (lunchroom).

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	5.5	5.4	7.3	7.5	8.3	5.7	5.4	7.2	6.9	
Seldom	2.8	4.7	3.0	3.4	3.9	3.7	3.7	3.5	3.6	
Sometimes	10.3	9.0	9.7	10.2	8.5	6.9	9.6	8.9	9.0	
Often	15.9	21.5	19.2	21.7	20.1	17.0	18.6	19.6	19.4	
A Lot	65.5	59.3	60.7	57.2	59.2	66.7	62.5	60.9	61.2	
N of Valid	458	423	853	853	816	786	881	3308	4189	
N of Miss	32	13	34	54	69	47	45	204	249	

Table 4.248: In my school, I feel safe in the halls.

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	7.5	7.3	7.5	7.9	8.5	5.7	7.4	7.4	7.4
Seldom	4.2	7.6	4.7	4.2	4.2	4.2	5.8	4.3	4.6
Sometimes	12.3	11.1	11.1	9.4	8.0	7.4	11.7	9.0	9.6
Often	16.7	17.5	21.2	22.9	20.7	16.2	17.1	20.4	19.7
A Lot	59.4	56.5	55.5	55.5	58.7	66.5	58.0	58.9	58.7
N of Valid	456	423	853	850	815	788	879	3306	4185
N of Miss	34	13	34	57	70	45	47	206	253

Table 4.249: In my school, I feel safe in the bathroom.

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	7.3	7.4	8.0	8.3	9.0	6.3	7.3	8.0	7.8	
Seldom	5.1	8.8	4.3	3.8	4.9	4.2	6.8	4.3	4.8	
Sometimes	9.5	10.2	9.6	9.3	7.8	6.1	9.8	8.2	8.6	
Often	18.2	16.4	19.8	22.7	19.2	17.3	17.4	19.8	19.3	
A Lot	60.0	57.2	58.3	55.9	59.0	66.1	58.7	59.7	59.5	
N of Valid	455	421	847	853	818	788	876	3306	4182	
N of Miss	35	15	40	54	67	45	50	206	256	

Table 4.250: In my school, I feel safe in the gym.

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	5.1	6.4	7.9	6.7	8.9	6.1	5.7	7.4	7.1	
Seldom	2.7	5.0	2.1	3.1	3.3	2.8	3.8	2.8	3.0	
Sometimes	7.3	6.7	7.7	8.4	5.9	5.9	7.0	7.0	7.0	
Often	15.0	17.3	18.1	20.6	19.1	17.0	16.2	18.7	18.2	
A Lot	69.9	64.6	64.2	61.2	62.9	68.2	67.4	64.1	64.7	
N of Valid	452	421	849	849	813	786	873	3297	4170	
N of Miss	38	15	38	58	72	47	53	215	268	

Table 4.251: In my school, I feel safe on the school bus.

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	7.9	9.3	8.6	7.9	10.6	7.3	8.6	8.6	8.6	
Seldom	3.3	4.8	3.6	5.1	4.6	4.2	4.0	4.4	4.3	
Sometimes	13.0	11.2	10.7	9.6	6.8	6.6	12.1	8.5	9.3	
Often	18.2	19.6	18.9	21.4	19.4	17.4	18.9	19.3	19.2	
A Lot	57.6	55.0	58.1	56.0	58.6	64.5	56.4	59.2	58.6	
N of Valid	455	418	850	850	809	782	873	3291	4164	
N of Miss	35	18	37	57	76	51	53	221	274	

Table 4.252: In my school, I feel safe at school events (ballgames, etc.).

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	6.2	6.9	6.9	7.5	9.0	6.7	6.5	7.5	7.3	
Seldom	4.0	5.3	3.5	3.9	3.6	3.0	4.6	3.5	3.7	
Sometimes	12.6	11.0	8.9	11.6	7.7	7.0	11.8	8.9	9.5	
Often	17.8	19.4	20.8	20.7	20.8	18.4	18.6	20.2	19.9	
A Lot	59.5	57.4	59.8	56.3	58.9	64.8	58.5	59.9	59.6	
N of Valid	454	418	850	852	813	787	872	3302	4174	
N of Miss	36	18	37	55	72	46	54	210	264	

Table 4.253: In my school, I feel safe in the parking lot.

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	11.2	11.5	9.6	8.0	10.1	7.0	11.3	8.7	9.3	
Seldom	8.3	8.1	6.6	5.3	5.2	4.4	8.2	5.4	6.0	
Sometimes	11.2	12.9	11.4	11.7	10.6	8.5	12.0	10.6	10.9	
Often	19.1	21.0	19.7	21.3	19.3	17.5	20.0	19.5	19.6	
A Lot	50.2	46.5	52.7	53.7	54.8	62.6	48.5	55.8	54.3	
N of Valid	456	419	848	849	809	781	875	3287	4162	
N of Miss	34	17	39	58	76	52	51	225	276	

4.19 Frequency of Use

Table 4.254: Frequency of use of cigarettes?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	0.4	0.7	2.2	3.3	6.5	9.2	0.6	5.2	4.2	
Weekly	1.3	1.9	4.2	5.9	9.3	14.7	1.6	8.4	7.0	
Annual	4.1	5.6	10.5	13.1	20.9	26.6	4.8	17.6	15.0	
N of Valid	468	428	874	891	863	819	896	3447	4343	
N of Miss	22	8	13	16	22	14	30	65	95	

Table 4.255: Frequency of use of smokeless tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	0.9	0.9	2.2	2.7	6.2	7.6	0.9	4.6	3.8	
Weekly	1.1	1.2	3.2	3.9	7.9	9.9	1.1	6.1	5.1	
Annual	1.9	3.8	7.4	9.1	13.9	17.1	2.8	11.8	9.9	
N of Valid	469	426	875	892	864	818	895	3449	4344	
N of Miss	21	10	12	15	21	15	31	63	94	

Table 4.256: Frequency of use of cigars?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	0.2	0.2	1.3	1.6	2.5	2.7	0.2	2.0	1.6	
Weekly	0.6	0.5	2.0	2.3	3.9	5.0	0.6	3.2	2.7	
Annual	2.2	2.6	7.0	8.8	16.2	20.0	2.4	12.9	10.7	
N of Valid	463	423	867	886	856	813	886	3422	4308	
N of Miss	27	13	20	21	29	20	40	90	130	

Table 4.257: Frequency of use of electronic vapor products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	1.7	2.4	3.3	4.9	6.1	5.6	2.0	5.0	4.4	
Weekly	3.4	4.7	6.1	8.9	12.6	14.9	4.0	10.5	9.2	
Annual	7.7	11.1	17.2	27.5	33.6	39.8	9.3	29.3	25.2	
N of Valid	467	425	876	892	865	817	892	3450	4342	
N of Miss	23	11	11	15	20	16	34	62	96	

Table 4.258: Frequency of use of beer?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.4	0.7	1.4	1.7	2.9	2.8	0.6	2.2	1.8
Weekly	0.9	1.4	2.5	5.5	8.8	13.5	1.1	7.5	6.2
Annual	6.2	10.3	19.9	30.6	39.1	50.1	8.2	34.6	29.2
N of Valid	465	426	874	890	862	815	891	3441	4332
N of Miss	25	10	13	17	23	18	35	71	106

Table 4.259: Frequency of use of coolers, hard lemonade, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	0.4	0.5	1.5	1.8	3.0	2.7	0.5	2.2	1.9	
Weekly	1.1	0.9	2.5	4.8	7.8	10.6	1.0	6.4	5.3	
Annual	5.2	7.5	16.7	27.7	35.5	47.9	6.3	31.7	26.5	
N of Valid	463	425	872	888	864	817	888	3441	4329	
N of Miss	27	11	15	19	21	16	38	71	109	

Table 4.260: Frequency of use of liquor?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	0.4	0.5	1.6	1.8	3.2	3.2	0.5	2.4	2.0	
Weekly	1.1	1.0	2.7	5.2	7.7	12.9	1.0	7.0	5.8	
Annual	4.7	7.6	19.1	28.8	38.6	51.0	6.1	34.1	28.3	
N of Valid	464	420	865	882	855	812	884	3414	4298	
N of Miss	26	16	22	25	30	21	42	98	140	

Table 4.261: Frequency of use of marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	0.9	0.7	2.5	4.6	7.6	9.4	0.8	6.0	4.9	
Weekly	1.3	1.6	4.9	9.5	13.2	17.1	1.5	11.0	9.1	
Annual	3.6	5.6	11.5	20.3	28.4	39.8	4.6	24.7	20.6	
N of Valid	467	426	877	887	864	820	893	3448	4341	
N of Miss	23	10	10	20	21	13	33	64	97	

Table 4.262: Frequency of use of synthetic marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.4	0.0	1.5	1.9	2.6	2.8	0.2	2.2	1.8
Weekly	0.9	0.5	2.2	3.2	3.3	3.7	0.7	3.1	2.6
Annual	1.5	2.4	4.1	6.4	8.8	9.4	1.9	7.1	6.1
N of Valid	458	420	869	885	855	809	878	3418	4296
N of Miss	32	16	18	22	30	24	48	94	142

Table 4.263: Frequency of use of chemical products (bath salts)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.2	0.0	1.1	1.2	2.7	2.3	0.1	1.8	1.5
Weekly	0.4	0.0	1.4	1.6	2.8	2.9	0.2	2.1	1.8
Annual	0.9	1.4	2.6	2.9	4.3	4.8	1.1	3.6	3.1
N of Valid	467	426	877	887	866	818	893	3448	4341
N of Miss	23	10	10	20	19	15	33	64	97

Table 4.264: Frequency of use of pain medication not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	0.6	0.0	1.3	1.5	2.8	3.2	0.3	2.1	1.8	
Weekly	0.6	0.0	2.2	3.4	3.8	5.4	0.3	3.7	3.0	
Annual	2.8	2.3	5.5	8.1	10.9	13.7	2.6	9.5	8.0	
N of Valid	467	426	877	886	866	818	893	3447	4340	
N of Miss	23	10	10	21	19	15	33	65	98	

Table 4.265: Frequency of use of stimulant medication not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	0.2	0.0	1.0	1.5	2.9	3.1	0.1	2.1	1.7	
Weekly	0.6	0.2	1.6	2.6	4.3	6.5	0.5	3.7	3.0	
Annual	1.1	1.4	3.7	6.4	11.0	15.8	1.2	9.1	7.5	
N of Valid	463	424	876	889	863	819	887	3447	4334	
N of Miss	27	12	11	18	22	14	39	65	104	

Table 4.266: Frequency of use of sleeping medication not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	0.2	0.0	1.4	1.4	2.7	2.8	0.1	2.0	1.6	
Weekly	0.4	0.7	2.2	2.0	3.4	4.2	0.6	2.9	2.4	
Annual	2.6	4.5	6.5	7.4	8.1	9.3	3.5	7.8	6.9	
N of Valid	461	422	874	886	863	815	883	3438	4321	
N of Miss	29	14	13	21	22	18	43	74	117	

Table 4.267: Frequency of use of sedative/anxiety medication not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	0.2	0.0	1.5	2.2	3.1	2.7	0.1	2.4	1.9	
Weekly	0.4	0.7	1.9	3.0	3.4	4.2	0.6	3.1	2.6	
Annual	1.9	1.6	4.1	6.2	8.3	10.2	1.8	7.1	6.0	
N of Valid	464	426	879	890	864	816	890	3449	4339	
N of Miss	26	10	8	17	21	17	36	63	99	

Table 4.268: Frequency of use of over-the-counter drugs to get high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	0.2	0.0	1.3	1.6	2.7	2.3	0.1	1.9	1.6	
Weekly	0.2	0.0	1.7	1.9	3.0	2.9	0.1	2.4	1.9	
Annual	0.4	0.9	2.9	4.3	5.5	6.1	0.7	4.7	3.8	
N of Valid	466	426	875	888	860	815	892	3438	4330	
N of Miss	24	10	12	19	25	18	34	74	108	

Table 4.269: Frequency of use of heroin?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.4	0.0	1.1	1.2	3.0	2.3	0.2	1.9	1.6
Weekly	0.4	0.0	1.1	1.7	3.4	2.9	0.2	2.3	1.8
Annual	0.4	0.0	1.5	2.3	4.2	3.8	0.2	2.9	2.4
N of Valid	468	423	877	885	864	818	891	3444	4335
N of Miss	22	13	10	22	21	15	35	68	103

Table 4.270: Frequency of use of cocaine?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.4	0.0	1.3	1.6	2.7	2.4	0.2	2.0	1.6
Weekly	0.4	0.0	1.3	2.0	2.9	3.3	0.2	2.4	1.9
Annual	0.6	0.7	2.1	2.9	5.2	6.4	0.7	4.1	3.4
N of Valid	467	426	876	887	864	817	893	3444	4337
N of Miss	23	10	11	20	21	16	33	68	101

Table 4.271: Frequency of use of inhalants?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	0.4	0.0	1.1	1.5	2.3	2.4	0.2	1.8	1.5	
Weekly	0.6	0.0	1.4	1.6	2.6	2.6	0.3	2.0	1.7	
Annual	1.5	0.7	2.5	2.9	4.3	4.9	1.1	3.6	3.1	
N of Valid	462	424	877	886	861	817	886	3441	4327	
N of Miss	28	12	10	21	24	16	40	71	111	

Table 4.272: Frequency of use of hallucinogens?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.4	0.0	1.3	1.2	2.3	2.2	0.2	1.7	1.4
Weekly	0.4	0.0	1.7	2.4	2.6	4.0	0.2	2.6	2.2
Annual	0.6	0.9	2.6	4.4	6.7	8.6	8.0	5.5	4.6
N of Valid	463	426	874	884	861	816	889	3435	4324
N of Miss	27	10	13	23	24	17	37	77	114

Table 4.273: Frequency of use of steroids?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	0.6	0.2	1.3	1.5	2.4	2.2	0.4	1.8	1.5	
Weekly	0.6	0.5	1.4	1.8	2.4	2.2	0.6	2.0	1.7	
Annual	1.5	0.9	2.5	2.9	4.1	4.2	1.2	3.4	3.0	
N of Valid	465	425	879	883	858	815	890	3435	4325	
N of Miss	25	11	8	24	27	18	36	77	113	

Table 4.274: Frequency of use of ecstasy?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.2	0.0	1.5	1.2	2.1	2.5	0.1	1.8	1.5
Weekly	0.2	0.0	1.7	1.7	2.2	3.1	0.1	2.2	1.7
Annual	0.2	0.7	2.7	3.4	5.6	7.2	0.5	4.7	3.8
N of Valid	463	424	875	888	857	815	887	3435	4322
N of Miss	27	12	12	19	28	18	39	77	116

Table 4.275: Frequency of use of meth?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.6	0.0	1.3	1.2	2.3	2.7	0.3	1.9	1.5
Weekly	0.6	0.0	1.6	1.7	2.5	2.9	0.3	2.2	1.8
Annual	0.9	0.0	2.1	2.3	3.8	4.3	0.4	3.1	2.5
N of Valid	465	425	875	884	864	816	890	3439	4329
N of Miss	25	11	12	23	21	17	36	73	109

Table 4.276: Frequency of use of any tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	0.9	1.2	2.9	4.3	10.0	13.7	1.0	7.6	6.2	
Weekly	1.7	1.9	5.5	7.4	14.0	18.8	1.8	11.3	9.3	
Annual	4.9	7.0	13.2	17.9	29.2	37.3	5.9	24.2	20.4	
N of Valid	470	428	876	894	867	823	898	3460	4358	
N of Miss	20	8	11	13	18	10	28	52	80	

Table 4.277: Frequency of use of any alcohol?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	0.9	0.7	1.8	1.9	3.2	3.4	0.8	2.6	2.2	
Weekly	1.3	1.4	3.1	6.9	10.8	16.3	1.3	9.2	7.6	
Annual	8.3	14.1	25.1	37.1	48.1	61.0	11.0	42.5	36.0	
N of Valid	470	427	879	894	867	820	897	3460	4357	
N of Miss	20	9	8	13	18	13	29	52	81	

Table 4.278: Frequency of use of any illicit drug?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Daily	1.5	0.9	3.9	6.1	9.8	10.7	1.2	7.6	6.3	
Weekly	2.3	3.0	6.4	10.9	15.8	19.3	2.7	13.0	10.9	
Annual	8.7	9.8	17.4	23.8	33.6	43.8	9.3	29.4	25.2	
N of Valid	470	427	880	895	869	822	897	3466	4363	
N of Miss	20	9	7	12	16	11	29	46	75	

Chapter 5

Drug-Free Communities Support Program Core Measures

The Drug-Free Communities Support Program, administered by the Center for Substance Abuse Prevention, requests specific data which is typically referred to as the Core Measures. The requirements for these data has recently been modified. The tables in this section reflect the latest changes and requirements. The drug categories measured are tobacco, alcohol, marijuana, and prescription drugs.

The first four tables are broken down by grade level and the following tables are broken down by gender.

30-Day Use The question *During the past 30 days...* is used to measure this statistic by reporting the percentage of students who report using in the past 30 days.

Perception of Risk The question *How much do you think people risk harming themselves physically or in other ways if they...* is used to measure this statistic by reporting the percentage of students who report that using the drug is *Moderate Risk* or *Great Risk* to their health.

Perception of Parental Disapproval The questions How wrong do your parents feel it would be for you to ...? are used to measure this statistic by reporting the percentage of students who report that parents would feel it is Wrong or Very Wrong to use tobacco, alcohol, marijuana, and prescription drugs.

Perception of Friends Disapproval The questions *How wrong do your friends* feel it would be for you to ...? are used to measure this statistic by reporting the percentage of students who report that friends would feel it is *Wrong* or *Very Wrong* to use tobacco, alcohol, marijuana, and prescription drugs.

Table 5.1: Core Measure for 30 Day Use by Grade

Grade	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 7	5.0	456	5.7	458	5.3	449	2.6	456
Grade 8	6.0	420	8.1	418	5.3	416	3.1	418
Grade 9	7.5	861	12.5	863	7.7	849	4.4	857
Grade 10	9.7	874	18.8	873	13.6	869	5.7	874
Grade 11	15.2	848	26.7	851	19.3	843	7.3	844
Grade 12	20.8	806	38.4	805	24.6	798	11.2	803
Combined	11.6	4,265	20.3	4,268	13.9	4,224	6.2	4,252

Table 5.2: Core Measure of Perception of Risk by Grade

Grade	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 7	92.8	457	83.4	458	86.9	452	89.3	449
Grade 8	91.4	417	78.7	417	83.7	416	91.4	419
Grade 9	91.5	862	82.3	866	74.5	863	88.6	863
Grade 10	88.6	865	78.1	873	60.5	866	86.6	871
Grade 11	85.4	836	74.8	845	53.2	839	83.5	834
Grade 12	84.1	801	74.8	799	44.4	795	85.4	797
Combined	88.4	4,238	78.3	4,258	64.0	4,231	86.9	4,233

Table 5.3: Core Measure of Parental Disapproval by Grade

Grade	Tobacco		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 7	96.3	456	93.7	457	96.3	456	97.1	455
Grade 8	96.4	419	92.8	418	96.2	421	97.9	419
Grade 9	95.8	864	91.2	868	94.7	861	96.7	860
Grade 10	93.0	871	86.1	872	89.9	868	94.7	869
Grade 11	90.2	834	82.6	832	86.1	830	93.6	830
Grade 12	85.0	802	72.4	802	80.9	801	92.6	802
Combined	92.2	4,246	85.4	4,249	89.7	4,237	95.1	4,235

Table 5.4: Core Measure of Friends Disapproval by Grade

Grade	Tobacco		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 7	90.9	453	87.5	455	90.5	452	92.9	451
Grade 8	89.3	421	81.8	422	90.0	422	93.6	420
Grade 9	85.0	861	74.2	866	78.8	862	90.4	863
Grade 10	74.4	871	56.6	869	65.6	869	84.8	867
Grade 11	62.6	831	43.3	833	54.7	836	80.6	834
Grade 12	55.2	805	29.9	803	42.8	801	76.8	800
Combined	73.8	4,242	58.4	4,248	66.9	4,242	85.3	4,235

Table 5.5: Core Measure for 30 Day Use by Sex

Sex	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	10.6	2,016	19.5	2,021	14.6	1,996	5.5	2,012
Female	12.6	2,151	21.2	2,150	13.3	2,133	6.9	2,143
Combined	11.6	4,167	20.4	4,171	13.9	4,129	6.2	4,155

Table 5.6: Core Measure of Perception of Risk by Sex

Sex	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	85.9	2,004	74.8	2,006	60.5	1,992	85.0	1,990
Female	90.9	2,139	81.9	2,156	67.5	2,145	88.8	2,148
Combined	88.5	4,143	78.5	4,162	64.1	4,137	87.0	4,138

Table 5.7: Core Measure of Parental Disapproval by Sex

Sex	Tobacco		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	91.1	2,003	84.3	2,004	88.3	1,993	94.1	1,995
Female	93.3	2,152	86.4	2,154	91.0	2,152	96.0	2,148
Combined	92.2	4,155	85.4	4,158	89.7	4,145	95.1	4,143

Table 5.8: Core Measure of Friends Disapproval by Sex

Sex	Tobacco		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	71.3	2,003	56.5	2,005	65.9	2,000	83.7	1,996
Female	76.1	2,148	60.1	2,151	67.7	2,150	86.8	2,147
Combined	73.8	4,151	58.3	4,156	66.8	4,150	85.3	4,143